
Civis Client Documentation

Release 1.0.0

Civis Analytics

Mar 24, 2017

Contents

1	Installation	3
2	Authentication	5
3	User Guide	7
4	Client API Reference	9
5	Indices and tables	407

The Civis API Python client is a Python package that helps analysts and developers interact with the Civis Platform. The package includes a set of tools around common workflows as well as a convenient interface to make requests directly to the Civis API.

CHAPTER 1

Installation

The recommended install method is pip:

```
pip install civis
```

Alternatively, you may clone the code from github and build from source:

```
git clone https://github.com/civisanalytics/civis-python.git
cd civis-python
python setup.py install
```

The client has a soft dependency on `pandas` to support features such as data type parsing. If you are using the `io` namespace to read or write data from Civis, it is highly recommended that you install `pandas` and set `use_pandas=True` in functions that accept that parameter. To install `pandas`:

```
pip install pandas
```


CHAPTER 2

Authentication

In order to make requests to the Civis API, you will need an API key that is unique to you. Instructions for creating a new key are found here: <https://civis.zendesk.com/hc/en-us/articles/216341583-Generating-an-API-Key>. By default, the Python client will look for your key in the environment variable `CIVIS_API_KEY`. To add the API key to your environment, copy the key you generated to your clipboard and follow the instructions below for your operating system.

Mac

Open `.bash_profile` in TextEdit:

```
cd ~/
touch .bash_profile
open -e .bash_profile
```

Then add the following line, replacing `api_key_here` with your key:

```
export CIVIS_API_KEY="api_key_here"
```

Linux

Open `.bash_profile` in your favorite editor (nano is used here):

```
cd ~/
nano .bash_profile
```

Then add the following line, replacing `api_key_here` with your key:

```
export CIVIS_API_KEY="api_key_here"
```


CHAPTER 3

User Guide

For a more detailed walkthrough, see the *User Guide*.

User Guide

Getting Started

After installing the Civis API Python client and setting up your API key, you can now import the package `civis`:

```
>>> import civis
```

There are two entrypoints for working with the Civis API. The first is the `civis` namespace, which contains tools for typical workflows in a user friendly manner. For example, you may want to perform some transformation on your data in Python that might be tricky to code in SQL. This code downloads data from Civis, calculates the correlation between all the columns and then uploads the data back into Civis:

```
>>> df = civis.io.read_civis(table="my_schema.my_table",
...                         database="database",
...                         use_pandas=True)
>>> correlation_matrix = df.corr()
>>> correlation_matrix["corr_var"] = correlation_matrix.index
>>> fut = civis.io.dataframe_to_civis(df=correlation_matrix,
...                                  database="database",
...                                  table="my_schema.my_correlations")
...
>>> fut.result()
```

Civis Futures

In the code above, `dataframe_to_civis()` returns a special `CivisFuture` object. Making a request to the Civis API usually results in a long running job. To account for this, various functions in the `civis` namespace return a `CivisFuture` to allow you to process multiple long running jobs simultaneously. For instance, you may want to start many jobs in parallel and wait for them all to finish rather than wait for each job to finish before starting the next one.

The `CivisFuture` follows the `concurrent.futures.Future` API fairly closely. For example, calling `result()` on `fut` above forces the program to wait for the job started with `dataframe_to_civis()` to finish and returns the result.

Working Directly with the Client

Although many common workflows are included in the Civis API Python client, projects often require direct calls to the Civis API. For convenience, the Civis API Python client implements an `APIClient` object to make these API calls with Python syntax rather than a manually crafted HTTP request. To make a call, first instantiate an `APIClient` object:

```
>>> client = civis.APIClient()
```

Note: Creating an instance of `APIClient` makes an HTTP request to determine the functions to attach to the object. You must have an API key and internet connection to create an `APIClient` object. By default, the functions attached to the object come from a base set of Civis API endpoints. Based on your user profile, you may have access to a set of developmental endpoints. To access these, instantiate the client with `client = civis.APIClient(resources='all')`.

With the client object instantiated, you can now make API requests like listing your user information:

```
>>> client.users.list_me()
{'email': 'user@email.com',
 'feature_flags': {'left_nav_basic': True,
                  'results': True,
                  'scripts_notify': True,
                  'table_person_matching': True},
 'id': 1,
 'initials': 'UN',
 'name': 'User Name',
 'username': 'uname'}
```

Suppose we did not have the `civis.io` namespace. This is how we might export a CSV file from Civis. As you will see, this can be quite involved and the `civis` namespace entrypoint should be preferred whenever possible.

First, we get the ID for our database then we get the default credential for the current user.

```
>>> db_id = client.get_database_id('cluster-name')
>>> cred_id = client.default_credential
```

In order to export a table, we need to write some SQL that will generate the data to export. Then we create the export job and run it.

```
>>> generate_table = "select * from schema.tablename"
>>> export_job = client.scripts.post_sql(name="our export job",
                                       remote_host_id=db_id,
                                       credential_id=cred_id,
                                       sql=generate_table)
>>> export_run = client.scripts.post_sql_runs(export_job.id)
```

We can then poll and wait for the export to be completed.

```
>>> import time
>>> export_state = client.scripts.get_sql_runs(export_job.id,
...                                           export_run.id)
```

```
>>> while export_state.state in ['queued', 'running']:
...     time.sleep(60)
...     export_state = client.scripts.get_sql_runs(export_job.id,
...                                                export_run.id)
```

Now, we can get the URL of the exported csv. First, we grab the result of our export job.

```
>>> export_result = client.scripts.get_sql_runs(export_job.id,
...                                                export_run.id)
```

In the future, a script may export multiple jobs, so the output of this is a list.

The path returned will have a gzipped csv file, which we could load, for example, with pandas.

```
>>> url = export_result.output[0].path
```

Data Import and Export

The `civis.io` namespace provides several functions for moving data in and out of Civis.

Tables

Often, your data will be in structured format like a table in a relational database, a CSV or a dataframe. The following functions handle moving structured data to and from Civis. When using these functions, it is recommended to have *pandas* installed and to pass *use_pandas=True* in the appropriate functions. If *pandas* is not installed, data returned from Civis will all be treated as strings.

<code>civis_to_csv(filename, sql, database[, ...])</code>	Export data from Civis to a local CSV file.
<code>csv_to_civis(filename, database, table[, ...])</code>	Upload the contents of a local CSV file to Civis.
<code>dataframe_to_civis(df, database, table[, ...])</code>	Upload a <i>pandas DataFrame</i> into a Civis table.
<code>read_civis(table, database[, columns, ...])</code>	Read data from a Civis table.
<code>read_civis_sql(sql, database[, use_pandas, ...])</code>	Read data from Civis using a custom SQL string.

`civis.io.civis_to_csv`

`civis.io.civis_to_csv(filename, sql, database, job_name=None, api_key=None, credential_id=None, archive=False, hidden=True, polling_interval=None)`
Export data from Civis to a local CSV file.

Parameters `filename` : str

Download exported data into this file.

`sql` : str, optional

The SQL select string to be executed.

`database` : str or int

Export data from this database. Can be the database name or ID.

`job_name` : str, optional

A name to give the job. If omitted, a random job name will be used.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

Returns results : `CivisFuture`

A *CivisFuture* object.

See also:

`civis.io.read_civis` Read table contents into memory.

`civis.io.read_civis_sql` Read results of a SQL query into memory.

Examples

```
>>> sql = "SELECT * FROM schema.table"
>>> fut = civis_to_csv("file.csv", sql, "my_database")
>>> fut.result() # Wait for job to complete
```

civis.io.csv_to_civis

`civis.io.csv_to_civis` (*filename*, *database*, *table*, *api_key*=*None*, *max_errors*=*None*, *existing_table_rows*=*'fail'*, *distkey*=*None*, *sortkey1*=*None*, *sortkey2*=*None*, *delimiter*=*' '*, *headers*=*None*, *credential_id*=*None*, *polling_interval*=*None*, *archive*=*False*, *hidden*=*True*)

Upload the contents of a local CSV file to Civis.

Parameters filename : str

Upload the contents of this file.

database : str or int

Upload data into this database. Can be the database name or ID.

table : str

The schema and table you want to upload to. E.g., `'scratch.table'`.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

max_errors : int, optional

The maximum number of rows with errors to remove from the import before failing.

existing_table_rows : str, optional

The behaviour if a table with the requested name already exists. One of 'fail', 'truncate', 'append' or 'drop'. Defaults to 'fail'.

distkey : str, optional

The column to use as the distkey for the table.

sortkey1 : str, optional

The column to use as the sortkey for the table.

sortkey2 : str, optional

The second column in a compound sortkey for the table.

delimiter : string, optional

The column delimiter. One of ',', '\t' or '| '.

headers : bool, optional

Whether or not the first row of the file should be treated as headers. The default, `None`, attempts to autodetect whether or not the first row contains headers.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for job completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

Returns **results** : `CivisFuture`

A *CivisFuture* object.

Notes

This reads the contents of *filename* into memory.

Examples

```
>>> with open('input_file.csv', 'w') as _input:
...     _input.write('a,b,c\n1,2,3')
>>> fut = civis.io.csv_to_civis('input_file.csv',
...                             'my-database',
...                             'scratch.my_data')
>>> fut.result()
```

civis.io.dataframe_to_civis

```
civis.io.dataframe_to_civis(df, database, table, api_key=None, max_errors=None, existing_table_rows='fail', distkey=None, sortkey1=None, sortkey2=None, headers=None, credential_id=None, polling_interval=None, archive=False, hidden=True, **kwargs)
```

Upload a *pandas DataFrame* into a Civis table.

Parameters **df**: `pandas.DataFrame`

The *DataFrame* to upload to Civis.

database: str or int

Upload data into this database. Can be the database name or ID.

table: str

The schema and table you want to upload to. E.g., 'scratch.table'.

api_key: str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

max_errors: int, optional

The maximum number of rows with errors to remove from the import before failing.

existing_table_rows: str, optional

The behaviour if a table with the requested name already exists. One of 'fail', 'truncate', 'append' or 'drop'. Defaults to 'fail'.

distkey: str, optional

The column to use as the distkey for the table.

sortkey1: str, optional

The column to use as the sortkey for the table.

sortkey2: str, optional

The second column in a compound sortkey for the table.

headers: bool, optional

Whether or not the first row of the file should be treated as headers. The default, `None`, attempts to autodetect whether or not the first row contains headers.

credential_id: str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

polling_interval: int or float, optional

Number of seconds to wait between checks for job completion.

archive: bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden: bool, optional

If `True` (the default), this job will not appear in the Civis UI.

****kwargs**: kwargs

Extra keyword arguments will be passed to `pandas.DataFrame.to_csv()`.

Returns `fut`: `CivisFuture`

A `CivisFuture` object.

Examples

```
>>> import pandas as pd
>>> df = pd.DataFrame({'a': [1, 2, 3], 'b': [4, 5, 6]})
>>> fut = civis.io.dataframe_to_civis(df, 'my-database',
...                                  'scratch.df_table')
>>> fut.result()
```

civis.io.read_civis

`civis.io.read_civis(table, database, columns=None, use_pandas=False, job_name=None, api_key=None, credential_id=None, polling_interval=None, archive=False, hidden=True, **kwargs)`

Read data from a Civis table.

Parameters `table`: str

Name of table, including schema, in the database. I.e. 'my_schema.my_table'.

database: str or int

Read data from this database. Can be the database name or ID.

columns: list, optional

A list of column names. Column SQL transformations are possible. If omitted, all columns are exported.

use_pandas: bool, optional

If `True`, return a `pandas.DataFrame`. Otherwise, return a list of results from `csv.reader()`.

job_name: str, optional

A name to give the job. If omitted, a random job name will be used.

api_key: str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

credential_id: str or int, optional

The database credential ID. If `None`, the default credential will be used.

polling_interval: int or float, optional

Number of seconds to wait between checks for query completion.

archive: bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden: bool, optional

If `True` (the default), this job will not appear in the Civis UI.

****kwargs** : kwargs

Extra keyword arguments are passed into `pandas.read_csv()` if `use_pandas` is True or passed into `csv.reader()` if `use_pandas` is False.

Returns data : `pandas.DataFrame` or list

A list of rows (with header as first row) if `use_pandas` is False, otherwise a *pandas DataFrame*. Note that if `use_pandas` is False, no parsing of types is performed and each row will be a list of strings.

Raises ImportError

If `use_pandas` is True and *pandas* is not installed.

See also:

`civis.io.read_civis_sql` Read directly into memory using SQL.

`civis.io.civis_to_csv` Write directly to csv.

Examples

```
>>> table = "schema.table"
>>> database = "my_data"
>>> columns = ["column_a", "ROW_NUMBER() OVER(ORDER BY date) AS order"]
>>> data = read_civis(table, database, columns=columns)
>>> columns = data.pop(0)
>>> col_a_index = columns.index("column_a")
>>> col_a = [row[col_a_index] for row in data]
```

```
>>> df = read_civis("schema.table", "my_data", use_pandas=True)
>>> col_a = df["column_a"]
```

`civis.io.read_civis_sql`

`civis.io.read_civis_sql` (*sql*, *database*, *use_pandas*=False, *job_name*=None, *api_key*=None, *credential_id*=None, *polling_interval*=None, *archive*=False, *hidden*=True, ****kwargs**)

Read data from Civis using a custom SQL string.

Parameters sql : str, optional

The SQL select string to be executed.

database : str or int

Execute the query against this database. Can be the database name or ID.

use_pandas : bool, optional

If True, return a `pandas.DataFrame`. Otherwise, return a list of results from `csv.reader()`.

job_name : str, optional

A name to give the job. If omitted, a random job name will be used.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

credential_id : str or int, optional

The database credential ID. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

****kwargs** : kwargs

Extra keyword arguments are passed into `pandas.read_csv()` if `use_pandas` is `True` or passed into `csv.reader()` if `use_pandas` is `False`.

Returns **data** : `pandas.DataFrame` or list

A list of rows (with header as first row) if `use_pandas` is `False`, otherwise a `pandas.DataFrame`. Note that if `use_pandas` is `False`, no parsing of types is performed and each row will be a list of strings.

Raises **ImportError**

If `use_pandas` is `True` and `pandas` is not installed.

See also:

`civis.io.read_civis` Read directly into memory without SQL.

`civis.io.civis_to_csv` Write directly to a CSV file.

Notes

This reads the data into memory.

Examples

```
>>> sql = "SELECT * FROM schema.table"
>>> df = read_civis_sql(sql, "my_database", use_pandas=True)
>>> col_a = df["column_a"]
```

```
>>> data = read_civis_sql(sql, "my_database")
>>> columns = data.pop(0)
>>> col_a_index = columns.index("column_a")
>>> col_a = [row[col_a_index] for row in data]
```

Files

These functions will pass flat files to and from Civis. This is useful if you have data stored in binary or JSON format. Any type of file can be stored in platform via the files endpoint.

<code>civis_to_file(file_id, buf[, api_key])</code>	Download a file from Civis.
<code>file_to_civis(buf, name[, api_key])</code>	Upload a file to Civis.

civis.io.civis_to_file

`civis.io.civis_to_file` (*file_id*, *buf*, *api_key=None*)

Download a file from Civis.

Parameters *file_id* : int

The Civis file ID.

buf : file-like object

The file or other buffer to write the contents of the Civis file into.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

Returns None

Examples

```
>>> file_id = 100
>>> with open("my_file.txt", "w") as f:
...     civis_to_file(file_id, f)
```

civis.io.file_to_civis

`civis.io.file_to_civis` (*buf*, *name*, *api_key=None*, ***kwargs*)

Upload a file to Civis.

Parameters *buf* : file-like object

The file or other buffer that you wish to upload.

name : str

The name you wish to give the file.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

****kwargs** : kwargs

Extra keyword arguments will be passed to the file creation endpoint. See `post()`.

Returns *file_id* : int

The new Civis file ID.

Notes

If you are opening a binary file (e.g., a compressed archive) to pass to this function, do so using the 'rb' (read binary) mode (e.g., `open('myfile.zip', 'rb')`).

If you have the *requests-toolbelt* package installed (*pip install requests-toolbelt*), then this function will stream from the open file pointer into Platform. If *requests-toolbelt* is not installed, then it will need to read the entire buffer into memory before writing.

Examples

```
>>> # Upload file which expires in 30 days
>>> with open("my_data.csv", "r") as f:
...     file_id = file_to_civis(f, 'my_data')
>>> # Upload file which never expires
>>> with open("my_data.csv", "r") as f:
...     file_id = file_to_civis(f, 'my_data', expires_at=None)
```

Databases

These functions move data from one database to another and expose an interface to run SQL in the database. Use *query_civis()* when you need to execute SQL that does not return data (for example, a GRANT or DROP TABLE statement).

<i>transfer_table</i> (source_db, dest_db, ...[, ...])	Transfer a table from one location to another.
<i>query_civis</i> (sql, database[, api_key, ...])	Execute a SQL statement as a Civis query.

civis.io.transfer_table

```
civis.io.transfer_table(source_db, dest_db, source_table, dest_table, job_name=None,
                        api_key=None, source_credential_id=None, dest_credential_id=None,
                        polling_interval=None, **advanced_options)
```

Transfer a table from one location to another.

Parameters **source_db** : str or int

The name of the database where the source table is located. Optionally, could be the database ID.

dest_db : str or int

The name of the database where the table will be transferred. Optionally, could be the database ID.

source_table : str

Full name of the table to transfer, e.g., 'schema.table'.

dest_table : str

Full name of the table in the destination database, e.g., 'schema.table'.

job_name : str, optional

A name to give the job. If omitted, a random job name will be used.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

source_credential_id : str or int, optional

Optional credential ID for the source database. If `None`, the default credential will be used.

dest_credential_id : str or int, optional

Optional credential ID for the destination database. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for job completion.

****advanced_options** : kwargs

Extra keyword arguments will be passed to the import sync job. See `post_syncs()`.

Returns results : `CivisFuture`

A *CivisFuture* object.

Examples

```
>>> transfer_table(source_db='Cluster A', dest_db='Cluster B',
...               source_table='schma.tbl', dest_table='schma.tbl')
```

civis.io.query_civis

`civis.io.query_civis(sql, database, api_key=None, credential_id=None, preview_rows=10, polling_interval=None, hidden=True)`

Execute a SQL statement as a Civis query.

Run a query that may return no results or where only a small preview is required. To execute a query that returns a large number of rows, see `read_civis_sql()`.

Parameters sql : str

The SQL statement to execute.

database : str or int

The name or ID of the database.

api_key : str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

preview_rows : int, optional

The maximum number of rows to return. No more than 100 rows can be returned at once.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

hidden : bool, optional

If True (the default), this job will not appear in the Civis UI.

Returns results : `CivisFuture`

A *CivisFuture* object.

Examples

```
>>> run = query_civis(sql="DELETE schema.table", database='database')
>>> run.result() # Wait for query to complete
```

API Client

APIClient is a class for handling requests to the Civis API. An instantiated *APIClient* contains a set of resources (listed below) where each resource is an object with methods. By convention, an instantiated *APIClient* object is named `client` and API requests are made with the following syntax:

```
client = civis.APIClient()
response = client.resource.method(params)
```

class `civis.APIClient` (*api_key=None*, *return_type='snake'*, *retry_total=6*, *api_version='1.0'*, *resources='base'*)

The Civis API client.

Parameters **api_key** : str, optional

Your API key obtained from the Civis Platform. If not given, the client will use the `CIVIS_API_KEY` environment variable.

return_type : str, optional

The following types are implemented:

- 'raw' Returns the raw `requests.Response` object.
- 'snake' Returns a `civis.response.Response` object for the json-encoded content of a response. This maps the top-level json keys to snake_case.
- 'pandas' Returns a `pandas.DataFrame` for list-like responses and a `pandas.Series` for single a json response.

retry_total : int, optional

A number indicating the maximum number of retries for 429, 502, 503, or 504 errors.

api_version : string, optional

The version of endpoints to call. May instantiate multiple client objects with different versions. Currently only "1.0" is supported.

resources : string, optional

When set to “base”, only the default endpoints will be exposed in the client object. Set to “all” to include all endpoints available for a given user, including those that may be in development and subject to breaking changes at a later date.

Attributes

credentials	An instance of the <i>Credentials</i> endpoint
databases	An instance of the <i>Databases</i> endpoint
files	An instance of the <i>Files</i> endpoint
imports	An instance of the <i>Imports</i> endpoint
jobs	An instance of the <i>Jobs</i> endpoint
models	An instance of the <i>Models</i> endpoint
predictions	An instance of the <i>Predictions</i> endpoint
projects	An instance of the <i>Projects</i> endpoint
queries	An instance of the <i>Queries</i> endpoint
reports	An instance of the <i>Reports</i> endpoint
scripts	An instance of the <i>Scripts</i> endpoint
tables	An instance of the <i>Tables</i> endpoint
users	An instance of the <i>Users</i> endpoint

default_credential

The current user’s default credential.

get_aws_credential_id(*cred_name*, *owner=None*)

Find an AWS credential ID.

Parameters *cred_name* : str or int

If an integer ID is given, this passes through directly. If a str is given, return the ID corresponding to the AWS credential with that name.

owner : str, optional

Return the credential with this owner. If not provided, search for credentials under your username to disambiguate multiple credentials with the same name. Note that this function cannot return credentials which are not associated with an owner.

Returns *aws_credential_id* : int

The ID number of the AWS credentials.

Raises **ValueError**

If the AWS credential can’t be found.

Examples

```
>>> import civis
>>> client = civis.APIClient()
>>> client.get_aws_credential_id('jsmith')
1234
```

```
>>> client.get_aws_credential_id(1111)
1111
```

```
>>> client.get_aws_credential_id('shared-cred',
...                             owner='research-group')
99
```

get_database_credential_id(*username*, *database_name*)

Return the credential ID for a given username in a given database.

Parameters *username* : str or int

If an integer ID is given, this passes through directly. If a str is given, return the ID corresponding to the database credential with that username.

database_name : str or int

Return the ID of the database credential with username *username* for this database name or ID.

Returns *database_credential_id* : int

The ID of the database credentials.

Raises **ValueError**

If the credential can't be found.

Examples

```
>>> import civis
>>> client = civis.APIClient()
>>> client.get_database_credential_id('jsmith', 'redshift-general')
1234
```

```
>>> client.get_database_credential_id(1111, 'redshift-general')
1111
```

get_database_id(*database*)

Return the database ID for a given database name.

Parameters *database* : str or int

If an integer ID is given, passes through. If a str is given the database ID corresponding to that database name is returned.

Returns *database_id* : int

The ID of the database.

Raises **ValueError**

If the database can't be found.

get_table_id(*table*, *database*)

Return the table ID for a given database and table name.

Parameters *table* : str

The name of the table in format schema.table.

database : str or int

The name or ID of the database.

Returns *table_id* : int

The ID of the table. Only returns exact match to specified table.

Raises `ValueError`

If an exact table match can't be found.

`username`

The current user's username.

API Response Types

class `civis.response.Response` (*json_data*, *snake_case=True*, *headers=None*)
Custom Civis response object.

Notes

The main features of this class are that it maps camelCase to snake_case at the top level of the json object and attaches keys as attributes. Nested object keys are not changed.

Attributes

<code>json_data</code>	(dict None) This is <i>json_data</i> as it is originally returned to the user without the key names being changed. See Notes. None is used if the original response returned a 204 No Content response.
<code>headers</code>	(dict) This is the header for the API call without changing the key names.
<code>calls_remaining</code>	(int) Number of API calls remaining before rate limit is reached.
<code>rate_limit</code>	(int) Total number of calls per API rate limit period.

class `civis.response.PaginatedResponse` (*path*, *initial_params*, *endpoint*)
A response object that supports iteration.

Parameters `path` : str

Make GET requests to this path.

`initial_params` : dict

Query params that should be passed along with each request. Note that if *initial_params* contains the keys *page_num* or *limit*, they will be ignored. The given dict is not modified.

`endpoint` : `civis.base.Endpoint`

An endpoint used to make API requests.

Notes

This response is returned automatically by endpoints which support pagination when the *iterator* kwarg is specified.

Examples

```
>>> client = civis.APIClient()
>>> queries = client.queries.list(iterator=True)
>>> for query in queries:
...     print(query['id'])
```

class `civis.polling.PollableResult` (*poller*, *poller_args*, *polling_interval=None*, *api_key=None*,
poll_on_creation=True)
Bases: `civis.base.CivisAsyncResultBase`

A class for tracking pollable results.

This class will begin polling immediately upon creation, and poll for job completion once every *polling_interval* seconds until the job completes in Civis.

Parameters *poller* : func

A function which returns an object that has a `state` attribute.

poller_args : tuple

The arguments with which to call the poller function.

polling_interval : int or float

The number of seconds between API requests to check whether a result is ready.

api_key : str, optional

This is not used by `PollableResult`, but is required to match the interface from `CivisAsyncResultBase`.

poll_on_creation : bool, optional

If `True` (the default), it will poll upon calling `result()` the first time. If `False`, it will wait the number of seconds specified in *polling_interval* from object creation before polling.

Examples

```
>>> client = civis.APIClient()
>>> database_id = client.get_database_id("my_database")
>>> cred_id = client.default_credential
>>> sql = "SELECT 1"
>>> preview_rows = 10
>>> response = client.queries.post(database_id, sql, preview_rows,
>>>                                credential=cred_id)
>>> job_id = response.id
>>>
>>> poller = client.queries.get
>>> poller_args = (job_id, ) # (job_id, run_id) if poller requires run_id
>>> polling_interval = 10
>>> poll = PollableResult(poller, poller_args, polling_interval)
```

API Resources

Credentials

class `Credentials` (*session*, *return_type='civis'*)

Methods

<i>get</i> (id)	Get a credential
<i>list</i> (**kwargs)	List credentials
<i>post</i> (password, type, username, **kwargs)	Create or update a credential
<i>post_authenticate</i> (password, ...)	Authenticate against a remote host
<i>post_temporary</i> (id, **kwargs)	Generate a temporary credential for accessing S3
<i>put</i> (id, password, type, username, **kwargs)	Update an existing credential

get (*id*)

Get a credential

Parameters *id* : integer

The ID of the credential.

Returns *id* : integer

The ID of the credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

name : string

The name identifying the credential

description : string

A long description of the credential.

type : string

The credential's type.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

list (***kwargs*)

List credentials

Parameters *type* : string, optional

The type (or types) of credentials to return. One or more of: Amazon Web Services S3, BSD::API, CASS/NCOA PAF, Catalist::API, Catalist::SFTP, Certificate, Civis Platform, Custom, Database, Google, Github, JobTraits::Ftp, Salesforce User, Salesforce

Client, Silverpop Application, Silverpop Refresh Token, Silverpop User, TableauUser, VAN::MyVoterFile, VAN::MyCampaign, and VAN::BothModes. Specify multiple values as a comma-separated list (e.g., "A,B").

default : boolean, optional

If true, will return a list with a single credential which is the current user's default credential.

limit : integer, optional

Number of results to return. Defaults to its maximum of 1000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, created_at, name.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns id : integer

The ID of the credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

name : string

The name identifying the credential

description : string

A long description of the credential.

type : string

The credential's type.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

post (*password, type, username, **kwargs*)

Create or update a credential

Parameters password : string

The password for the credential.

type : string

username : string

The username for the credential.

remote_host_id : integer, optional

The ID of the remote host associated with the credential.

name : string, optional

The name identifying the credential.

description : string, optional

A long description of the credential.

remote_host : dict, optional:

```
- type : string
    The type of remote host. One of: RemoteHostTypes::BSD,
    RemoteHostTypes::Ftp, RemoteHostTypes::Github,
    RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC,
    RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and
    RemoteHostTypes::Van
- name : string
    The human readable name for the remote host.
- url : string
    The URL to your host.
```

Returns id : integer

The ID of the credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

name : string

The name identifying the credential

description : string

A long description of the credential.

type : string

The credential's type.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

post_authenticate (*password, remote_host_type, username, url*)

Authenticate against a remote host

Parameters **password** : string

The password for the credential.

remote_host_type : string

The type of remote host. One of: RemoteHostTypes::BSD, RemoteHostTypes::Ftp, RemoteHostTypes::Github, RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC, RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and RemoteHostTypes::Van

username : string

The username for the credential.

url : string

The URL to your host.

Returns **id** : integer

The ID of the credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

name : string

The name identifying the credential

description : string

A long description of the credential.

type : string

The credential's type.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

post_temporary (*id*, ***kwargs*)

Generate a temporary credential for accessing S3

Parameters **id** : integer

The ID of the credential.

duration : integer, optional

The number of seconds the temporary credential should be valid. Defaults to 15 minutes. Must not be less than 15 minutes or greater than 36 hours.

Returns **session_token** : string

The session token identifier.

secret_access_key : string

The secret part of the credential.

access_key : string

The identifier of the credential.

put (*id*, *password*, *type*, *username*, ***kwargs*)

Update an existing credential

Parameters **id** : integer

The ID of the credential.

password : string

The password for the credential.

type : string

username : string

The username for the credential.

remote_host_id : integer, optional

The ID of the remote host associated with the credential.

name : string, optional

The name identifying the credential.

description : string, optional

A long description of the credential.

remote_host : dict, optional:

```
- type : string
    The type of remote host. One of: RemoteHostTypes::BSD,
    RemoteHostTypes::Ftp, RemoteHostTypes::Github,
    RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC,
    RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and
    RemoteHostTypes::Van
- name : string
    The human readable name for the remote host.
```

```
- url : string
    The URL to your host.
```

Returns **id** : integer

The ID of the credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

name : string

The name identifying the credential

description : string

A long description of the credential.

type : string

The credential's type.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

Databases

class Databases (*session*, *return_type*='civis')

Methods

<code>delete_whitelist_ips(id, whitelisted_ip_id)</code>	Remove a whitelisted IP address
<code>get_whitelist_ips(id, whitelisted_ip_id)</code>	View details about a whitelisted IP
<code>list()</code>	List databases
<code>list_schemas(id)</code>	List schemas in this database
<code>list_whitelist_ips(id)</code>	List whitelisted IPs for the specified database
<code>post_whitelist_ips(id, subnet_mask)</code>	Whitelist an IP address

delete_whitelist_ips (*id*, *whitelisted_ip_id*)

Remove a whitelisted IP address

Parameters **id** : integer

The ID of the database this rule is applied to.

whitelisted_ip_id : integer

The ID of this whitelisted IP address.

Returns None

Response code 204: success

get_whitelist_ips (*id*, *whitelisted_ip_id*)

View details about a whitelisted IP

Parameters **id** : integer

The ID of the database this rule is applied to.

whitelisted_ip_id : integer

The ID of this whitelisted IP address.

Returns **id** : integer

The ID of this whitelisted IP address.

remote_host_id : integer

The ID of the database this rule is applied to.

is_active : boolean

True if the rule is applied, false if it has been revoked.

subnet_mask : string

The subnet mask that is allowed by this rule.

authorized_by : string

The user who authorized this rule.

created_at : string/time

The time this rule was created.

updated_at : string/time

The time this rule was last updated.

security_group_id : string

The ID of the security group this rule is applied to.

list ()

List databases

Returns **id** : integer

The ID for the database.

name : string

The name of the database.

list_schemas (*id*)

List schemas in this database

Parameters **id** : integer

The ID of the database.

Returns schema : string

The name of a schema.

list_whitelist_ips (*id*)

List whitelisted IPs for the specified database

Parameters id : integer

The ID for the database.

Returns id : integer

The ID of this whitelisted IP address.

created_at : string/time

The time this rule was created.

subnet_mask : string

The subnet mask that is allowed by this rule.

remote_host_id : integer

The ID of the database this rule is applied to.

updated_at : string/time

The time this rule was last updated.

security_group_id : string

The ID of the security group this rule is applied to.

post_whitelist_ips (*id*, *subnet_mask*)

Whitelist an IP address

Parameters id : integer

The ID of the database this rule is applied to.

subnet_mask : string

The subnet mask that is allowed by this rule.

Returns id : integer

The ID of this whitelisted IP address.

remote_host_id : integer

The ID of the database this rule is applied to.

is_active : boolean

True if the rule is applied, false if it has been revoked.

subnet_mask : string

The subnet mask that is allowed by this rule.

authorized_by : string

The user who authorized this rule.

created_at : string/time

The time this rule was created.

updated_at : string/time

The time this rule was last updated.

security_group_id : string

The ID of the security group this rule is applied to.

Files

class Files (*session, return_type='civis'*)

Methods

<i>delete_projects</i> (id, project_id)	Remove a Data::S3File from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Get details about a file
<i>list_projects</i> (id)	List the projects a Data::S3File belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>post</i> (name, **kwargs)	Initiate an upload of a file into the platform
<i>put_projects</i> (id, project_id)	Add a Data::S3File to a project
<i>put_shares_groups</i> (id, permission_level, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, user_ids, permission_level)	Set the permissions users have on this object

delete_projects (*id, project_id*)

Remove a Data::S3File from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Get details about a file

Parameters **id** : integer

The ID of the file object.

Returns **id** : integer

The ID of the file object.

file_size : integer

The file size.

name : string

The file name.

download_url : string

A JSON string containing information about the URL of the file.

file_url : string

The URL that may be used to download the file.

created_at : string/date-time

The date and time the file was created.

expires_at : string/date-time

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

list_projects (*id*)

List the projects a Data::S3File belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
```



```

    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```

- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string

```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```

- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string

```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

post (*name*, ***kwargs*)

Initiate an upload of a file into the platform

Parameters **name** : string

The file name.

expires_at : string/date-time, optional

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

Returns **upload_url** : string

The URL that may be used to upload a file. To use the upload URL, initiate a POST request to the given URL with the file you wish to import as the “file” form field.

upload_fields : dict

A hash containing the form fields to be included with the POST request.

id : integer

The ID of the file object.

file_size : integer

The file size.

name : string

The file name.

created_at : string/date-time

The date and time the file was created.

expires_at : string/date-time

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

put_projects (*id*, *project_id*)

Add a Data::S3File to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_shares_users (*id, user_ids, permission_level*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

Imports

class Imports (*session*, *return_type*=‘civis’)

Methods

<code>delete_files_runs(id, run_id)</code>	Cancel a run
<code>delete_projects(id, project_id)</code>	Remove a JobTypes::Import from a project
<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_syncs(id, sync_id)</code>	Delete a sync
<code>get(id)</code>	Get details about an import
<code>get_batches(id)</code>	Get details about a batch import
<code>get_files_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List imports

Continued on next page

Table 4.7 – continued from previous page

<code>list_batches(**kwargs)</code>	List batch imports
<code>list_files_runs(id, **kwargs)</code>	List runs for the given import
<code>list_projects(id)</code>	List the projects a JobTypes::Import belongs to
<code>list_runs(id)</code>	Get the run history of this import
<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post(name, is_outbound, sync_type, **kwargs)</code>	Create a new import configuration
<code>post_batches(credential_id, schema, ...)</code>	Upload multiple files to Redshift
<code>post_cancel(id)</code>	Cancel a run
<code>post_files(credential_id, schema, ...)</code>	Initate an import of a tabular file into the platform
<code>post_files_runs(id)</code>	Start a run
<code>post_runs(id)</code>	Run an import
<code>post_syncs(id, source, destination, **kwargs)</code>	Create a sync
<code>put(id, name, is_outbound, sync_type, **kwargs)</code>	Update an import
<code>put_archive(id, status)</code>	Update the archive status of this object
<code>put_projects(id, project_id)</code>	Add a JobTypes::Import to a project
<code>put_shares_groups(id, permission_level, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, user_ids, permission_level)</code>	Set the permissions users have on this object
<code>put_syncs(id, sync_id, source, destination, ...)</code>	Update a sync

delete_files_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the import.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_projects (*id*, *project_id*)

Remove a JobTypes::Import from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_syncs (*id*, *sync_id*)

Delete a sync

Parameters **id** : integer

The ID of the import to fetch.

sync_id : integer

The ID of the sync to fetch.

Returns None

Response code 204: success

get (*id*)

Get details about an import

Parameters **id** : integer

The ID for the import.

Returns **next_run_at** : string/time

The time of the next scheduled run.

parent_id : integer

Parent id to trigger this import from

id : integer

The ID for the import.

created_at : string/date-time

time_zone : string

The time zone of this import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
  - export_action : string
  - sortkey2 : string
  - partition_column_name : string
  - partition_table_partition_column_min_name : string
  - partition_table_name : string
  - existing_table_rows : string
  - row_chunk_size : integer
```

```

- last_modified_column : string
- max_errors : integer
- wipe_destination_table : boolean
- column_delimiter : string
- distkey : string
- identity_column : string
- sql_query : string
- verify_table_row_counts : boolean
- partition_schema_name : string
- invalid_char_replacement : string
- sortkey1 : string
- truncate_long_lines : boolean
- soql_query : string
- first_row_is_header : boolean
- contact_lists : string
- partition_table_partition_column_max_name : string
- mysql_catalog_matches_schema : boolean
- id : integer
- source : dict::
  - id : integer
    The ID of the table or file, if available.
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
- destination : dict::
  - path : string
    The schema.tablename to sync to.

```

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

user : dict:

```

- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.

```

archived : string

The archival status of the requested object(s).

notifications : dict:

```

- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- success_on : boolean
  If success email notifications are on
- failure_on : boolean
  If failure email notifications are on
- success_email_addresses : list

```

```
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

state : string

name : string

The name of the import.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

is_outbound : boolean

updated_at : string/date-time

source : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- name : string
```

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
```



```

    This user's name.
- username : string
    This user's username.

```

destination : dict:

```

- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour

```

get_batches (*id*)

Get details about a batch import

Parameters *id* : integer

The ID for the import.

Returns *schema* : string

The destination schema name. This schema must already exist in Redshift.

id : integer

The ID for the import.

state : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

error : string

The error returned by the run, if any.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

remote_host_id : integer

The ID of the destination database host.

started_at : string/time

The time the last run started at.

finished_at : string/time

The time the last run completed.

get_files_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the import.

run_id : integer

The ID of the run.

Returns **import_id** : integer

The ID of the import.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

list (***kwargs*)

List imports

Parameters **type** : string, optional

If specified, return imports of these types. It accepts a comma-separated list, possible values are 'AutoImport', 'DbSync', 'Salesforce', 'GdocImport'.

author : string, optional

If specified, return imports from this author. It accepts a comma-separated list of author ids.

destination : string, optional

If specified, returns imports with one of these destinations. It accepts a comma-separated list of remote host ids.

status : string, optional

If specified, returns imports with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at, last_run.updated_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

id : integer

The ID for the import.

created_at : string/date-time

time_zone : string

The time zone of this import.

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
```

```
The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

state : string

name : string

The name of the import.

archived : string

The archival status of the requested object(s).

is_outbound : boolean

updated_at : string/date-time

source : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
  Array that holds additional credentials used for specific_
↳ imports. For
  salesforce imports, the first and only element is the client_
↳ credential
  id.
- name : string
```

destination : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
  Array that holds additional credentials used for specific_
↳ imports. For
  salesforce imports, the first and only element is the client_
↳ credential
  id.
- name : string
```

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↳ hour
```

list_batches (**kwargs)

List batch imports

Parameters **limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `updated_at`. Must be one of: `updated_at`, `created_at`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

Returns **schema** : string

The destination schema name. This schema must already exist in Redshift.

id : integer

The ID for the import.

state : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

error : string

The error returned by the run, if any.

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

remote_host_id : integer

The ID of the destination database host.

started_at : string/time

The time the last run started at.

finished_at : string/time

The time the last run completed.

list_files_runs (*id*, ***kwargs*)

List runs for the given import

Parameters **id** : integer

The ID of the import.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns import_id : integer

The ID of the import.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

list_projects (*id*)

List the projects a JobTypes::Import belongs to

Parameters id : integer

The ID of the resource.

Returns name : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

Users who can see the project

- initials : string
This user's initials.
- online : boolean
Whether this user **is** online.

```
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

list_runs (*id*)

Get the run history of this import

Parameters *id* : integer

Returns *id* : integer

created_at : string/time

The time that the run was queued.

error : string

The error message for this run, if present.

state : string

started_at : string/time

The time that the run started.

finished_at : string/time

The time that the run completed.

list_shares (*id*)

List users and groups permissioned on this object

Parameters *id* : integer

The ID of the object.

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

post (*name*, *is_outbound*, *sync_type*, ***kwargs*)

Create a new import configuration

Parameters **name** : string

The name of the import.

is_outbound : boolean

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

Parent id to trigger this import from

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

time_zone : string, optional

The time zone of this import.

source : dict, optional:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
```

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

destination : dict, optional:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
```

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour
```

Returns `next_run_at` : string/time

The time of the next scheduled run.

parent_id : integer

Parent id to trigger this import from

id : integer

The ID for the import.

created_at : string/date-time

time_zone : string

The time zone of this import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
  - export_action : string
  - sortkey2 : string
  - partition_column_name : string
  - partition_table_partition_column_min_name : string
  - partition_table_name : string
  - existing_table_rows : string
  - row_chunk_size : integer
  - last_modified_column : string
  - max_errors : integer
  - wipe_destination_table : boolean
  - column_delimiter : string
  - distkey : string
  - identity_column : string
  - sql_query : string
  - verify_table_row_counts : boolean
  - partition_schema_name : string
  - invalid_char_replacement : string
  - sortkey1 : string
  - truncate_long_lines : boolean
  - soql_query : string
  - first_row_is_header : boolean
  - contact_lists : string
  - partition_table_partition_column_max_name : string
  - mysql_catalog_matches_schema : boolean
- id : integer
- source : dict::
  - id : integer
    The ID of the table or file, if available.
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
- destination : dict::
  - path : string
    The schema.tablename to sync to.
```

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

user : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

archived : string

The archival status of the requested object(s).

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

state : string

name : string

The name of the import.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

is_outbound : boolean

updated_at : string/date-time

source : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string
```

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

destination : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour
```

post_batches (*credential_id*, *schema*, *remote_host_id*, *table*, *file_ids*, ****kwargs**)
Upload multiple files to Redshift

Parameters **credential_id** : integer

The ID of the credentials to be used when performing the database import.

schema : string

The destination schema name. This schema must already exist in Redshift.

remote_host_id : integer

The ID of the destination database host.

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

file_ids : list

The file IDs for the import.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

compression : string, optional

The type of compression. Valid arguments are “gzip”, “zip”, and “none”. If unspecified, defaults to “gzip”.

first_row_is_header : boolean, optional

A boolean value indicating whether or not the first row is a header row. If unspecified, defaults to false.

column_delimiter : string, optional

The column delimiter for the file. Valid arguments are “comma”, “tab”, and “pipe”. If unspecified, defaults to “comma”.

Returns schema : string

The destination schema name. This schema must already exist in Redshift.

id : integer

The ID for the import.

state : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

error : string

The error returned by the run, if any.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

remote_host_id : integer

The ID of the destination database host.

started_at : string/time

The time the last run started at.

finished_at : string/time

The time the last run completed.

post_cancel (*id*)

Cancel a run

Parameters **id** : integer

The ID of the job.

Returns **is_cancel_requested** : boolean

True if run cancel requested, else false.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued', 'running' or 'cancelled'.

post_files (*credential_id, schema, remote_host_id, name, **kwargs*)

Initiate an import of a tabular file into the platform

Parameters **credential_id** : integer

The id of the credentials to be used when performing the database import.

schema : string

The schema of the destination table.

remote_host_id : integer

The id of the destination database host.

name : string

The name of the destination table.

first_row_is_header : boolean, optional

A boolean value indicating whether or not the first row is a header row. If first_row_is_header is null or omitted, it will be auto-detected.

sortkey2 : string, optional

The second column in a compound sortkey for the table.

sortkey1 : string, optional

The column to use as the sort key for the table.

multipart : boolean, optional

If true, the upload URI will require a *multipart/form-data* POST request. Defaults to false.

existing_table_rows : string, optional

The behaviour if a table with the requested name already exists. One of "fail", "truncate", "append", or "drop". Defaults to "fail".

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

max_errors : integer, optional

The maximum number of rows with errors to remove from the import before failing.

distkey : string, optional

The column to use as the distkey for the table.

column_delimiter : string, optional

The column delimiter of the file. If column_delimiter is null or omitted, it will be auto-detected. Valid arguments are “comma”, “tab”, and “pipe”.

Returns upload_uri : string

The URI which may be used to upload a tabular file for import. You must use this URI to upload the file you wish imported and then inform the Civis API when your upload is complete using the URI given by the runUri field of this response.

run_uri : string

The URI to POST to once the file upload is complete. After uploading the file using the URI given in the uploadUri attribute of the response, POST to this URI to initiate the import of your uploaded file into the platform.

id : integer

The id of the import.

upload_fields : dict

If multipart was set to true, these fields should be included in the multipart upload.

post_files_runs (*id*)

Start a run

Parameters id : integer

The ID of the import.

Returns import_id : integer

The ID of the import.

id : integer

The ID of the run.

state : string

The state of the run, one of ‘queued’ ‘running’ ‘succeeded’ ‘failed’ or ‘cancelled’.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

post_runs (*id*)

Run an import

Parameters *id* : integer

The ID of the import to run.

Returns *run_id* : integer

The ID of the new run triggered.

post_syncs (*id*, *source*, *destination*, ***kwargs*)

Create a sync

Parameters *id* : integer

source : dict:

```
- path : string
  The path of the dataset to sync from; for a database source,
  schema.tablename.
```

destination : dict:

```
- path : string
  The schema.tablename to sync to.
```

advanced_options : dict, optional:

```
- export_action : string
- sortkey2 : string
- partition_column_name : string
- partition_table_partition_column_min_name : string
- partition_table_name : string
- existing_table_rows : string
- row_chunk_size : integer
- last_modified_column : string
- max_errors : integer
- wipe_destination_table : boolean
- column_delimiter : string
- distkey : string
- identity_column : string
- sql_query : string
- verify_table_row_counts : boolean
- partition_schema_name : string
- invalid_char_replacement : string
- sortkey1 : string
- truncate_long_lines : boolean
- soql_query : string
- first_row_is_header : boolean
- contact_lists : string
- partition_table_partition_column_max_name : string
- mysql_catalog_matches_schema : boolean
```

Returns *advanced_options* : dict:

```
- export_action : string
- sortkey2 : string
- partition_column_name : string
```



```

- partition_table_partition_column_min_name : string
- partition_table_name : string
- existing_table_rows : string
- row_chunk_size : integer
- last_modified_column : string
- max_errors : integer
- wipe_destination_table : boolean
- column_delimiter : string
- distkey : string
- identity_column : string
- sql_query : string
- verify_table_row_counts : boolean
- partition_schema_name : string
- invalid_char_replacement : string
- sortkey1 : string
- truncate_long_lines : boolean
- soql_query : string
- first_row_is_header : boolean
- contact_lists : string
- partition_table_partition_column_max_name : string
- mysql_catalog_matches_schema : boolean

```

id : integer

source : dict:

```

- id : integer
    The ID of the table or file, if available.
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.

```

destination : dict:

```

- path : string
    The schema.tablename to sync to.

```

put (*id, name, is_outbound, sync_type, **kwargs*)

Update an import

Parameters **id** : integer

The ID for the import.

name : string

The name of the import.

is_outbound : boolean

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

Parent id to trigger this import from

time_zone : string, optional

The time zone of this import.

source : dict, optional:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
```

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

destination : dict, optional:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
```

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour
```

Returns `next_run_at` : string/time

The time of the next scheduled run.

parent_id : integer

Parent id to trigger this import from

id : integer

The ID for the import.

created_at : string/date-time

time_zone : string

The time zone of this import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
  - export_action : string
  - sortkey2 : string
  - partition_column_name : string
  - partition_table_partition_column_min_name : string
  - partition_table_name : string
  - existing_table_rows : string
  - row_chunk_size : integer
  - last_modified_column : string
  - max_errors : integer
  - wipe_destination_table : boolean
  - column_delimiter : string
  - distkey : string
  - identity_column : string
  - sql_query : string
  - verify_table_row_counts : boolean
  - partition_schema_name : string
  - invalid_char_replacement : string
  - sortkey1 : string
  - truncate_long_lines : boolean
  - soql_query : string
  - first_row_is_header : boolean
  - contact_lists : string
  - partition_table_partition_column_max_name : string
  - mysql_catalog_matches_schema : boolean
- id : integer
- source : dict::
  - id : integer
    The ID of the table or file, if available.
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
- destination : dict::
  - path : string
    The schema.tablename to sync to.
```

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

archived : string

The archival status of the requested object(s).

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

state : string

name : string

The name of the import.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

is_outbound : boolean

updated_at : string/date-time

source : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string
```

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

destination : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour
```

put_archive (*id*, *status*)

Update the archive status of this object

Parameters *id* : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **next_run_at** : string/time

The time of the next scheduled run.

parent_id : integer

Parent id to trigger this import from

id : integer

The ID for the import.

created_at : string/date-time

time_zone : string

The time zone of this import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
  - export_action : string
  - sortkey2 : string
  - partition_column_name : string
  - partition_table_partition_column_min_name : string
  - partition_table_name : string
  - existing_table_rows : string
  - row_chunk_size : integer
  - last_modified_column : string
  - max_errors : integer
  - wipe_destination_table : boolean
  - column_delimiter : string
  - distkey : string
  - identity_column : string
  - sql_query : string
  - verify_table_row_counts : boolean
  - partition_schema_name : string
  - invalid_char_replacement : string
  - sortkey1 : string
  - truncate_long_lines : boolean
  - soql_query : string
  - first_row_is_header : boolean
  - contact_lists : string
  - partition_table_partition_column_max_name : string
  - mysql_catalog_matches_schema : boolean
- id : integer
- source : dict::
  - id : integer
    The ID of the table or file, if available.
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
- destination : dict::
  - path : string
    The schema.tablename to sync to.
```

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

archived : string

The archival status of the requested object(s).

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

state : string

name : string

The name of the import.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

is_outbound : boolean

updated_at : string/date-time

source : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string
```

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

destination : dict:

```
- credential_id : integer
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- name : string
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour
```

put_projects (*id*, *project_id*)
Add a JobTypes::Import to a project

Parameters `id` : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters `id` : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns `writers` : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_shares_users (*id, user_ids, permission_level*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_syncs (*id, sync_id, source, destination, **kwargs*)

Update a sync

Parameters **id** : integer

The ID of the import to fetch.

sync_id : integer

The ID of the sync to fetch.

source : dict:

```
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
```

destination : dict:

```
- path : string
    The schema.tablename to sync to.
```

advanced_options : dict, optional:

```
- export_action : string
- sortkey2 : string
- partition_column_name : string
- partition_table_partition_column_min_name : string
- partition_table_name : string
- existing_table_rows : string
- row_chunk_size : integer
- last_modified_column : string
- max_errors : integer
- wipe_destination_table : boolean
- column_delimiter : string
- distkey : string
- identity_column : string
- sql_query : string
- verify_table_row_counts : boolean
- partition_schema_name : string
- invalid_char_replacement : string
- sortkey1 : string
- truncate_long_lines : boolean
- soql_query : string
- first_row_is_header : boolean
- contact_lists : string
- partition_table_partition_column_max_name : string
- mysql_catalog_matches_schema : boolean
```

Returns **advanced_options** : dict:

```
- export_action : string
- sortkey2 : string
- partition_column_name : string
- partition_table_partition_column_min_name : string
- partition_table_name : string
- existing_table_rows : string
- row_chunk_size : integer
- last_modified_column : string
- max_errors : integer
- wipe_destination_table : boolean
- column_delimiter : string
- distkey : string
- identity_column : string
- sql_query : string
- verify_table_row_counts : boolean
- partition_schema_name : string
- invalid_char_replacement : string
- sortkey1 : string
- truncate_long_lines : boolean
- soql_query : string
```

```
- first_row_is_header : boolean
- contact_lists : string
- partition_table_partition_column_max_name : string
- mysql_catalog_matches_schema : boolean
```

id : integer

source : dict:

```
- id : integer
    The ID of the table or file, if available.
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
```

destination : dict:

```
- path : string
    The schema.tablename to sync to.
```

Jobs

class Jobs (*session*, *return_type*='civis')

Methods

<code>delete_projects(id, project_id)</code>	Remove a Job from a project
<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>get(id)</code>	Show basic job info
<code>get_runs(id, run_id)</code>	Check status of a job
<code>list(**kwargs)</code>	List jobs
<code>list_children(id)</code>	Show nested tree of children that this job triggers
<code>list_parents(id)</code>	Show chain of parents as a list that this job triggers from
<code>list_projects(id)</code>	List the projects a Job belongs to
<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post_runs(id)</code>	Run a job
<code>post_trigger_email(id)</code>	Generate and retrieve trigger email address
<code>put_projects(id, project_id)</code>	Add a Job to a project
<code>put_shares_groups(id, permission_level, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, user_ids, permission_level)</code>	Set the permissions users have on this object

delete_projects (*id*, *project_id*)

Remove a Job from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Show basic job info

Parameters *id* : integer

The ID for this job.

Returns *id* : integer

created_at : string/date-time

name : string

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

type : string

updated_at : string/date-time

state : string

Whether the job is idle, queued, running, cancelled, or failed.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
```

```
- finished_at : string/time
    The time that the run completed.
```

runs : list:

```
Information about the most recent runs of the job.
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

archived : string

The archival status of the requested object(s).

get_runs (*id*, *run_id*)

Check status of a job

Parameters **id** : integer

The ID of the Job.

run_id : integer

The ID of the Run.

Returns **id** : integer

created_at : string/time

The time that the run was queued.

error : string

The error message for this run, if present.

state : string

started_at : string/time

The time that the run started.

finished_at : string/time

The time that the run completed.

list (***kwargs*)

List jobs

Parameters **limit** : integer, optional

The maximum number of jobs to return.

state : string, optional

The job's state. One or more of queued, running, succeeded, failed, and cancelled. Specify multiple values as a comma-separated list (e.g., "A,B").

type : string, optional

The job's type. Specify multiple values as a comma-separated list (e.g., "A,B").

q : string, optional

Query string to search on the id, name, and job type

permission : string, optional

A permissions string, one of "read", "write", or "manage". Lists only jobs for which the current user has that permission.

archived : string, optional

The archival status of the requested object(s).

Returns id : integer

created_at : string/date-time

name : string

archived : string

The archival status of the requested object(s).

type : string

updated_at : string/date-time

state : string

Whether the job is idle, queued, running, cancelled, or failed.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

list_children (*id*)

Show nested tree of children that this job triggers

Parameters id : integer

The ID for this job.

Returns id : integer

created_at : string/date-time

name : string

children : list

type : string

updated_at : string/date-time

state : string

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

runs : list:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

list_parents (*id*)

Show chain of parents as a list that this job triggers from

Parameters **id** : integer

The ID for this job.

Returns **id** : integer

created_at : string/date-time

name : string

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

type : string

updated_at : string/date-time

state : string

Whether the job is idle, queued, running, cancelled, or failed.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```


runs : list:

```
Information about the most recent runs of the job.
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

archived : string

The archival status of the requested object(s).

list_projects (*id*)

List the projects a Job belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

list_shares (*id*)

List users and groups permissioned on this object

Parameters *id* : integer

The ID of the object.

Returns *writers* : dict:

```
- users : list::
    - id : integer
    - name : string
- groups : list::
    - id : integer
    - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
    - id : integer
    - name : string
- groups : list::
    - id : integer
    - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
    - id : integer
    - name : string
- groups : list::
    - id : integer
    - name : string
```

post_runs (*id*)

Run a job

Parameters *id* : integer

The ID for this job.

Returns **id** : integer

created_at : string/time

The time that the run was queued.

error : string

The error message for this run, if present.

state : string

started_at : string/time

The time that the run started.

finished_at : string/time

The time that the run completed.

post_trigger_email (*id*)

Generate and retrieve trigger email address

Parameters **id** : integer

The ID for this job.

Returns **trigger_email** : string

Email address which may be used to trigger this job to run.

put_projects (*id*, *project_id*)

Add a Job to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id*, *permission_level*, *group_ids*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_shares_users (*id*, *user_ids*, *permission_level*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
```

```
- id : integer
- name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

Models

class Models (*session*, *return_type*='civis')

Methods

<i>delete_builds</i> (id, build_id)	Cancel a build
<i>delete_projects</i> (id, project_id)	Remove a models from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Retrieve model configuration
<i>get_builds</i> (id, build_id)	Check status of a build
<i>list</i> (**kwargs)	List models
<i>list_builds</i> (id, **kwargs)	List builds for the given model
<i>list_projects</i> (id)	List the projects a models belongs to
<i>list_schedules</i> (id)	Show the model build schedule
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>list_types</i> ()	List all available model types
<i>patch</i> (id, **kwargs)	Update model configuration
<i>post</i> (**kwargs)	Create new configuration for a model
<i>post_builds</i> (id)	Start a build
<i>put_archive</i> (id, status)	Update the archive status of this object
<i>put_predictions</i> (id, primary_key, table_name, ...)	Add a table on which to apply the predictive model
<i>put_projects</i> (id, project_id)	Add a models to a project
<i>put_schedules</i> (id, schedule)	Schedule the model build
<i>put_shares_groups</i> (id, permission_level, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, user_ids, permission_level)	Set the permissions users have on this object

delete_builds (*id*, *build_id*)

Cancel a build

Parameters *id* : integer

The ID of the model.

build_id : integer

The ID of the build.

Returns None

Response code 202: success

delete_projects (*id*, *project_id*)

Remove a models from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Retrieve model configuration

Parameters *id* : integer

The ID of the model.

Returns **dependent_variable** : string

The dependent variable of the training dataset.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

id : integer

The ID of the model.

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

time_zone : string

The time zone of this model.

last_output_location : string

The output JSON for the last build.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

archived : string

The archival status of the requested object(s).

builds : list:

```
A list of trained models available for making predictions.
- r_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- root_mean_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- created_at : string
    The time the model build was created.
- name : string
    The name of the model build.
- id : integer
    The ID of the model build.
- description : string
    A description of the model build.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil
    for other model types.
```

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

primary_key : string

The unique ID (primary key) of the training dataset.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {“n_estimators”: [100, 200, 500], “learning_rate”: [0.01, 0.1], “max_depth”: [2, 3]}.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

interaction_terms : boolean

Whether to search for interaction terms.

description : string

A description of the model.

created_at : string/date-time

The time the model was created.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

updated_at : string/date-time

The time the model was updated.

predictions : list:

```
The tables upon which the model will be applied.
- primary_key : list
    The primary key or composite keys of the table being predicted.
- table_name : string
    The qualified name of the table on which to apply the_
↪predictive model.
- id : integer
```



```

    The ID of the model to which to apply the prediction.
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
    ↪ "queued",
    or "running", "or "idle", if no build has been attempted.
- output_table : string
    The qualified name of the table to be created which will_
    ↪ contain the
    model's predictions.
- schedule : dict::
    - scheduled_days : list
        Day based on numeric value starting at 0 for Sunday
    - scheduled_minutes : list
        Minutes of the day it is scheduled on
    - scheduled_hours : list
        Hours of the day it is scheduled on
    - scheduled : boolean
        If the object is scheduled
    - scheduled_runs_per_hour : integer
        Alternative to scheduled minutes, number of times to run_
    ↪ per hour

```

parent_id : integer

The ID of the parent job that will trigger this model.

active_build_id : integer

The ID of the current active build, the build used to score predictions.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

table_name : string

The qualified name of the table containing the training set from which to build the model.

current_build_exception : string

Exception message, if applicable, of the current model build.

model_type_id : integer

The ID of the model's type.

current_build_state : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

database_id : integer

The ID of the database holding the training set table used to build the model.

model_name : string

The name of the model.

number_of_folds : integer

Number of folds for cross validation. Default value is 5.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

get_builds (*id*, *build_id*)

Check status of a build

Parameters *id* : integer

The ID of the model.

build_id : integer

The ID of the build.

Returns *id* : integer

The ID of the model build.

created_at : string

The time the model build was created.

output : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

r_squared_error : number/float

A key metric for continuous models. Nil for other model types.

output_location : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

root_mean_squared_error : number/float

A key metric for continuous models. Nil for other model types.

state : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the build.

transformation_metadata : string

A string representing the full JSON output of the metadata for transformation of column names

description : string

A description of the model build.

roc_auc : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

name : string

The name of the model build.

list (***kwargs*)

List models

Parameters **model_name** : string, optional

If specified, will be used to filter the models returned. Substring matching is supported. (e.g., "modelName=model" will return both "model1" and "my model").

training_table_name : string, optional

If specified, will be used to filter the models returned by the training dataset table name. Substring matching is supported. (e.g., "trainingTableName=table" will return both "table1" and "my_table").

dependent_variable : string, optional

If specified, will be used to filter the models returned by the dependent variable column name. Substring matching is supported. (e.g., "dependentVariable=predictor" will return both "predictor" and "my predictor").

author : string, optional

If specified, return models from this author. It accepts a comma-separated list of author ids.

status : string, optional

If specified, returns models with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `updated_at`. Must be one of: `updated_at`, `model_name`, `created_at`, `name`, `last_run.updated_at`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

Returns **dependent_variable** : string

The dependent variable of the training dataset.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

id : integer

The ID of the model.

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., `"id > 105"`).

time_zone : string

The time zone of this model.

last_output_location : string

The output JSON for the last build.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

archived : string

The archival status of the requested object(s).

builds : list:

```

A list of trained models available for making predictions.
- r_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- root_mean_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- created_at : string
  The time the model build was created.
- name : string
  The name of the model build.
- id : integer
  The ID of the model build.
- description : string
  A description of the model build.
- roc_auc : number/float
  A key metric for binary, multinomial, and ordinal models. Nil
  for other
  model types.

```

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

primary_key : string

The unique ID (primary key) of the training dataset.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

last_run : dict:

```

- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.

```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

interaction_terms : boolean

Whether to search for interaction terms.

description : string

A description of the model.

created_at : string/date-time

The time the model was created.

predictions : list:

```
The tables upon which the model will be applied.
- primary_key : list
    The primary key or composite keys of the table being predicted.
- table_name : string
    The qualified name of the table on which to apply the_
↪ predictive model.
- id : integer
    The ID of the model to which to apply the prediction.
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↪ "queued",
    or "running", or "idle", if no build has been attempted.
- output_table : string
    The qualified name of the table to be created which will_
↪ contain the
    model's predictions.
```

parent_id : integer

The ID of the parent job that will trigger this model.

table_name : string

The qualified name of the table containing the training set from which to build the model.

current_build_exception : string

Exception message, if applicable, of the current model build.

model_type_id : integer

The ID of the model's type.

current_build_state : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

database_id : integer

The ID of the database holding the training set table used to build the model.

model_name : string

The name of the model.

number_of_folds : integer

Number of folds for cross validation. Default value is 5.

updated_at : string/date-time

The time the model was updated.

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour

```

list_builds (*id*, ***kwargs*)

List builds for the given model

Parameters *id* : integer

The ID of the model.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns *id* : integer

The ID of the model build.

created_at : string

The time the model build was created.

output : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

r_squared_error : number/float

A key metric for continuous models. Nil for other model types.

output_location : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

root_mean_squared_error : number/float

A key metric for continuous models. Nil for other model types.

state : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the build.

transformation_metadata : string

A string representing the full JSON output of the metadata for transformation of column names

description : string

A description of the model build.

roc_auc : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

name : string

The name of the model build.

list_projects (*id*)

List the projects a models belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time**auto_share** : boolean**author** : dict:

```

- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.

```

list_schedules (*id*)

Show the model build schedule

Parameters **id** : integer

The ID of the model associated with this schedule.

Returns **id** : integer

The ID of the model associated with this schedule.

schedule : dict:

```

- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour

```

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```

- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string

```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_types()

List all available model types

Returns **algorithm** : string

The name of the algorithm used to train the model.

id : integer

The ID of the model type.

int_allowed : boolean

Whether this model type supports searching for interaction terms.

dv_type : string

The type of dependent variable predicted by the model.

patch (*id*, ***kwargs*)

Update model configuration

Parameters **id** : integer

The ID of the model.

dependent_variable : string, optional

The dependent variable of the training dataset.

credential_id : integer, optional

The ID of the credential used to read the target table. Defaults to the user's default credential.

parent_id : integer, optional

The ID of the parent job that will trigger this model.

limiting_sql : string, optional

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

active_build_id : integer, optional

The ID of the current active build, the build used to score predictions.

database_id : integer, optional

The ID of the database holding the training set table used to build the model.

time_zone : string, optional

The time zone of this model.

cross_validation_parameters : dict, optional

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

model_type_id : integer, optional

The ID of the model's type.

dependent_variable_order : list, optional

The order of dependent variables, especially useful for Ordinal Modeling.

primary_key : string, optional

The unique ID (primary key) of the training dataset.

table_name : string, optional

The qualified name of the table containing the training set from which to build the model.

model_name : string, optional

The name of the model.

excluded_columns : list, optional

A list of columns which will be considered ineligible to be independent variables.

interaction_terms : boolean, optional

Whether to search for interaction terms.

description : string, optional

A description of the model.

number_of_folds : integer, optional

Number of folds for cross validation. Default value is 5.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    hour
```

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

box_cox_transformation : boolean, optional

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

Returns None

Response code 204: success

post (***kwargs*)

Create new configuration for a model

Parameters **dependent_variable** : string, optional

The dependent variable of the training dataset.

credential_id : integer, optional

The ID of the credential used to read the target table. Defaults to the user's default credential.

parent_id : integer, optional

The ID of the parent job that will trigger this model.

limiting_sql : string, optional

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

active_build_id : integer, optional

The ID of the current active build, the build used to score predictions.

database_id : integer, optional

The ID of the database holding the training set table used to build the model.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

time_zone : string, optional

The time zone of this model.

cross_validation_parameters : dict, optional

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

model_type_id : integer, optional

The ID of the model's type.

dependent_variable_order : list, optional

The order of dependent variables, especially useful for Ordinal Modeling.

primary_key : string, optional

The unique ID (primary key) of the training dataset.

table_name : string, optional

The qualified name of the table containing the training set from which to build the model.

model_name : string, optional

The name of the model.

excluded_columns : list, optional

A list of columns which will be considered ineligible to be independent variables.

interaction_terms : boolean, optional

Whether to search for interaction terms.

description : string, optional

A description of the model.

number_of_folds : integer, optional

Number of folds for cross validation. Default value is 5.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    successfully.
```

```
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

box_cox_transformation : boolean, optional

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

Returns dependent_variable : string

The dependent variable of the training dataset.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

id : integer

The ID of the model.

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

time_zone : string

The time zone of this model.

last_output_location : string

The output JSON for the last build.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

archived : string

The archival status of the requested object(s).

builds : list:

```
A list of trained models available for making predictions.
- r_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- root_mean_squared_error : number/float
```

```

    A key metric for continuous models. Nil for other model types.
- created_at : string
    The time the model build was created.
- name : string
    The name of the model build.
- id : integer
    The ID of the model build.
- description : string
    A description of the model build.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil
↳ for other
    model types.

```

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

primary_key : string

The unique ID (primary key) of the training dataset.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

interaction_terms : boolean

Whether to search for interaction terms.

description : string

A description of the model.

created_at : string/date-time

The time the model was created.

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean

```

```
If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

updated_at : string/date-time

The time the model was updated.

predictions : list:

```
The tables upon which the model will be applied.
- primary_key : list
    The primary key or composite keys of the table being predicted.
- table_name : string
    The qualified name of the table on which to apply the_
↪ predictive model.
- id : integer
    The ID of the model to which to apply the prediction.
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↪ "queued",
    or "running", or "idle", if no build has been attempted.
- output_table : string
    The qualified name of the table to be created which will_
↪ contain the
    model's predictions.
- schedule : dict::
    - scheduled_days : list
        Day based on numeric value starting at 0 for Sunday
    - scheduled_minutes : list
        Minutes of the day it is scheduled on
    - scheduled_hours : list
        Hours of the day it is scheduled on
    - scheduled : boolean
        If the object is scheduled
    - scheduled_runs_per_hour : integer
        Alternative to scheduled minutes, number of times to run_
↪ per hour
```

parent_id : integer

The ID of the parent job that will trigger this model.

active_build_id : integer

The ID of the current active build, the build used to score predictions.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

table_name : string

The qualified name of the table containing the training set from which to build the model.

current_build_exception : string

Exception message, if applicable, of the current model build.

model_type_id : integer

The ID of the model's type.

current_build_state : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

database_id : integer

The ID of the database holding the training set table used to build the model.

model_name : string

The name of the model.

number_of_folds : integer

Number of folds for cross validation. Default value is 5.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

post_builds (*id*)

Start a build

Parameters *id* : integer

The ID of the model.

Returns *id* : integer

The ID of the model build.

created_at : string

The time the model build was created.

output : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

r_squared_error : number/float

A key metric for continuous models. Nil for other model types.

output_location : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

root_mean_squared_error : number/float

A key metric for continuous models. Nil for other model types.

state : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the build.

transformation_metadata : string

A string representing the full JSON output of the metadata for transformation of column names

description : string

A description of the model build.

roc_auc : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

name : string

The name of the model build.

put_archive (*id*, *status*)

Update the archive status of this object

Parameters *id* : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns `dependent_variable` : string

The dependent variable of the training dataset.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

id : integer

The ID of the model.

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

time_zone : string

The time zone of this model.

last_output_location : string

The output JSON for the last build.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

archived : string

The archival status of the requested object(s).

builds : list:

```
A list of trained models available for making predictions.
- r_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- root_mean_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- created_at : string
    The time the model build was created.
- name : string
    The name of the model build.
- id : integer
    The ID of the model build.
- description : string
    A description of the model build.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil
    for other model types.
```

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

primary_key : string

The unique ID (primary key) of the training dataset.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

interaction_terms : boolean

Whether to search for interaction terms.

description : string

A description of the model.

created_at : string/date-time

The time the model was created.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

updated_at : string/date-time

The time the model was updated.

predictions : list:

The tables upon which the model will be applied.

- `primary_key : list`
The primary key **or** composite keys of the table being predicted.
- `table_name : string`
The qualified name of the table on which to apply the `predictive` model.
- `id : integer`
The ID of the model to which to apply the prediction.
- `limiting_sql : string`
A SQL WHERE clause used to scope the rows to be predicted.
- `state : string`
The status of the prediction. One of: `"succeeded"`, `"failed"`, `"queued"`, **or** `"running"`, **or** `"idle"`, **if** no build has been attempted.
- `output_table : string`
The qualified name of the table to be created which will contain the model's predictions.
- `schedule : dict::`
 - `scheduled_days : list`
Day based on numeric value starting at 0 **for** Sunday
 - `scheduled_minutes : list`
Minutes of the day it **is** scheduled on
 - `scheduled_hours : list`
Hours of the day it **is** scheduled on
 - `scheduled : boolean`
If the **object is** scheduled
 - `scheduled_runs_per_hour : integer`
Alternative to scheduled minutes, number of times to run per hour

parent_id : integer

The ID of the parent job that will trigger this model.

active_build_id : integer

The ID of the current active build, the build used to score predictions.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

table_name : string

The qualified name of the table containing the training set from which to build the model.

current_build_exception : string

Exception message, if applicable, of the current model build.

model_type_id : integer

The ID of the model's type.

current_build_state : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

database_id : integer

The ID of the database holding the training set table used to build the model.

model_name : string

The name of the model.

number_of_folds : integer

Number of folds for cross validation. Default value is 5.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    ↪hour
```

put_predictions (*id*, *primary_key*, *table_name*, ***kwargs*)

Add a table on which to apply the predictive model

Parameters **id** : integer

The ID of the model to which to apply the prediction.

primary_key : list

The primary key or composite keys of the table being predicted.

table_name : string

The qualified name of the table on which to apply the predictive model.

output_table : string, optional

The qualified name of the table to be created which will contain the model's predictions.

limiting_sql : string, optional

A SQL WHERE clause used to scope the rows to be predicted.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

Returns **primary_key** : list

The primary key or composite keys of the table being predicted.

table_name : string

The qualified name of the table on which to apply the predictive model.

id : integer

The ID of the model to which to apply the prediction.

limiting_sql : string

A SQL WHERE clause used to scope the rows to be predicted.

state : string

The status of the prediction. One of: “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

output_table : string

The qualified name of the table to be created which will contain the model’s predictions.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

put_projects (*id*, *project_id*)

Add a models to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_schedules (*id*, *schedule*)

Schedule the model build

Parameters *id* : integer

The ID of the model associated with this schedule.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns *id* : integer

The ID of the model associated with this schedule.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_shares_groups (*id*, *permission_level*, *group_ids*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
```



```
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_shares_users (*id*, *user_ids*, *permission_level*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

Predictions

class Predictions (*session*, *return_type*='civis')

Methods

<code>delete_runs(id, run_id)</code>	Cancel a run
<code>get(id)</code>	Show the specified prediction
<code>get_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List predictions
<code>list_runs(id, **kwargs)</code>	List runs for the given prediction
<code>list_schedules(id)</code>	Show the prediction schedule
<code>patch(id, **kwargs)</code>	Update a prediction
<code>post_runs(id)</code>	Start a run
<code>put_schedules(id, **kwargs)</code>	Schedule the prediction

delete_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the prediction.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

get (*id*)

Show the specified prediction

Parameters *id* : integer

The ID of the prediction.

Returns `id` : integer

The ID of the prediction.

limiting_sql : string

A SQL WHERE clause used to scope the rows to be predicted.

scored_table_id : integer

The ID of the source table for this prediction.

started_at : string/date-time

The start time of the last run of this prediction.

scored_tables : list:

```
An array of created prediction tables.
- score_stats : list::
    An array of metrics on the created predictions.
    - score_name : string
        The name of the score.
    - histogram : list
        The histogram of the distribution of scores.
    - max_score : number/float
        The maximum score.
    - min_score : number/float
        The minimum score.
    - avg_score : number/float
        The average score.
- schema : string
    The schema of table with created predictions.
- id : integer
    The ID of the table with created predictions.
- created_at : string/date-time
    The time when the table with created predictions was created.
- name : string
    The name of table with created predictions.
```

primary_key : list

The primary key or composite keys of the table being predicted.

scored_table_name : string

The name of the source table for this prediction.

finished_at : string/date-time

The end time of the last run of this prediction.

state : string

The state of the last run of this prediction.

model_id : integer

The ID of the model used for this prediction.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    ↪hour
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

output_table_name : string

The name of the output table for this prediction.

error : string

The error, if any, of the last run of this prediction.

get_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the prediction.

run_id : integer

The ID of the run.

Returns *score_stats* : list:

```
An array of metrics on the created predictions.
- score_name : string
    The name of the score.
- histogram : list
    The histogram of the distribution of scores.
- max_score : number/float
    The maximum score.
- min_score : number/float
    The minimum score.
- avg_score : number/float
    The average score.
```

id : integer

The ID of the prediction run.

state : string

The state of the prediction run.

exception : string

The exception, if any, returned by the prediction run.

prediction_id : integer

The ID of the prediction.

created_at : string/date-time

The time when the table with created predictions was created.

name : string

The name of table created by this predictions run.

list (***kwargs*)

List predictions

Parameters **model_id** : integer, optional

If specified, only return predictions associated with this model ID.

Returns **scored_table_name** : string

The name of the source table for this prediction.

id : integer

The ID of the prediction.

state : string

The state of the last run of this prediction.

scored_table_id : integer

The ID of the source table for this prediction.

finished_at : string/date-time

The end time of the last run of this prediction.

model_id : integer

The ID of the model used for this prediction.

started_at : string/date-time

The start time of the last run of this prediction.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

output_table_name : string

The name of the output table for this prediction.

error : string

The error, if any, of the last run of this prediction.

list_runs (*id*, ***kwargs*)

List runs for the given prediction

Parameters **id** : integer

The ID of the prediction.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **score_stats** : list:

```
An array of metrics on the created predictions.
- score_name : string
  The name of the score.
- histogram : list
  The histogram of the distribution of scores.
- max_score : number/float
  The maximum score.
- min_score : number/float
  The minimum score.
- avg_score : number/float
  The average score.
```

id : integer

The ID of the prediction run.

state : string

The state of the prediction run.

exception : string

The exception, if any, returned by the prediction run.

prediction_id : integer

The ID of the prediction.

created_at : string/date-time

The time when the table with created predictions was created.

name : string

The name of table created by this predictions run.

list_schedules (*id*)

Show the prediction schedule

Parameters **id** : integer

ID of the prediction associated with this schedule.

Returns **id** : integer

ID of the prediction associated with this schedule.

score_on_model_build : boolean

Whether the prediction will run after a rebuild of the associated model.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

patch (*id*, ***kwargs*)

Update a prediction

Parameters **id** : integer

The ID of the prediction.

primary_key : list, optional

The primary key or composite keys of the table being predicted.

limiting_sql : string, optional

A SQL WHERE clause used to scope the rows to be predicted.

output_table_name : string, optional

The name of the output table for this prediction.

Returns **id** : integer

The ID of the prediction.

limiting_sql : string

A SQL WHERE clause used to scope the rows to be predicted.

scored_table_id : integer

The ID of the source table for this prediction.

started_at : string/date-time

The start time of the last run of this prediction.

scored_tables : list:

```
An array of created prediction tables.
- score_stats : list::
    An array of metrics on the created predictions.
    - score_name : string
        The name of the score.
    - histogram : list
        The histogram of the distribution of scores.
    - max_score : number/float
        The maximum score.
    - min_score : number/float
        The minimum score.
    - avg_score : number/float
        The average score.
- schema : string
    The schema of table with created predictions.
- id : integer
    The ID of the table with created predictions.
- created_at : string/date-time
    The time when the table with created predictions was created.
- name : string
    The name of table with created predictions.
```

primary_key : list

The primary key or composite keys of the table being predicted.

scored_table_name : string

The name of the source table for this prediction.

finished_at : string/date-time

The end time of the last run of this prediction.

state : string

The state of the last run of this prediction.

model_id : integer

The ID of the model used for this prediction.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

last_run : dict:


```

- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.

```

output_table_name : string

The name of the output table for this prediction.

error : string

The error, if any, of the last run of this prediction.

post_runs (*id*)

Start a run

Parameters *id* : integer

The ID of the prediction.

Returns *score_stats* : list:

```

An array of metrics on the created predictions.
- score_name : string
  The name of the score.
- histogram : list
  The histogram of the distribution of scores.
- max_score : number/float
  The maximum score.
- min_score : number/float
  The minimum score.
- avg_score : number/float
  The average score.

```

id : integer

The ID of the prediction run.

state : string

The state of the prediction run.

exception : string

The exception, if any, returned by the prediction run.

prediction_id : integer

The ID of the prediction.

created_at : string/date-time

The time when the table with created predictions was created.

name : string

The name of table created by this predictions run.

put_schedules (*id*, ***kwargs*)

Schedule the prediction

Parameters *id* : integer

ID of the prediction associated with this schedule.

score_on_model_build : boolean, optional

Whether the prediction will run after a rebuild of the associated model.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns *id* : integer

ID of the prediction associated with this schedule.

score_on_model_build : boolean

Whether the prediction will run after a rebuild of the associated model.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Projects

class Projects (*session*, *return_type='civis'*)

Methods

<i>delete_shares_groups</i>(<i>id</i>, <i>group_id</i>)	Revoke the permissions a group has on this object
<i>delete_shares_users</i>(<i>id</i>, <i>user_id</i>)	Revoke the permissions a user has on this object
<i>get</i>(<i>project_id</i>)	Get a detailed view of a project and the objects in it
<i>list</i>(<i>**kwargs</i>)	List projects
Continued on next page	

Table 4.11 – continued from previous page

<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post(name, description, **kwargs)</code>	Create a project
<code>put(project_id, **kwargs)</code>	Update a project
<code>put_archive(id, status)</code>	Update the archive status of this object
<code>put_shares_groups(id, permission_level, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, user_ids, permission_level)</code>	Set the permissions users have on this object

delete_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*project_id*)

Get a detailed view of a project and the objects in it

Parameters **project_id** : integer

Returns **scripts** : list:

```
- id : integer
    The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

id : integer

The ID for this project.

created_at : string/time

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

models : list:

```
- state : string
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
- name : string
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

files : list:

```
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
```

script_templates : list:

```
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
- name : string
```

all_objects : list:

```
- sub_type : string
- icon : string
- object_type : string
- object_id : integer
- name : string
- archived : string
    The archival status of the requested object(s).
- project_id : integer
- fco_type : string
- author : string
```

surveys : list:

```
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
```

reports : list:

```
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

imports : list:

```
- id : integer
  The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

app_instances : list:

```
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

name : string

The name of this project.

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time**note** : string**auto_share** : boolean**tables** : list:

```
- schema : string
- created_at : string/time
- name : string
- column_count : integer
- updated_at : string/time
- row_count : integer
```

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

list (***kwargs*)

List projects

Parameters **author** : string, optional

If specified, return projects owned by this author. It accepts a comma- separated list of author ids.

permission : string, optional

A permissions string, one of “read”, “write”, or “manage”. Lists only projects for which the current user has that permission.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 1000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `updated_at`. Must be one of: `updated_at`, `name`, `created_at`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```

Users who can see the project
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

list_shares (*id*)

List users and groups permissioned on this object

Parameters *id* : integer

The ID of the object.

Returns *writers* : dict:

```

- users : list::
    - id : integer
    - name : string
- groups : list::
    - id : integer
    - name : string

```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

post (*name*, *description*, ***kwargs*)

Create a project

Parameters **name** : string

The name of this project.

description : string

A description of the project

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

note : string, optional

Notes for the project

Returns **scripts** : list:

```
- id : integer
  The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

id : integer

The ID for this project.

created_at : string/time

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
```



```

    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

models : list:

```

- state : string
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
- name : string

```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

files : list:

```

- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time

```

script_templates : list:

```

- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
- name : string

```

all_objects : list:

```

- sub_type : string
- icon : string
- object_type : string
- object_id : integer
- name : string
- archived : string
    The archival status of the requested object(s).
- project_id : integer
- fco_type : string
- author : string

```

surveys : list:

```

- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time

```

reports : list:

```
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

imports : list:

```
- id : integer
  The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

app_instances : list:

```
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

name : string

The name of this project.

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time**note** : string**auto_share** : boolean**tables** : list:

```
- schema : string
- created_at : string/time
- name : string
- column_count : integer
- updated_at : string/time
- row_count : integer
```

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
```

```

    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

put (*project_id*, ***kwargs*)
Update a project

Parameters **project_id** : integer

note : string, optional

Notes for the project

name : string, optional

The name of this project.

description : string, optional

A description of the project

Returns **scripts** : list:

```

- id : integer
    The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time

```

id : integer

The ID for this project.

created_at : string/time

author : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

models : list:

```

- state : string
- updated_at : string/time
- id : integer
    The object ID.

```

```
- created_at : string/time
- name : string
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

files : list:

```
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
```

script_templates : list:

```
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

all_objects : list:

```
- sub_type : string
- icon : string
- object_type : string
- object_id : integer
- name : string
- archived : string
  The archival status of the requested object(s).
- project_id : integer
- fco_type : string
- author : string
```

surveys : list:

```
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
```

reports : list:

```
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

imports : list:

```
- id : integer
  The object ID.
```

```
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

app_instances : list:

```
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

name : string

The name of this project.

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

note : string

auto_share : boolean

tables : list:

```
- schema : string
- created_at : string/time
- name : string
- column_count : integer
- updated_at : string/time
- row_count : integer
```

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

put_archive (*id, status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns scripts : list:

```
- id : integer
    The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

id : integer

The ID for this project.

created_at : string/time

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

models : list:

```
- state : string
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
- name : string
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

files : list:

```
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
    The object ID.
- created_at : string/time
```

script_templates : list:

```
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

all_objects : list:

```
- sub_type : string
- icon : string
- object_type : string
- object_id : integer
- name : string
- archived : string
  The archival status of the requested object(s).
- project_id : integer
- fco_type : string
- author : string
```

surveys : list:

```
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
```

reports : list:

```
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

imports : list:

```
- id : integer
  The object ID.
- created_at : string/time
- name : string
- type : string
- updated_at : string/time
- state : string
- finished_at : string/time
```

app_instances : list:

```
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- created_at : string/time
- name : string
```

name : string

The name of this project.

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

note : string

auto_share : boolean

tables : list:

```
- schema : string
- created_at : string/time
- name : string
- column_count : integer
- updated_at : string/time
- row_count : integer
```

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

put_shares_groups (*id*, *permission_level*, *group_ids*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_shares_users (*id*, *user_ids*, *permission_level*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

Queries

class **Queries** (*session*, *return_type*='civis')

Methods

<code>delete_runs(id, run_id)</code>	Cancel a run
<code>get(id)</code>	Get details about a query
<code>get_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List all queries
<code>list_runs(id, **kwargs)</code>	List runs for the given query
<code>post(database, preview_rows, sql, **kwargs)</code>	Execute a query
<code>post_runs(id)</code>	Start a run
<code>put_scripts(id, script_id)</code>	Update the query's associated script

delete_runs (*id*, *run_id*)

Cancel a run

Parameters **id** : integer

The ID of the query.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

get (*id*)

Get details about a query

Parameters **id** : integer

The query ID.

Returns **last_run_id** : integer

The ID of the last run.

finished_at : string/date-time

The end time of the last run.

created_at : string/time

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

script_id : integer

The ID of the script associated with this query.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

started_at : string/date-time

The start time of the last run.

report_id : integer

The ID of the report associated with this query.

credential : integer

The credential ID.

id : integer

The query ID.

database : integer

The database ID.

exception : string

Exception returned from the query, null if the query was a success.

result_rows : list

A preview of rows returned by the query.

state : string

The state of the last run.

updated_at : string/time

sql : string

The SQL to execute.

result_columns : list

A preview of columns returned by the query.

name : string

The name of the query.

get_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the query.

run_id : integer

The ID of the run.

Returns **id** : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

query_id : integer

The ID of the query.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

list (***kwargs*)

List all queries

Parameters **database_id** : integer, optional

The database ID.

author_id : integer, optional

The author of the query.

created_before : string, optional

An upper bound for the creation date of the query.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns last_run_id : integer

The ID of the last run.

finished_at : string/date-time

The end time of the last run.

created_at : string/time

script_id : integer

The ID of the script associated with this query.

started_at : string/date-time

The start time of the last run.

report_id : integer

The ID of the report associated with this query.

credential : integer

The credential ID.

id : integer

The query ID.

database : integer

The database ID.

exception : string

Exception returned from the query, null if the query was a success.

preview_rows : integer

The number of rows to save from the query's result (maximum: 100).

result_rows : list

A preview of rows returned by the query.

state : string

The state of the last run.

updated_at : string/time

sql : string

The SQL to execute.

result_columns : list

A preview of columns returned by the query.

list_runs (*id*, ***kwargs*)

List runs for the given query

Parameters **id** : integer

The ID of the query.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **id** : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

query_id : integer

The ID of the query.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

post (*database*, *preview_rows*, *sql*, ***kwargs*)

Execute a query

Parameters **database** : integer

The database ID.

preview_rows : integer

The number of rows to save from the query's result (maximum: 100).

sql : string

The SQL to execute.

credential : integer, optional

The credential ID.

column_delimiter : string, optional

The delimiter to use. One of comma or tab, or pipe [default: comma].

unquoted : boolean, optional

If true, will not quote fields.

compression : string, optional

The type of compression. One of gzip or zip, or none [default: gzip].

filename_prefix : string, optional

The output filename prefix.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

include_header : boolean, optional

Whether the CSV output should include a header row [default: true].

interactive : boolean, optional

Deprecated and not used.

Returns finished_at : string/date-time

The end time of the last run.

created_at : string/time

preview_rows : integer

The number of rows to save from the query's result (maximum: 100).

unquoted : boolean

If true, will not quote fields.

script_id : integer

The ID of the script associated with this query.

include_header : boolean

Whether the CSV output should include a header row [default: true].

filename_prefix : string

The output filename prefix.

report_id : integer

The ID of the report associated with this query.

last_run_id : integer

The ID of the last run.

state : string

The state of the last run.

started_at : string/date-time

The start time of the last run.

column_delimiter : string

The delimiter to use. One of comma or tab, or pipe [default: comma].

result_columns : list

A preview of columns returned by the query.

compression : string

The type of compression. One of gzip or zip, or none [default: gzip].

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

credential : integer

The credential ID.

database : integer

The database ID.

exception : string

Exception returned from the query, null if the query was a success.

id : integer

The query ID.

result_rows : list

A preview of rows returned by the query.

updated_at : string/time

sql : string

The SQL to execute.

interactive : boolean

Deprecated and not used.

post_runs (*id*)

Start a run

Parameters id : integer

The ID of the query.

Returns id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

query_id : integer

The ID of the query.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

put_scripts (*id*, *script_id*)

Update the query's associated script

Parameters **id** : integer

The query ID.

script_id : integer

The ID of the script associated with this query.

Returns **last_run_id** : integer

The ID of the last run.

finished_at : string/date-time

The end time of the last run.

created_at : string/time

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

script_id : integer

The ID of the script associated with this query.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

started_at : string/date-time

The start time of the last run.

report_id : integer

The ID of the report associated with this query.

credential : integer

The credential ID.

id : integer

The query ID.

database : integer

The database ID.

exception : string

Exception returned from the query, null if the query was a success.

result_rows : list

A preview of rows returned by the query.

state : string

The state of the last run.

updated_at : string/time

sql : string

The SQL to execute.

result_columns : list

A preview of columns returned by the query.

name : string

The name of the query.

Reports

class Reports (*session*, *return_type*='civis')

Methods

<i>delete_grants</i> (id)	Revoke permission for this report to perform Civis platform API operations on
<i>delete_projects</i> (id, project_id)	Remove a Report from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Show a single report
<i>list</i> (**kwargs)	List the reports visible to the current user
<i>list_projects</i> (id)	List the projects a Report belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>list_snapshots</i> (id)	Get details about the report's snapshot automation settings
<i>patch</i> (id, **kwargs)	Update a report
<i>patch_snapshots</i> (id, **kwargs)	Update the report's snapshot automation settings
<i>post</i> (**kwargs)	Create a report
<i>post_grants</i> (id)	Grant this report the ability to perform Civis platform API operations on your

Continued on next page

Table 4.13 – continued from previous page

<i>post_snapshots</i> (id, **kwargs)	Generate and optionally email a snapshot of the specified report
<i>put_archive</i> (id, status)	Update the archive status of this object
<i>put_projects</i> (id, project_id)	Add a Report to a project
<i>put_shares_groups</i> (id, permission_level, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, user_ids, permission_level)	Set the permissions users have on this object

delete_grants (*id*)

Revoke permission for this report to perform Civis platform API operations on your behalf

Parameters *id* : integer

The ID of this report.

Returns None

Response code 204: success

delete_projects (*id*, *project_id*)

Remove a Report from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Show a single report

Parameters `id` : integer

The ID of this report.

Returns `config` : string

Any configuration metadata for this report.

id : integer

The ID of this report.

created_at : string/time

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

auth_data_url : string

auth_thumbnail_url : string

URL for a thumbnail of the report.

tableau_id : integer

script : dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

finished_at : string/time

The time that the report's last run finished.

state : string

The status of the report's last run.

viz_updated_at : string/time

The time that the report's visualization was last updated.

archived : string

The archival status of the requested object(s).

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

projects : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

api_key : string

A Civis API key that can be used by this report.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

auth_code_url : string

name : string

The name of the report.

template_id : integer

The ID of the template used for this report.

updated_at : string/time

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

list (**kwargs)

List the reports visible to the current user

Parameters **type** : string, optional

If specified, return report of these types. It accepts a comma-separated list, possible values are 'tableau', 'other'.

author : string, optional

If specified, return reports from this author. It accepts a comma-separated list of author ids.

template_id : integer, optional

If specified, return reports using the provided Template.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

id : integer

The ID of this report.

created_at : string/time

auth_thumbnail_url : string

URL for a thumbnail of the report.

tableau_id : integer

finished_at : string/time

The time that the report's last run finished.

script : dict:

```

- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.

```

job_path : string

The link to details of the job that backs this report.

state : string

The status of the report's last run.

name : string

The name of the report.

viz_updated_at : string/time

The time that the report's visualization was last updated.

template_id : integer

The ID of the template used for this report.

archived : string

The archival status of the requested object(s).

updated_at : string/time

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

projects : list:

```

A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

list_projects (*id*)

List the projects a Report belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_snapshots (*id*)

Get details about the report's snapshot automation settings

Parameters **id** : integer

The ID of this report.

Returns **recipient_email_addresses** : string

Email addresses to send report to, comma separated.

parent_id : integer

The ID of the parent job that will trigger this snapshot.

id : integer

The ID of this report.

state : string

The status of the job's last run.

width : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

email_subject : string

Subject for Email.

send_email_on_completion : boolean

Whether the job will send emails on completion.

height : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

finished_at : string/time

The time that the job's last run finished.

email_template : string

Custom email template.

patch (*id*, ***kwargs*)

Update a report

Parameters **id** : integer

The ID of the report to modify.

config : string, optional

name : string, optional

The name of the report.

provide_api_key : boolean, optional

Allow the report to provide an API key to front-end code.

template_id : integer, optional

The ID of the template used for this report. If null is passed, no template will back this report. Changes to the backing template will reset the report appState.

script_id : integer, optional

The ID of the job (a script or a query) used to create this report.

app_state : dict, optional

The application state blob for this report.

code_body : string, optional

The code for the report visualization.

Returns **config** : string

Any configuration metadata for this report.

id : integer

The ID of this report.

created_at : string/time

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

auth_data_url : string

auth_thumbnail_url : string

URL for a thumbnail of the report.

tableau_id : integer

script : dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

finished_at : string/time

The time that the report's last run finished.

state : string

The status of the report's last run.

viz_updated_at : string/time

The time that the report's visualization was last updated.

archived : string

The archival status of the requested object(s).

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

projects : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

api_key : string

A Civis API key that can be used by this report.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

auth_code_url : string

name : string

The name of the report.

template_id : integer

The ID of the template used for this report.

updated_at : string/time

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

patch_snapshots (*id*, ***kwargs*)

Update the report's snapshot automation settings

Parameters **id** : integer

The ID of this report.

recipient_email_addresses : string, optional

Email addresses to send report to, comma separated.

parent_id : integer, optional

The ID of the parent job that will trigger this snapshot.

finished_at : string/time, optional

The time that the job's last run finished.

state : string, optional

The status of the job's last run.

width : integer, optional

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

email_subject : string, optional

Subject for Email.

send_email_on_completion : boolean, optional

Whether the job will send emails on completion.

height : integer, optional

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

email_template : string, optional

Custom email template.

Returns recipient_email_addresses : string

Email addresses to send report to, comma separated.

parent_id : integer

The ID of the parent job that will trigger this snapshot.

id : integer

The ID of this report.

state : string

The status of the job's last run.

width : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

email_subject : string

Subject for Email.

send_email_on_completion : boolean

Whether the job will send emails on completion.

height : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

finished_at : string/time

The time that the job's last run finished.

email_template : string

Custom email template.

post (**kwargs)

Create a report

Parameters **app_state** : dict, optional

Any application state blob for this report.

name : string, optional

The name of the report.

provide_api_key : boolean, optional

Allow the report to provide an API key to front-end code.

template_id : integer, optional

The ID of the template used for this report.

script_id : integer, optional

The ID of the job (a script or a query) used to create this report.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

code_body : string, optional

The code for the report visualization.

Returns **config** : string

Any configuration metadata for this report.

id : integer

The ID of this report.

created_at : string/time

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

auth_data_url : string

auth_thumbnail_url : string

URL for a thumbnail of the report.

tableau_id : integer

script : dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

finished_at : string/time

The time that the report's last run finished.

state : string

The status of the report's last run.

viz_updated_at : string/time

The time that the report's visualization was last updated.

archived : string

The archival status of the requested object(s).

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

projects : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

api_key : string

A Civis API key that can be used by this report.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

auth_code_url : string

name : string

The name of the report.

template_id : integer

The ID of the template used for this report.

updated_at : string/time

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

post_grants (*id*)

Grant this report the ability to perform Civis platform API operations on your behalf

Parameters **id** : integer

The ID of this report.

Returns **config** : string

Any configuration metadata for this report.

id : integer

The ID of this report.

created_at : string/time

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

auth_data_url : string

auth_thumbnail_url : string

URL for a thumbnail of the report.

tableau_id : integer

script : dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

finished_at : string/time

The time that the report's last run finished.

state : string

The status of the report's last run.

viz_updated_at : string/time

The time that the report's visualization was last updated.

archived : string

The archival status of the requested object(s).

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

projects : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

api_key : string

A Civis API key that can be used by this report.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

auth_code_url : string

name : string

The name of the report.

template_id : integer

The ID of the template used for this report.

updated_at : string/time

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

post_snapshots (*id*, ***kwargs*)

Generate and optionally email a snapshot of the specified report

Parameters **id** : integer

The ID of this report.

recipient_email_addresses : string, optional

Email addresses to send report to, comma separated.

parent_id : integer, optional

The ID of the parent job that will trigger this snapshot.

finished_at : string/time, optional

The time that the job's last run finished.

state : string, optional

The status of the job's last run.

width : integer, optional

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

email_subject : string, optional

Subject for Email.

send_email_on_completion : boolean, optional

Whether the job will send emails on completion.

height : integer, optional

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

email_template : string, optional

Custom email template.

Returns **recipient_email_addresses** : string

Email addresses to send report to, comma separated.

parent_id : integer

The ID of the parent job that will trigger this snapshot.

id : integer

The ID of this report.

state : string

The status of the job's last run.

width : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

email_subject : string

Subject for Email.

send_email_on_completion : boolean

Whether the job will send emails on completion.

height : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
```

```
Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

finished_at : string/time

The time that the job's last run finished.

email_template : string

Custom email template.

put_archive (*id, status*)

Update the archive status of this object

Parameters id : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns config : string

Any configuration metadata for this report.

id : integer

The ID of this report.

created_at : string/time

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

auth_data_url : string

auth_thumbnail_url : string

URL for a thumbnail of the report.

tableau_id : integer

script : dict:

```
- sql : string
  The raw SQL query for the script.
- id : integer
  The ID for the script.
- name : string
  The name of the script.
```

finished_at : string/time

The time that the report's last run finished.

state : string

The status of the report's last run.

viz_updated_at : string/time

The time that the report's visualization was last updated.

archived : string

The archival status of the requested object(s).

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

projects : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

user : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

api_key : string

A Civis API key that can be used by this report.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

auth_code_url : string

name : string

The name of the report.

template_id : integer

The ID of the template used for this report.

updated_at : string/time

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

put_projects (*id*, *project_id*)

Add a Report to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id*, *permission_level*, *group_ids*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
```

```
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_shares_users (*id*, *user_ids*, *permission_level*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```

- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string

```

Scripts

class Scripts (*session*, *return_type*='civis')

Methods

<code>delete_containers_projects(id, project_id)</code>	Remove a container docker from a project
<code>delete_containers_runs(id, run_id)</code>	Cancel a run
<code>delete_containers_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_containers_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_custom_projects(id, project_id)</code>	Remove a Job from a project
<code>delete_custom_runs(id, run_id)</code>	Cancel a run
<code>delete_custom_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_custom_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_javascript_projects(id, project_id)</code>	Remove a scripted sql from a project
<code>delete_javascript_runs(id, run_id)</code>	Cancel a run
<code>delete_javascript_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_javascript_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_python3_projects(id, project_id)</code>	Remove a python docker from a project
<code>delete_python3_runs(id, run_id)</code>	Cancel a run
<code>delete_python3_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_python3_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_r_projects(id, project_id)</code>	Remove a r docker from a project
<code>delete_r_runs(id, run_id)</code>	Cancel a run
<code>delete_r_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_r_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_sql_projects(id, project_id)</code>	Remove a scripts from a project
<code>delete_sql_runs(id, run_id)</code>	Cancel a run
<code>delete_sql_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_sql_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>get(id)</code>	Get details about a script
<code>get_containers(id)</code>	View a container
<code>get_containers_runs(id, run_id)</code>	Check status of a run
<code>get_custom(id)</code>	Get a CustomScript
<code>get_custom_runs(id, run_id)</code>	Check status of a run
<code>get_javascript(id)</code>	Get a JavaScript Script
<code>get_javascript_runs(id, run_id)</code>	Check status of a run

Continued on next page

Table 4.14 – continued from previous page

<code>get_python3(id)</code>	Get a Python Script
<code>get_python3_runs(id, run_id)</code>	Check status of a run
<code>get_r(id)</code>	Get an R Script
<code>get_r_runs(id, run_id)</code>	Check status of a run
<code>get_sql(id)</code>	Get a SQL script
<code>get_sql_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List scripts
<code>list_containers_projects(id)</code>	List the projects a container docker belongs to
<code>list_containers_runs(id, **kwargs)</code>	List runs for the given container
<code>list_containers_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_containers_runs_outputs(id, run_id, ...)</code>	List the outputs for a run
<code>list_containers_shares(id)</code>	List users and groups permissioned on this object
<code>list_custom(**kwargs)</code>	List Custom Scripts
<code>list_custom_projects(id)</code>	List the projects a Job belongs to
<code>list_custom_runs(id, **kwargs)</code>	List runs for the given custom
<code>list_custom_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_custom_runs_outputs(id, run_id, **kwargs)</code>	List the outputs for a run
<code>list_custom_shares(id)</code>	List users and groups permissioned on this object
<code>list_history(id)</code>	Get the run history and outputs of this script
<code>list_javascript_projects(id)</code>	List the projects a scripted sql belongs to
<code>list_javascript_runs(id, **kwargs)</code>	List runs for the given javascript
<code>list_javascript_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_javascript_runs_outputs(id, run_id, ...)</code>	List the outputs for a run
<code>list_javascript_shares(id)</code>	List users and groups permissioned on this object
<code>list_python3_projects(id)</code>	List the projects a python docker belongs to
<code>list_python3_runs(id, **kwargs)</code>	List runs for the given python
<code>list_python3_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_python3_runs_outputs(id, run_id, **kwargs)</code>	List the outputs for a run
<code>list_python3_shares(id)</code>	List users and groups permissioned on this object
<code>list_r_projects(id)</code>	List the projects a r docker belongs to
<code>list_r_runs(id, **kwargs)</code>	List runs for the given r
<code>list_r_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_r_runs_outputs(id, run_id, **kwargs)</code>	List the outputs for a run
<code>list_r_shares(id)</code>	List users and groups permissioned on this object
<code>list_sql_projects(id)</code>	List the projects a scripts belongs to
<code>list_sql_runs(id, **kwargs)</code>	List runs for the given sql
<code>list_sql_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_sql_runs_outputs(id, run_id, **kwargs)</code>	List the outputs for a run
<code>list_sql_shares(id)</code>	List users and groups permissioned on this object
<code>list_types()</code>	List available script types
<code>patch(id, **kwargs)</code>	Update a script
<code>patch_containers(id, **kwargs)</code>	Update a container
<code>patch_containers_runs(id, run_id, **kwargs)</code>	Update a run
<code>patch_custom(id, **kwargs)</code>	Update some attributes of this CustomScript

Continued on next page

Table 4.14 – continued from previous page

<code>patch_javascript(id, **kwargs)</code>	Update some attributes of this JavaScript Script
<code>patch_python3(id, **kwargs)</code>	Update some attributes of this Python Script
<code>patch_r(id, **kwargs)</code>	Update some attributes of this R Script
<code>patch_sql(id, **kwargs)</code>	Update some attributes of this SQL script
<code>post(credential_id, remote_host_id, name, ...)</code>	Create a script
<code>post_cancel(id)</code>	Cancel a run
<code>post_containers(docker_command, ...)</code>	Create a container
<code>post_containers_runs(id)</code>	Start a run
<code>post_containers_runs_heartbeats(id, run_id)</code>	Indicate that the given run is being handled
<code>post_containers_runs_logs(id, run_id, **kwargs)</code>	Add log messages
<code>post_containers_runs_outputs(id, run_id, ...)</code>	Add an output for a run
<code>post_custom(from_template_id, **kwargs)</code>	Create a CustomScript
<code>post_custom_runs(id)</code>	Start a run
<code>post_custom_runs_outputs(id, run_id, ...)</code>	Add an output for a run
<code>post_javascript(remote_host_id, ...)</code>	Create a JavaScript Script
<code>post_javascript_runs(id)</code>	Start a run
<code>post_javascript_runs_outputs(id, run_id, ...)</code>	Add an output for a run
<code>post_python3(source, name, **kwargs)</code>	Create a Python Script
<code>post_python3_runs(id)</code>	Start a run
<code>post_python3_runs_outputs(id, run_id, ...)</code>	Add an output for a run
<code>post_r(source, name, **kwargs)</code>	Create an R Script
<code>post_r_runs(id)</code>	Start a run
<code>post_r_runs_outputs(id, run_id, object_type, ...)</code>	Add an output for a run
<code>post_run(id)</code>	Run a script
<code>post_sql(remote_host_id, credential_id, ...)</code>	Create a SQL script
<code>post_sql_runs(id)</code>	Start a run
<code>put_containers(id, docker_command, ...)</code>	Edit a container
<code>put_containers_archive(id, status)</code>	Update the archive status of this object
<code>put_containers_projects(id, project_id)</code>	Add a container docker to a project
<code>put_containers_shares_groups(id, ...)</code>	Set the permissions groups has on this object
<code>put_containers_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_custom(id, **kwargs)</code>	Replace all attributes of this CustomScript
<code>put_custom_archive(id, status)</code>	Update the archive status of this object
<code>put_custom_projects(id, project_id)</code>	Add a Job to a project
<code>put_custom_shares_groups(id, ...)</code>	Set the permissions groups has on this object
<code>put_custom_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_javascript(id, remote_host_id, ...)</code>	Replace all attributes of this JavaScript Script
<code>put_javascript_archive(id, status)</code>	Update the archive status of this object
<code>put_javascript_projects(id, project_id)</code>	Add a scripted sql to a project
<code>put_javascript_shares_groups(id, ...)</code>	Set the permissions groups has on this object
<code>put_javascript_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_python3(id, source, name, **kwargs)</code>	Replace all attributes of this Python Script
<code>put_python3_archive(id, status)</code>	Update the archive status of this object
<code>put_python3_projects(id, project_id)</code>	Add a python docker to a project

Continued on next page

Table 4.14 – continued from previous page

<code>put_python3_shares_groups(id, ...)</code>	Set the permissions groups has on this object
<code>put_python3_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_r(id, source, name, **kwargs)</code>	Replace all attributes of this R Script
<code>put_r_archive(id, status)</code>	Update the archive status of this object
<code>put_r_projects(id, project_id)</code>	Add a r docker to a project
<code>put_r_shares_groups(id, permission_level, ...)</code>	Set the permissions groups has on this object
<code>put_r_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_sql(id, remote_host_id, credential_id, ...)</code>	Replace all attributes of this SQL script
<code>put_sql_archive(id, status)</code>	Update the archive status of this object
<code>put_sql_projects(id, project_id)</code>	Add a scripts to a project
<code>put_sql_shares_groups(id, permission_level, ...)</code>	Set the permissions groups has on this object
<code>put_sql_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object

delete_containers_projects (*id, project_id*)

Remove a container docker from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_containers_runs (*id, run_id*)

Cancel a run

Parameters *id* : integer

The ID of the container.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_containers_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_containers_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_custom_projects (*id*, *project_id*)

Remove a Job from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_custom_runs (*id*, *run_id*)

Cancel a run

Parameters **id** : integer

The ID of the custom.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_custom_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_custom_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_javascript_projects (*id, project_id*)

Remove a scripted sql from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_javascript_runs (*id, run_id*)

Cancel a run

Parameters **id** : integer

The ID of the javascript.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_javascript_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_javascript_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_python3_projects (*id, project_id*)

Remove a python docker from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_python3_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the python.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_python3_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_python3_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_r_projects (*id*, *project_id*)

Remove a r docker from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_r_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the r.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_r_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_r_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_sql_projects (*id, project_id*)

Remove a scripts from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_sql_runs (*id, run_id*)

Cancel a run

Parameters **id** : integer

The ID of the sql.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_sql_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters `id` : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_sql_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters `id` : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Get details about a script

Parameters `id` : integer

The ID for the script.

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
↵field.

- required : boolean
Whether this param **is** required.
- name : string
The variable's name as used within your code.
- description : string
A short sentence **or** fragment describing this parameter to the_↵
↵end user.
- type : string
The type of parameter. Valid options: string, integer, float, _↵
↵bool,
file, database, credential_aws, credential_redshift, **or**
credential_custom
- label : string
The label to present to users when asking them **for** the value.
- default : string
If an argument **for** this parameter **is not** defined, it will use_↵
↵this
default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
↵or
false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
↵for
parameters that are required **or** a credential type.
- value : string
The value you would like to **set** this param to. Setting this_↵
↵value makes
this parameter a fixed param.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

- initials : string
This user's initials.
- online : boolean
Whether this user **is** online.
- id : integer
The ID of this user.
- name : string
This user's name.
- username : string
This user's username.

links : dict:

- runs : string
The runs link to get the run information list **for** this script.
- details : string
The details link to get more information about the script.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of script.

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

template_script_id : integer

The ID of the template script, if any.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↪ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
```

```
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time this script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

get_containers (*id*)

View a container

Parameters *id* : integer

The ID for the script.

Returns *remote_host_credential_id* : integer

The id of the database credentials to pass into the environment of the container.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

target_project_id : integer

Target project to which script outputs will be added.

repo_http_uri : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

docker_image_name : string

The name of the docker image to pull from DockerHub.

type : string

The type of the script (e.g Container)

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

archived : string

The archival status of the requested object(s).

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the container.

required_resources : dict:

```

- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).

```

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

repo_ref : string

The tag or branch of the github repo to clone into the container.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour

```

get_containers_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the container.

run_id : integer

The ID of the run.

Returns id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

container_id : integer

The ID of the container.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

get_custom (*id*)

Get a CustomScript

Parameters id : integer

Returns credential_id : integer

The credential that this script will use.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
 ↵field.
 - required : boolean
 Whether this param **is** required.
 - name : string
 The variable's name as used within your code.
 - description : string
 A short sentence **or** fragment describing this parameter to the_↵
 ↵end user.
 - type : string
 The type of parameter. Valid options: string, integer, float, ↵
 ↵bool,
 file, database, credential_aws, credential_redshift, **or**
 credential_custom
 - label : string
 The label to present to users when asking them **for** the value.
 - default : string
 If an argument **for** this parameter **is not** defined, it will use_↵
 ↵this
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
 ↵or
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
 ↵for
 parameters that are required **or** a credential type.
 - value : string
 The value you would like to set this param to. Setting this_↵
 ↵value makes
 this parameter a fixed param.

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

archived : string

The archival status of the requested object(s).

remote_host_id : integer

The remote host ID that this script will connect to.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

updated_at : string/time

The time the script was last updated.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

name : string

The name of the script.

type : string

The type of the script (e.g Custom)

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

```
- username : string
    This user's username.
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

get_custom_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the custom.

run_id : integer

The ID of the run.

Returns *custom_id* : integer

The ID of the custom.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

get_javascript (*id*)

Get a JavaScript Script

Parameters **id** : integer

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
```

```

    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↪ for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this.
↪ value makes
    this parameter a fixed param.

```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```

- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.

```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```

- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour

```

get_javascript_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the javascript.

run_id : integer

The ID of the run.

Returns *id* : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

javascript_id : integer

The ID of the javascript.

get_python3 (*id*)

Get a Python Script

Parameters *id* : integer

Returns *next_run_at* : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments,
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
```



```

    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.

```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

get_python3_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the python.

run_id : integer

The ID of the run.

Returns *id* : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

python_id : integer

The ID of the python.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

get_r (*id*)

Get an R Script

Parameters **id** : integer

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
  The type of parameter. Valid options: string, integer, float, _
↪bool,
```

```

    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.

```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
```

```

    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

get_r_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the r.

run_id : integer

The ID of the run.

Returns `id` : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

r_id : integer

The ID of the r.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

get_sql (*id*)

Get a SQL script

Parameters `id` : integer

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
 ↵field.

- required : boolean
 Whether this param **is** required.
- name : string
 The variable's name as used within your code.
- description : string
 A short sentence **or** fragment describing this parameter to the_↵
 ↵end user.
- type : string
 The type of parameter. Valid options: string, integer, float,_↵
 ↵bool,
 file, database, credential_aws, credential_redshift, **or**
 credential_custom
- label : string
 The label to present to users when asking them **for** the value.
- default : string
 If an argument **for** this parameter **is not** defined, it will use_↵
 ↵this
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
 ↵or
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
 ↵for
 parameters that are required **or** a credential type.
- value : string
 The value you would like to **set** this param to. Setting this_↵
 ↵value makes
 this parameter a fixed param.

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

- initials : string
 This user's initials.
- online : boolean
 Whether this user **is** online.
- id : integer
 The ID of this user.
- name : string
 This user's name.
- username : string
 This user's username.

links : dict:

- runs : string
 The runs link to get the run information list **for** this script.
- details : string
 The details link to get more information about the script.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

csv_settings : dict:

```
- filename_prefix : string
  A user specified filename prefix for the output file to have.
↪Default:
  null
- unquoted : boolean
  Whether or not to quote fields. Default: false
- compression : string
  The type of compression to use, if any, one of "none", "zip", or
  "gzip". Default: gzip
- include_header : boolean
  Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
  Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
  comma
```

```
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
```

```
The time that the run started.  
- finished_at : string/time  
  The time that the run completed.
```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```
- scheduled_days : list  
  Day based on numeric value starting at 0 for Sunday  
- scheduled_minutes : list  
  Minutes of the day it is scheduled on  
- scheduled_hours : list  
  Hours of the day it is scheduled on  
- scheduled : boolean  
  If the object is scheduled  
- scheduled_runs_per_hour : integer  
  Alternative to scheduled minutes, number of times to run per_  
↪hour
```

get_sql_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the sql.

run_id : integer

The ID of the run.

Returns *id* : integer

The ID of this run.

state : string

The state of this run.

error : string

The error message for this run, if present.

output : list:

```
A list of the outputs of this script.  
- file_id : integer  
  The unique ID of the output file.  
- output_name : string  
  The name of the output file.  
- path : string  
  The temporary link to download this output file, valid for 36_  
↪hours.
```

started_at : string/time

The time the last run started.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time that this run finished.

sql_id : integer

The ID of this sql.

list (***kwargs*)

List scripts

Parameters **type** : string, optional

If specified, return objects of these types. The valid types are 'sql', 'python3', 'r', and 'javascript'.

author : string, optional

If specified, return objects from this author. Must use user IDs. A comma separated list of IDs is also accepted to return objects from multiple authors.

status : string, optional

If specified, returns objects with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at, last_run.updated_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **parent_id** : integer

The ID of the parent job that will trigger this script

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

is_template : boolean

Whether others scripts use this one as a template.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

name : string

The name of the script.

archived : string

The archival status of the requested object(s).

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
```

```
- finished_at : string/time
    The time that the run completed.
```

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

template_script_id : integer

The ID of the template script, if any.

list_containers_projects (*id*)

List the projects a container docker belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
```

```
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

list_containers_runs (*id*, ***kwargs*)

List runs for the given container

Parameters *id* : integer

The ID of the container.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns *id* : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

container_id : integer

The ID of the container.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

list_containers_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the container.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

created_at : string/date-time

The time the log was created.

message : string

The log message.

list_containers_runs_outputs (*id, run_id, **kwargs*)

List the outputs for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to createdAt. Must be one of: createdAt, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns `object_type` : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

list_containers_shares (*id*)

List users and groups permissioned on this object

Parameters `id` : integer

The ID of the object.

Returns `writers` : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_custom (***kwargs*)

List Custom Scripts

Parameters `from_template_id` : integer, optional

The template script that this app uses.

author : string, optional

If specified, return objects from this author. Must use user IDs. A comma separated list of IDs is also accepted to return objects from multiple authors.

status : string, optional

If specified, returns objects with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns parent_id : integer

The ID of the parent job that will trigger this script

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

name : string

The name of the script.

archived : string

The archival status of the requested object(s).

type : string

The type of the script (e.g Custom)

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

projects : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

list_custom_projects (*id*)

List the projects a Job belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```

Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.

```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```

- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.

```

list_custom_runs (*id*, ***kwargs*)

List runs for the given custom

Parameters *id* : integer

The ID of the custom.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns custom_id : integer

The ID of the custom.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

list_custom_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters id : integer

The ID of the custom.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

created_at : string/date-time

The time the log was created.

message : string

The log message.

list_custom_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters *id* : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

Returns *object_type* : string

The type of the output. Valid values are `File`, `Report`, `Table`, or `Project`

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

list_custom_shares (*id*)

List users and groups permissioned on this object

Parameters *id* : integer

The ID of the object.

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_history (*id*)

Get the run history and outputs of this script

Parameters *id* : integer

The ID for the script.

Returns *id* : integer

The ID of this run.

state : string

The state of this run.

error : string

The error message for this run, if present.

output : list:

```
A list of the outputs of this script.
- file_id : integer
  The unique ID of the output file.
- output_name : string
  The name of the output file.
- path : string
  The temporary link to download this output file, valid for 36
↳hours.
```

sql_id : integer

The ID of this sql.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time that this run finished.

list_javascript_projects (*id*)

List the projects a scripted sql belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

list_javascript_runs (*id*, ***kwargs*)

List runs for the given javascript

Parameters **id** : integer

The ID of the javascript.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

javascript_id : integer

The ID of the javascript.

list_javascript_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters id : integer

The ID of the javascript.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

created_at : string/date-time

The time the log was created.

message : string

The log message.

list_javascript_runs_outputs (*id, run_id, **kwargs*)

List the outputs for a run

Parameters id : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns object_type : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

list_javascript_shares (*id*)

List users and groups permissioned on this object

Parameters *id* : integer

The ID of the object.

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_python3_projects (*id*)

List the projects a python docker belongs to

Parameters *id* : integer

The ID of the resource.

Returns *name* : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```

Users who can see the project
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

list_python3_runs (*id*, ***kwargs*)

List runs for the given python

Parameters *id* : integer

The ID of the python.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **id** : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

python_id : integer

The ID of the python.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

list_python3_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the python.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

created_at : string/date-time

The time the log was created.

message : string

The log message.

list_python3_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters *id* : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

Returns *object_type* : string

The type of the output. Valid values are `File`, `Report`, `Table`, or `Project`

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

list_python3_shares (*id*)

List users and groups permissioned on this object

Parameters *id* : integer

The ID of the object.

Returns *writers* : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_r_projects (*id*)

List the projects a r docker belongs to

Parameters **id** : integer

The ID of the resource.

Returns **name** : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

list_r_runs (*id*, ***kwargs*)

List runs for the given r

Parameters **id** : integer

The ID of the r.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **id** : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

r_id : integer

The ID of the r.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

list_r_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the r.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

created_at : string/date-time

The time the log was created.

message : string

The log message.

list_r_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns object_type : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

list_r_shares (*id*)

List users and groups permissioned on this object

Parameters id : integer

The ID of the object.

Returns writers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_sql_projects (*id*)

List the projects a scripts belongs to

Parameters *id* : integer

The ID of the resource.

Returns *name* : string

The name of this project.

id : integer

The ID for this project.

created_at : string/time

users : list:

```
Users who can see the project
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

description : string

A description of the project

archived : string

The archival status of the requested object(s).

updated_at : string/time

auto_share : boolean

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

list_sql_runs (*id*, ***kwargs*)

List runs for the given sql

Parameters *id* : integer

The ID of the sql.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns *id* : integer

The ID of this run.

state : string

The state of this run.

error : string

The error message for this run, if present.

output : list:

```
A list of the outputs of this script.
- file_id : integer
  The unique ID of the output file.
- output_name : string
  The name of the output file.
- path : string
  The temporary link to download this output file, valid for 36
  ↪ hours.
```

started_at : string/time

The time the last run started.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time that this run finished.

sql_id : integer

The ID of this sql.

list_sql_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters *id* : integer

The ID of the sql.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns *level* : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

created_at : string/date-time

The time the log was created.

message : string

The log message.

list_sql_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters *id* : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns `object_type` : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

list_sql_shares (*id*)

List users and groups permissioned on this object

Parameters `id` : integer

The ID of the object.

Returns `writers` : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

list_types()

List available script types

Returns **name** : string

The name of the type.

patch(*id*, ****kwargs**)

Update a script

Parameters **id** : integer

The ID for the script.

parent_id : integer, optional

The ID of the parent job that will trigger this script

name : string, optional

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
Cannot be set if this script uses a template script.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
```



```

    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.

```

sql : string, optional

The raw SQL query for the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour

```

template_script_id : integer, optional

The ID of the template script, if any. A script cannot both have a template script and be a template for other scripts.

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.  
↪field.  
- required : boolean  
  Whether this param is required.  
- name : string  
  The variable's name as used within your code.  
- description : string  
  A short sentence or fragment describing this parameter to the  
↪end user.  
- type : string  
  The type of parameter. Valid options: string, integer, float,  
↪bool,  
  file, database, credential_aws, credential_redshift, or  
  credential_custom  
- label : string  
  The label to present to users when asking them for the value.  
- default : string  
  If an argument for this parameter is not defined, it will use  
↪this  
  default value. Use true, True, t, y, yes, or 1 for true bool's  
↪or  
  false, False, f, n, no, or 0 for false bool's. Cannot be used  
↪for  
  parameters that are required or a credential type.  
- value : string  
  The value you would like to set this param to. Setting this  
↪value makes  
  this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string  
  This user's initials.  
- online : boolean  
  Whether this user is online.  
- id : integer  
  The ID of this user.  
- name : string  
  This user's name.  
- username : string  
  This user's username.
```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of script.

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

template_script_id : integer

The ID of the template script, if any.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list

```

```
    Addresses to notify by e-mail when the job completes,
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time this script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per,
↪hour
```

patch_containers (*id*, ***kwargs*)

Update a container

Parameters *id* : integer

The ID for the script.

remote_host_credential_id : integer, optional

The id of the database credentials to pass into the environment of the container.

parent_id : integer, optional

The ID of the parent job that will trigger this script

git_credential_id : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
```

docker_command : string, optional

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

target_project_id : integer, optional

Target project to which script outputs will be added.

repo_http_uri : string, optional

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

docker_image_name : string, optional

The name of the docker image to pull from DockerHub.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

name : string, optional

The name of the container.

required_resources : dict, optional:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↳ This
    space will be used to hold the git repo configured for the
↳ container
    and anything your container writes to /tmp or /data. Fractional
↳ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↳ core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

repo_ref : string, optional

The tag or branch of the github repo to clone into the container.

Returns remote_host_credential_id : integer

The id of the database credentials to pass into the environment of the container.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.

```

```
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

target_project_id : integer

Target project to which script outputs will be added.

repo_http_uri : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

docker_image_name : string

The name of the docker image to pull from DockerHub.

type : string

The type of the script (e.g Container)

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

archived : string

The archival status of the requested object(s).

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- success_on : boolean
  If success email notifications are on
- failure_on : boolean
  If failure email notifications are on
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳ successfully.
- success_email_subject : string
  Custom subject line for success e-mail.
```

```
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the container.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

repo_ref : string

The tag or branch of the github repo to clone into the container.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

patch_containers_runs (*id*, *run_id*, ***kwargs*)

Update a run

Parameters *id* : integer

The ID for the script.

run_id : integer

The ID of the script run.

bocce_started_at : string/date-time, optional

The time when a bocce worker began executing the script.

state : string, optional

The state of the script.

bocce_accepted_at : string/date-time, optional

The time when a bocce worker began processing the script.

Returns None

Response code 204: success

patch_custom (*id*, ***kwargs*)

Update some attributes of this CustomScript

Parameters *id* : integer

The ID for the script.

credential_id : integer, optional

The credential that this script will use.

parent_id : integer, optional

The ID of the parent job that will trigger this script

target_project_id : integer, optional

Target project to which script outputs will be added.

remote_host_id : integer, optional

The remote host ID that this script will connect to.

name : string, optional

The name of the script.

time_zone : string, optional

The time zone of this script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns credential_id : integer

The credential that this script will use.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

archived : string

The archival status of the requested object(s).

remote_host_id : integer

The remote host ID that this script will connect to.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

updated_at : string/time

The time the script was last updated.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

name : string

The name of the script.

type : string

The type of the script (e.g Custom)

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

patch_javascript (*id*, ***kwargs*)

Update some attributes of this JavaScript Script

Parameters *id* : integer

The ID for the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

remote_host_id : integer, optional

The remote host ID that this script will connect to.

time_zone : string, optional

The time zone of this script.

params : list, optional:

A definition of the parameters this script accepts **in** the arguments.
↪field.

- required : boolean
Whether this param **is** required.
- name : string
The variable's name as used within your code.
- description : string
A short sentence **or** fragment describing this parameter to the
↪end user.
- type : string
The type of parameter. Valid options: string, integer, float,
↪bool,
file, database, credential_aws, credential_redshift, **or**
credential_custom
- label : string
The label to present to users when asking them **for** the value.
- default : string
If an argument **for** this parameter **is not** defined, it will use
↪this
default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's
↪or
false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used
↪for
parameters that are required **or** a credential type.
- value : string
The value you would like to **set** this param to. Setting this
↪value makes
this parameter a fixed param.

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

- success_email_body : string
Custom body text **for** success e-mail, written **in** Markdown.
- success_on : boolean
If success email notifications are on
- failure_on : boolean
If failure email notifications are on
- success_email_addresses : list
Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
Custom subject line **for** success e-mail.
- failure_email_addresses : list
Addresses to notify by e-mail when the job fails.
- urls : list
URLs to receive a POST request at job completion
- stall_warning_minutes : integer
Stall warning emails will be sent after this amount of minutes.

credential_id : integer, optional

The credential that this script will use.

source : string, optional

The body/text of the script.

name : string, optional

The name of the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour
```

Returns next_run_at : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments
    ↪field.
- required : boolean
    Whether this param is required.
```

```
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

patch_python3(*id*, ****kwargs**)

Update some attributes of this Python Script

Parameters **id** : integer

The ID for the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

params : list, optional:

A definition of the parameters this script accepts **in** the arguments.
 ↳field.

- required : boolean
Whether this param **is** required.
- name : string
The variable's name as used within your code.
- description : string
A short sentence **or** fragment describing this parameter to the
 ↳end user.
- type : string
The **type** of parameter. Valid options: string, integer, float,
 ↳bool,
 file, database, credential_aws, credential_redshift, **or**
 credential_custom
- label : string
The label to present to users when asking them **for** the value.
- default : string
If an argument **for** this parameter **is not** defined, it will use
 ↳this
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's
 ↳or
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used
 ↳for
 parameters that are required **or** a credential **type**.
- value : string
The value you would like to **set** this param to. Setting this
 ↳value makes
 this parameter a fixed param.

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

- success_email_body : string
Custom body text **for** success e-mail, written **in** Markdown.
- success_on : boolean
If success email notifications are on
- failure_on : boolean
If failure email notifications are on
- success_email_addresses : list
Addresses to notify by e-mail when the job completes
 ↳successfully.
- success_email_subject : string
Custom subject line **for** success e-mail.
- failure_email_addresses : list
Addresses to notify by e-mail when the job fails.
- urls : list
URLs to receive a POST request at job completion
- stall_warning_minutes : integer
Stall warning emails will be sent after this amount of minutes.

source : string, optional

The body/text of the script.

name : string, optional

The name of the script.

required_resources : dict, optional:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
```

```
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:


```

- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪ This
    space will be used to hold the git repo configured for the
    ↪ container
    and anything your container writes to /tmp or /data. Fractional
    ↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪ core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪ be at
    least 4 MiB.

```

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

patch_r (*id*, ***kwargs*)

Update some attributes of this R Script

Parameters *id* : integer

The ID for the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
```

```

    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.

```

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

source : string, optional

The body/text of the script.

name : string, optional

The name of the script.

required_resources : dict, optional:

```

- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.

```

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
 ↵field.

- required : boolean
 Whether this param **is** required.
- name : string
 The variable's name as used within your code.
- description : string
 A short sentence **or** fragment describing this parameter to the_↵
 ↵end user.
- type : string
 The type of parameter. Valid options: string, integer, float,_↵
 ↵bool,
 file, database, credential_aws, credential_redshift, **or**
 credential_custom
- label : string
 The label to present to users when asking them **for** the value.
- default : string
 If an argument **for** this parameter **is not** defined, it will use_↵
 ↵this
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
 ↵or
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
 ↵for
 parameters that are required **or** a credential type.
- value : string
 The value you would like to **set** this param to. Setting this_↵
 ↵value makes
 this parameter a fixed param.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

- initials : string
 This user's initials.
- online : boolean
 Whether this user **is** online.
- id : integer
 The ID of this user.
- name : string
 This user's name.
- username : string
 This user's username.

links : dict:

- runs : string
 The runs link to get the run information list **for** this script.
- details : string
 The details link to get more information about the script.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↪This
  space will be used to hold the git repo configured for the
↪container
  and anything your container writes to /tmp or /data. Fractional
↪values
  (e.g. 0.25) are supported.
- cpu : integer
  The number of CPU shares to allocate for the container. Each
↪core has
  1024 shares. Must be at least 2 shares.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
↪be at
  least 4 MiB.
```

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean

```

```
    If the object is scheduled
-   scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

patch_sql (*id*, ****kwargs**)

Update some attributes of this SQL script

Parameters *id* : integer

The ID for the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

remote_host_id : integer, optional

The remote host ID that this script will connect to.

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
-   required : boolean
    Whether this param is required.
-   name : string
    The variable's name as used within your code.
-   description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
-   type : string
    The type of parameter. Valid options: string, integer, float, _
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
-   label : string
    The label to present to users when asking them for the value.
-   default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
-   value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
```

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

csv_settings : dict, optional:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

credential_id : integer, optional

The credential that this script will use.

name : string, optional

The name of the script.

sql : string, optional

The raw SQL query for the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
```

```

    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.

```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

csv_settings : dict:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↳Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↳true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↳Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↳Default:
    false
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
```

```

    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
```

post (*credential_id, remote_host_id, name, sql, **kwargs*)

Create a script

Parameters **credential_id** : integer

The credential ID.

remote_host_id : integer

The database ID.

name : string

The name of the script.

sql : string

The raw SQL query for the script.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↳field.
Cannot be set if this script uses a template script.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- value : string
```

The value you would like to `set` this param to. Setting this `↩value` makes this parameter a fixed param.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

notifications : dict, optional:

- `success_email_body` : string
Custom body text `for` success e-mail, written `in` Markdown.
- `success_on` : boolean
If success email notifications are on
- `failure_on` : boolean
If failure email notifications are on
- `success_email_addresses` : list
Addresses to notify by e-mail when the job completes `↩successfully`.
- `success_email_subject` : string
Custom subject line `for` success e-mail.
- `failure_email_addresses` : list
Addresses to notify by e-mail when the job fails.
- `urls` : list
URLs to receive a POST request at job completion
- `stall_warning_minutes` : integer
Stall warning emails will be sent after this amount of minutes.

template_script_id : integer, optional

The ID of the template script, if any. A script cannot both have a template script and be a template for other scripts.

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

A `list` of projects containing the script.

- `id` : integer
The ID `for` the project.
- `name` : string
The name of the project.

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```


finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

template_script_id : integer

The ID of the template script, if any.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- success_on : boolean
  If success email notifications are on
- failure_on : boolean
  If failure email notifications are on
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳successfully.
- success_email_subject : string
  Custom subject line for success e-mail.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

```
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

post_cancel (*id*)

Cancel a run

Parameters **id** : integer

The ID of the job.

Returns **is_cancel_requested** : boolean

True if run cancel requested, else false.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued', 'running' or 'cancelled'.

post_containers (*docker_command, docker_image_name, required_resources, **kwargs*)

Create a container

Parameters **docker_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

remote_host_credential_id : integer, optional

The id of the database credentials to pass into the environment of the container.

parent_id : integer, optional

The ID of the parent job that will trigger this script

git_credential_id : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
```

```
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
```

target_project_id : integer, optional

Target project to which script outputs will be added.

repo_http_uri : string, optional

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

name : string, optional

The name of the container.

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

repo_ref : string, optional

The tag or branch of the github repo to clone into the container.

Returns remote_host_credential_id : integer

The id of the database credentials to pass into the environment of the container.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string

```

```
The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

target_project_id : integer

Target project to which script outputs will be added.

repo_http_uri : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

docker_image_name : string

The name of the docker image to pull from DockerHub.

type : string

The type of the script (e.g Container)

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

archived : string

The archival status of the requested object(s).

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
```

```
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the container.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↪This
    space will be used to hold the git repo configured for the_
↪container
    and anything your container writes to /tmp or /data. Fractional_
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

repo_ref : string

The tag or branch of the github repo to clone into the container.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
```



```
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    hour
```

post_containers_runs (*id*)

Start a run

Parameters *id* : integer

The ID of the container.

Returns *id* : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

container_id : integer

The ID of the container.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

post_containers_runs_heartbeats (*id*, *run_id*)

Indicate that the given run is being handled

Parameters *id* : integer

The ID of the container.

run_id : integer

The ID of the run.

Returns None

Response code 204: success

post_containers_runs_logs (*id*, *run_id*, ***kwargs*)

Add log messages

Parameters *id* : integer

The ID of the script.

run_id : integer

The ID of the script run.

level : string, optional

The log level of this message [default: info]

messages : list, optional:

- *level* : string
The log level of this message [default: info]
- *created_at* : string/date-time
- *message* : string
The log message to store.

message : string, optional

The log message to store.

Returns None

Response code 204: success

post_containers_runs_outputs (*id*, *run_id*, *object_type*, *object_id*)

Add an output for a run

Parameters *id* : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns *object_type* : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

post_custom (*from_template_id*, ***kwargs*)

Create a CustomScript

Parameters **from_template_id** : integer

The ID of the template script.

credential_id : integer, optional

The credential that this script will use.

parent_id : integer, optional

The ID of the parent job that will trigger this script

target_project_id : integer, optional

Target project to which script outputs will be added.

remote_host_id : integer, optional

The remote host ID that this script will connect to.

name : string, optional

The name of the script.

time_zone : string, optional

The time zone of this script.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns credential_id : integer

The credential that this script will use.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
```

```

- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.

```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

archived : string

The archival status of the requested object(s).

remote_host_id : integer

The remote host ID that this script will connect to.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

updated_at : string/time

The time the script was last updated.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

name : string

The name of the script.

type : string

The type of the script (e.g Custom)

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    hour

```

post_custom_runs (*id*)

Start a run

Parameters *id* : integer

The ID of the custom.

Returns *custom_id* : integer

The ID of the custom.

id : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

post_custom_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters *id* : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns *object_type* : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

post_javascript (*remote_host_id*, *credential_id*, *source*, *name*, ***kwargs*)

Create a JavaScript Script

Parameters **remote_host_id** : integer

The remote host ID that this script will connect to.

credential_id : integer

The credential that this script will use.

source : string

The body/text of the script.

name : string

The name of the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
```



```

    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

params : list, optional:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
```

```

    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

post_javascript_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the javascript.

Returns **id** : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

javascript_id : integer

The ID of the javascript.

post_javascript_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

post_python3 (*source*, *name*, ***kwargs*)

Create a Python Script

Parameters **source** : string

The body/text of the script.

name : string

The name of the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
```

```

    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
    ↪ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

params : list, optional:

```

A definition of the parameters this script accepts in the arguments_
    ↪ field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
    ↪ end user.
- type : string
    The type of parameter. Valid options: string, integer, float,_
    ↪ bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
    ↪ this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
    ↪ or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
    ↪ for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
    ↪ value makes
    this parameter a fixed param.

```

required_resources : dict, optional:

```

- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
    ↪ This
    space will be used to hold the git repo configured for the_
    ↪ container
    and anything your container writes to /tmp or /data. Fractional_
    ↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
    ↪ core has
    1024 shares. Must be at least 2 shares.

```

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
↵field.

- required : boolean
Whether this param **is** required.
- name : string
The variable's name as used within your code.
- description : string
A short sentence **or** fragment describing this parameter to the_↵
↵end user.
- type : string
The type of parameter. Valid options: string, integer, float,_↵
↵bool,
file, database, credential_aws, credential_redshift, **or**
credential_custom
- label : string
The label to present to users when asking them **for** the value.
- default : string
If an argument **for** this parameter **is not** defined, it will use_↵
↵this
default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
↵or
false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
↵for
parameters that are required **or** a credential type.
- value : string
The value you would like to **set** this param to. Setting this_↵
↵value makes
this parameter a fixed param.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

- initials : string
This user's initials.
- online : boolean
Whether this user **is** online.
- id : integer
The ID of this user.
- name : string
This user's name.
- username : string
This user's username.

links : dict:

- runs : string
The runs link to get the run information list **for** this script.
- details : string
The details link to get more information about the script.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↪This
  space will be used to hold the git repo configured for the
↪container
  and anything your container writes to /tmp or /data. Fractional
↪values
  (e.g. 0.25) are supported.
- cpu : integer
  The number of CPU shares to allocate for the container. Each
↪core has
  1024 shares. Must be at least 2 shares.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
↪be at
  least 4 MiB.
```

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean

```

```
If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

post_python3_runs (*id*)

Start a run

Parameters *id* : integer

The ID of the python.

Returns *id* : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the run.

python_id : integer

The ID of the python.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

post_python3_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters *id* : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns *object_type* : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

post_r (*source*, *name*, ***kwargs*)

Create an R Script

Parameters **source** : string

The body/text of the script.

name : string

The name of the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
```

```
The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
```

required_resources : dict, optional:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
    space will be used to hold the git repo configured for the
    ↪container
    and anything your container writes to /tmp or /data. Fractional
    ↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
    least 4 MiB.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
```

```

    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or

```

```
false, False, f, n, no, or 0 for false bool's. Cannot be used.  
↪ for  
    parameters that are required or a credential type.  
- value : string  
    The value you would like to set this param to. Setting this  
↪ value makes  
    this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string  
    This user's initials.  
- online : boolean  
    Whether this user is online.  
- id : integer  
    The ID of this user.  
- name : string  
    This user's name.  
- username : string  
    This user's username.
```

links : dict:

```
- runs : string  
    The runs link to get the run information list for this script.  
- details : string  
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has 1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

post_r_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the r.

Returns **id** : integer

The ID of the run.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

r_id : integer

The ID of the r.

started_at : string/time

The time the last run started at.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

post_r_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

link : string

The link to retrieve the output object.

object_id : integer

The ID of the output object.

name : string

The name of the output object.

post_run (*id*)

Run a script

Parameters **id** : integer

The ID for the script.

Returns None

Response code 204: success

post_sql (*remote_host_id, credential_id, name, sql, **kwargs*)

Create a SQL script

Parameters **remote_host_id** : integer

The remote host ID that this script will connect to.

credential_id : integer

The credential that this script will use.

name : string

The name of the script.

sql : string

The raw SQL query for the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

csv_settings : dict, optional:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have._
↪Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:_
↪true
- column_delimiter : string
```

```

    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false

```

params : list, optional:

```

A definition of the parameters this script accepts in the arguments.
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer

```

```
Alternative to scheduled minutes, number of times to run per_
↳hour
```

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- value : string
```

The value you would like to `set` this param to. Setting this `value` makes this parameter a fixed param.

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

csv_settings : dict:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
```



```

URLs to receive a POST request at job completion
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.

```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```

- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.

```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```

- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour

```

post_sql_runs (*id*)

Start a run

Parameters `id` : integer

The ID of the sql.

Returns `id` : integer

The ID of this run.

state : string

The state of this run.

error : string

The error message for this run, if present.

output : list:

```
A list of the outputs of this script.
- file_id : integer
  The unique ID of the output file.
- output_name : string
  The name of the output file.
- path : string
  The temporary link to download this output file, valid for 36
  ↪hours.
```

started_at : string/time

The time the last run started.

is_cancel_requested : boolean

True if run cancel requested, else false.

finished_at : string/time

The time that this run finished.

sql_id : integer

The ID of this sql.

put_containers (*id, docker_command, docker_image_name, required_resources, **kwargs*)

Edit a container

Parameters `id` : integer

The ID for the script.

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
```

```

    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).

```

remote_host_credential_id : integer, optional

The id of the database credentials to pass into the environment of the container.

parent_id : integer, optional

The ID of the parent job that will trigger this script

git_credential_id : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

time_zone : string, optional

The time zone of this script.

params : list, optional:

```

A definition of the parameters this script accepts in the arguments.
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.

```

target_project_id : integer, optional

Target project to which script outputs will be added.

repo_http_uri : string, optional

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

name : string, optional

The name of the container.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

repo_ref : string, optional

The tag or branch of the github repo to clone into the container.

Returns **remote_host_credential_id** : integer

The id of the database credentials to pass into the environment of the container.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

target_project_id : integer

Target project to which script outputs will be added.

repo_http_uri : string

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

docker_image_name : string

The name of the docker image to pull from DockerHub.

type : string

The type of the script (e.g Container)

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

archived : string

The archival status of the requested object(s).

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

name : string

The name of the container.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the_
↪container
```

```
    and anything your container writes to /tmp or /data. Fractional_
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

repo_ref : string

The tag or branch of the github repo to clone into the container.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_containers_archive (*id, status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **remote_host_credential_id** : integer

The id of the database credentials to pass into the environment of the container.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

target_project_id : integer

Target project to which script outputs will be added.

repo_http_uri : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

docker_image_name : string

The name of the docker image to pull from DockerHub.

type : string

The type of the script (e.g Container)

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

archived : string

The archival status of the requested object(s).

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the container.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

repo_ref : string

The tag or branch of the github repo to clone into the container.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

put_containers_projects (*id*, *project_id*)

Add a container docker to a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_containers_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_containers_shares_users (*id, user_ids, permission_level*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns writers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_custom (*id*, ***kwargs*)

Replace all attributes of this CustomScript

Parameters id : integer

The ID for the script.

credential_id : integer, optional

The credential that this script will use.

parent_id : integer, optional

The ID of the parent job that will trigger this script

target_project_id : integer, optional

Target project to which script outputs will be added.

remote_host_id : integer, optional

The remote host ID that this script will connect to.

name : string, optional

The name of the script.

time_zone : string, optional

The time zone of this script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns credential_id : integer

The credential that this script will use.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the_
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float, _
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use_
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
  parameters that are required or a credential type.
- value : string
  The value you would like to set this param to. Setting this_
↳value makes
  this parameter a fixed param.
```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

archived : string

The archival status of the requested object(s).

remote_host_id : integer

The remote host ID that this script will connect to.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

updated_at : string/time

The time the script was last updated.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

name : string

The name of the script.

type : string

The type of the script (e.g Custom)

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_custom_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **credential_id** : integer

The credential that this script will use.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
↳value makes
    this parameter a fixed param.
```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

archived : string

The archival status of the requested object(s).

remote_host_id : integer

The remote host ID that this script will connect to.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

updated_at : string/time

The time the script was last updated.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
```

```

    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

name : string

The name of the script.

type : string

The type of the script (e.g Custom)

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪ hour

```

put_custom_projects (*id*, *project_id*)

Add a Job to a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_custom_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_custom_shares_users (*id, user_ids, permission_level*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns writers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_javascript (*id, remote_host_id, credential_id, source, name, **kwargs*)

Replace all attributes of this JavaScript Script

Parameters id : integer

The ID for the script.

remote_host_id : integer

The remote host ID that this script will connect to.

credential_id : integer

The credential that this script will use.

source : string

The body/text of the script.

name : string

The name of the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.  
↪field.  
- required : boolean  
  Whether this param is required.  
- name : string  
  The variable's name as used within your code.  
- description : string  
  A short sentence or fragment describing this parameter to the  
↪end user.  
- type : string  
  The type of parameter. Valid options: string, integer, float,  
↪bool,  
  file, database, credential_aws, credential_redshift, or  
  credential_custom  
- label : string  
  The label to present to users when asking them for the value.  
- default : string  
  If an argument for this parameter is not defined, it will use  
↪this  
  default value. Use true, True, t, y, yes, or 1 for true bool's.  
↪or  
  false, False, f, n, no, or 0 for false bool's. Cannot be used  
↪for  
  parameters that are required or a credential type.  
- value : string  
  The value you would like to set this param to. Setting this  
↪value makes  
  this parameter a fixed param.
```

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string  
  Custom body text for success e-mail, written in Markdown.  
- success_on : boolean  
  If success email notifications are on  
- failure_on : boolean  
  If failure email notifications are on  
- success_email_addresses : list  
  Addresses to notify by e-mail when the job completes  
↪successfully.  
- success_email_subject : string  
  Custom subject line for success e-mail.
```



```

- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour

```

Returns next_run_at : string/time

The time of the next scheduled run.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
↵field.

- required : boolean
Whether this param **is** required.
- name : string
The variable's name as used within your code.
- description : string
A short sentence **or** fragment describing this parameter to the_↵
↵end user.
- type : string
The type of parameter. Valid options: string, integer, float,_↵
↵bool,
file, database, credential_aws, credential_redshift, **or**
credential_custom
- label : string
The label to present to users when asking them **for** the value.
- default : string
If an argument **for** this parameter **is not** defined, it will use_↵
↵this
default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
↵**or**
false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
↵**for**
parameters that are required **or** a credential type.
- value : string
The value you would like to **set** this param to. Setting this_↵
↵value makes
this parameter a fixed param.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

- initials : string
This user's initials.
- online : boolean
Whether this user **is** online.
- id : integer
The ID of this user.
- name : string
This user's name.
- username : string
This user's username.

links : dict:

- runs : string
The runs link to get the run information list **for** this script.
- details : string
The details link to get more information about the script.

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
```

```
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_javascript_archive (*id*, *status*)

Update the archive status of this object

Parameters *id* : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- value : string
```

```
The value you would like to set this param to. Setting this_
↪value makes
  this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
  This user's initials.
- online : boolean
  Whether this user is online.
- id : integer
  The ID of this user.
- name : string
  This user's name.
- username : string
  This user's username.
```

links : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
```

```
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_javascript_projects (*id, project_id*)

Add a scripted sql to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_javascript_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
    - id : integer
    - name : string
- groups : list::
    - id : integer
    - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_javascript_shares_users (*id*, *user_ids*, *permission_level*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_python3 (*id*, *source*, *name*, ****kwargs**)
Replace all attributes of this Python Script

Parameters **id** : integer

The ID for the script.

source : string

The body/text of the script.

name : string

The name of the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_  
↪field.  
- required : boolean  
  Whether this param is required.  
- name : string  
  The variable's name as used within your code.  
- description : string  
  A short sentence or fragment describing this parameter to the_  
↪end user.  
- type : string  
  The type of parameter. Valid options: string, integer, float,_  
↪bool,  
  file, database, credential_aws, credential_redshift, or
```

```

    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.

```

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

required_resources : dict, optional:

```

- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour
```

Returns next_run_at : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments
    ↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
```

```

    A short sentence or fragment describing this parameter to the
    ↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.

```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has 1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
```

```

    Addresses to notify by e-mail when the job completes,
    ↳ successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```

- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per,
    ↳ hour

```

put_python3_archive (*id*, *status*)

Update the archive status of this object

Parameters `id` : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns `next_run_at` : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
```



```

    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.

```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```

- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.

```

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_python3_projects (*id, project_id*)

Add a python docker to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_python3_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns writers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_python3_shares_users (*id*, *user_ids*, *permission_level*)

Set the permissions users have on this object

Parameters id : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns writers : dict:

```
- users : list::
  - id : integer
  - name : string
```

```
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_r (*id*, *source*, *name*, ***kwargs*)

Replace all attributes of this R Script

Parameters **id** : integer

The ID for the script.

source : string

The body/text of the script.

name : string

The name of the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
```

```

    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.

```

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.

```

required_resources : dict, optional:

```

- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values

```

```

    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
    least 4 MiB.

```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour

```

Returns next_run_at : string/time

The time of the next scheduled run.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```


finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪ core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪ be at
    least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↵successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
```

```

- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

put_r_archive (*id*, *status*)

Update the archive status of this object

Parameters *id* : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns *next_run_at* : string/time

The time of the next scheduled run.

projects : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↪bool,
    file, database, credential_aws, credential_redshift, or

```

```
credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
```

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

required_resources : dict:

```
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
```

```
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

source : string

The body/text of the script.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

last_run : dict:

```
- id : integer
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_r_projects (*id*, *project_id*)

Add a r docker to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_r_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_r_shares_users (*id, user_ids, permission_level*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns writers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_sql (*id*, *remote_host_id*, *credential_id*, *name*, *sql*, ****kwargs**)

Replace all attributes of this SQL script

Parameters id : integer

The ID for the script.

remote_host_id : integer

The remote host ID that this script will connect to.

credential_id : integer

The credential that this script will use.

name : string

The name of the script.

sql : string

The raw SQL query for the script.

next_run_at : string/time, optional

The time of the next scheduled run.

parent_id : integer, optional

The ID of the parent job that will trigger this script

time_zone : string, optional

The time zone of this script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
  Whether this param is required.
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- label : string
  The label to present to users when asking them for the value.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
```

target_project_id : integer, optional

Target project to which script outputs will be added.

notifications : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- success_on : boolean
  If success email notifications are on
- failure_on : boolean
  If failure email notifications are on
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
↳successfully.
- success_email_subject : string
  Custom subject line for success e-mail.
```

```
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

csv_settings : dict, optional:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this_
↳value makes
    this parameter a fixed param.
```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
```

```
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

csv_settings : dict:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↳Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↳true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↳Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↳Default:
    false
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_sql_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **next_run_at** : string/time

The time of the next scheduled run.

projects : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

id : integer

The ID for the script.

created_at : string/time

The time this script was created.

template_script_name : string

The name of the template script.

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template this script uses, if any.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- required : boolean
    Whether this param is required.
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- label : string
    The label to present to users when asking them for the value.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
```

code_preview : string

The code that this script will run with arguments inserted.

target_project_id : integer

Target project to which script outputs will be added.

is_template : boolean

Whether others scripts use this one as a template.

running_as : dict:

```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

finished_at : string/time

The time that the script's last run finished.

state : string

The status of the script's last run.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

archived : string

The archival status of the requested object(s).

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

template_dependents_count : integer

How many other scripts use this one as a template.

credential_id : integer

The credential that this script will use.

parent_id : integer

The ID of the parent job that will trigger this script

author : dict:


```
- initials : string
    This user's initials.
- online : boolean
    Whether this user is online.
- id : integer
    The ID of this user.
- name : string
    This user's name.
- username : string
    This user's username.
```

csv_settings : dict:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- unquoted : boolean
    Whether or not to quote fields. Default: false
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

user_context : string

“runner” or “author”, who to execute the script as when run as a template.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- success_on : boolean
    If success email notifications are on
- failure_on : boolean
    If failure email notifications are on
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪successfully.
- success_email_subject : string
    Custom subject line for success e-mail.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
- urls : list
    URLs to receive a POST request at job completion
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

name : string

The name of the script.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

published_as_template_id : integer

The ID of the template that this script is backing.

updated_at : string/time

The time the script was last updated.

sql : string

The raw SQL query for the script.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

remote_host_id : integer

The remote host ID that this script will connect to.

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

put_sql_projects (*id*, *project_id*)

Add a scripts to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_sql_shares_groups (*id, permission_level, group_ids*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

group_ids : list

An array of one or more group IDs

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

put_sql_shares_users (*id, user_ids, permission_level*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

user_ids : list

An array of one or more user IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

owners : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - id : integer
  - name : string
- groups : list::
  - id : integer
  - name : string
```

Tables

class **Tables** (*session*, *return_type*='civis')

Methods

<code>get(id)</code>	Show basic table info
<code>get_enhancements_cass_ncoa(id, source_table_id)</code>	View the status of a CASS / NCOA table enhancement
<code>get_enhancements_geocodings(id, source_table_id)</code>	View the status of a geocoding table enhancement
<code>get_enhancements_prepared_matchings(id, ...)</code>	View a prepared matching enhancement

Continued on next page

Table 4.15 – continued from previous page

<code>get_enhancements_table_matchings(id, ...)</code>	View a table matching enhancement
<code>list(**kwargs)</code>	List tables
<code>list_columns(id, **kwargs)</code>	List columns in the specified table
<code>patch(id, **kwargs)</code>	Update a table
<code>post(database_id, schema, name, data)</code>	Import a file into a table
<code>post_enhancements_cass_ncoa(source_table_id, Standardize addresses in a table ...)</code>	
<code>post_enhancements_geocodings(source_table_id)</code>	Geocode a table
<code>post_enhancements_prepared_matchings(...)</code>	Match person records against a dynamo table prepared by Civis
<code>post_enhancements_table_matchings(...)</code>	Match person records against an arbitrary Redshift table
<code>post_refresh(id)</code>	Request a refresh for column and table statistics

get (*id*)

Show basic table info

Parameters *id* : integer**Returns** *schema* : string

The name of the schema containing the table.

id : integer

The ID of the table.

multipart_key : list**view_def** : string**ontology_mapping** : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

owner : string

The database username of the table's owner.

enhancements : list:

```
- type : string
- updated_at : string/time
- created_at : string/time
- join_id : integer
```

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

description : string

The description of the table, as specified by the table owner

distkey : string

The column used as the Amazon Redshift distkey.

column_count : integer

The number of columns in the table.

last_refresh : string/date-time

The time of the last statistics refresh.

joins : list:

```
- left_table_id : integer
- right_identifier : string
- on : string
- id : integer
- created_at : string/time
- updated_at : string/time
- left_join : boolean
- left_identifier : string
- right_table_id : integer
```

sortkeys : string

The column used as the Amazon Redshift sortkey.

is_view : boolean

True if this table represents a view. False if it represents a regular table.

size_mb : number/float

The size of the table in megabytes.

outgoing_table_matches : list:

```
- target_type : string
  Target type
- source_table_id : integer
  Source table
- job : dict::
  - match_options : dict::
    - max_matches : integer
    - threshold : string
  - id : integer
  - created_at : string/date-time
  - name : string
  - hidden : boolean
    The hidden status of the object. Setting this to true hides
    it from most API endpoints. The object can still be queried
    directly by ID
  - type : string
  - updated_at : string/date-time
  - state : string
    Whether the job is idle, queued, running, cancelled, or
    failed.
  - last_run : dict::
    - id : integer
```

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- runs : list::
    Information about the most recent runs of the job.
  - id : integer
  - created_at : string/time
    The time that the run was queued.
  - error : string
    The error message for this run, if present.
  - state : string
  - started_at : string/time
    The time that the run started.
  - finished_at : string/time
    The time that the run completed.
- target_id : integer
    Target ID
- target : dict::
  - name : string

```

columns : list:

```

- order : integer
    Relative position of the column in the table.
- sql_type : string
    SQL type of the column.
- null_count : integer
    Number of null values in the column.
- useable_as_independent_variable : boolean
    Whether the column may be used as an independent variable to
↳train a
  model.
- possible_dependent_variable_types : list
    Possible dependent variable types the column may be used to
↳model.
    Null if it may not be used as a dependent variable.
- value_distribution_percent : dict
    A mapping between each value in the column and the percentage
↳of rows
    with that value. Only present for tables with fewer than
↳approximately
    25,000,000 rows and for columns with fewer than twenty distinct
↳values.
- encoding : string
    The compression encoding for this column See: http://docs.aws.amazon.com/redshift/latest/dg/c\_Compression\_encodings.html
↳amazon.com
- distinct_count : integer
    Number of distinct values in the column.
- stddev : number/float
    Stddev of the column, where applicable.
- value_distribution : dict

```

```
    An object mapping distinct values in the column to the number_
↳ of times
    they appear in the column
- sample_values : list
    A sample of values from the column.
- min_value : string
    Smallest value in the column.
- name : string
    Name of the column.
- description : string
    The description of the column, as specified by the table owner
- avg_value : number/float
    Average value of the column, where applicable.
- useable_as_primary_key : boolean
    Whether the column may be used as an primary key to identify_
↳ table
    rows.
- coverage_count : integer
    Number of non-null values in the column.
- max_value : string
    Largest value in the column.
```

database_id : integer

The ID of the database.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

name : string

Name of the table.

refresh_id : string

The ID of the most recent statistics refresh.

row_count : integer

The number of rows in the table.

get_enhancements_cass_ncoa (*id*, *source_table_id*)

View the status of a CASS / NCOA table enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **output_level** : string

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

perform_ncoa : boolean

Whether to update addresses for records matching the National Change of Address (NCOA) database.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

ncoa_credential_id : integer

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

get_enhancements_geocodings (*id*, *source_table_id*)

View the status of a geocoding table enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **enhanced_table_schema** : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

get_enhancements_prepared_matchings (*id*, *source_table_id*)

View a prepared matching enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **max_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

match_table_id : integer

The ID of the Dynamo table to match against.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

get_enhancements_table_matchings (*id*, *source_table_id*)

View a table matching enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **max_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

match_table_id : integer

The ID of the Redshift table to match against.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

list (***kwargs*)

List tables

Parameters **database_id** : integer, optional

The ID of the database.

schema : string, optional

If specified, will be used to filter the tables returned. Substring matching is supported with “%” and “*” wildcards (e.g., “schema=%census%” will return both “client_census.table” and “census_2010.table”).

name : string, optional

If specified, will be used to filter the tables returned. Substring matching is supported with “%” and “*” wildcards (e.g., “name=%table%” will return both “table1” and “my table”).

search : string, optional

If specified, will be used to filter the tables returned. Will search across schema and name (in the full form schema.name) and will return any full name containing the search string.

limit : integer, optional

Number of results to return. Defaults to 50. Maximum allowed is 1000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to schema. Must be one of: schema, name, search.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **sortkeys** : string

The column used as the Amazon Redshift sortkey.

schema : string

The name of the schema containing the table.

id : integer

The ID of the table.

is_view : boolean

True if this table represents a view. False if it represents a regular table.

size_mb : number/float

The size of the table in megabytes.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

database_id : integer

The ID of the database.

owner : string

The database username of the table's owner.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

name : string

Name of the table.

description : string

The description of the table, as specified by the table owner

distkey : string

The column used as the Amazon Redshift distkey.

row_count : integer

The number of rows in the table.

column_count : integer

The number of columns in the table.

last_refresh : string/date-time

The time of the last statistics refresh.

refresh_id : string

The ID of the most recent statistics refresh.

list_columns (*id*, ***kwargs*)

List columns in the specified table

Parameters **id** : integer

name : string, optional

Search for columns with the given name, within the specified table.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to name. Must be one of: name, order.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **order** : integer

Relative position of the column in the table.

sql_type : string

SQL type of the column.

null_count : integer

Number of null values in the column.

useable_as_independent_variable : boolean

Whether the column may be used as an independent variable to train a model.

possible_dependent_variable_types : list

Possible dependent variable types the column may be used to model. Null if it may not be used as a dependent variable.

value_distribution_percent : dict

A mapping between each value in the column and the percentage of rows with that value. Only present for tables with fewer than approximately 25,000,000 rows and for columns with fewer than twenty distinct values.

encoding : string

The compression encoding for this column See: http://docs.aws.amazon.com/redshift/latest/dg/c_Compression_encodings.html

distinct_count : integer

Number of distinct values in the column.

stddev : number/float

Stddev of the column, where applicable.

value_distribution : dict

An object mapping distinct values in the column to the number of times they appear in the column

sample_values : list

A sample of values from the column.

min_value : string

Smallest value in the column.

name : string

Name of the column.

description : string

The description of the column, as specified by the table owner

avg_value : number/float

Average value of the column, where applicable.

useable_as_primary_key : boolean

Whether the column may be used as an primary key to identify table rows.

coverage_count : integer

Number of non-null values in the column.

max_value : string

Largest value in the column.

patch (*id*, ***kwargs*)

Update a table

Parameters **id** : integer

The ID of the table.

ontology_mapping : dict, optional

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

description : string, optional

The user-defined description of the table.

Returns **sortkeys** : string

The column used as the Amazon Redshift sortkey.

schema : string

The name of the schema containing the table.

id : integer

The ID of the table.

is_view : boolean

True if this table represents a view. False if it represents a regular table.

size_mb : number/float

The size of the table in megabytes.

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
```

ontology_mapping : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

database_id : integer

The ID of the database.

owner : string

The database username of the table's owner.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

name : string

Name of the table.

description : string

The description of the table, as specified by the table owner

distkey : string

The column used as the Amazon Redshift distkey.

row_count : integer

The number of rows in the table.

column_count : integer

The number of columns in the table.

last_refresh : string/date-time

The time of the last statistics refresh.

refresh_id : string

The ID of the most recent statistics refresh.

post (*database_id*, *schema*, *name*, *data*)

Import a file into a table

Parameters **database_id** : integer

The ID of the destination database.

schema : string

The destination schema name.

name : string

The destination table name, without the schema prefix.

data : string

The file to import, uploaded using HTTP multipart.

Returns database_id : integer

The ID of the destination database.

schema : string

The destination schema name.

finished_at : string/date-time

The end time of the last run.

state : string

The state of the last run.

name : string

The destination table name, without the schema prefix.

started_at : string/date-time

The start time of the last run.

post_enhancements_cass_ncoa (*source_table_id*, ***kwargs*)

Standardize addresses in a table

Parameters source_table_id : integer

The ID of the table to be enhanced.

output_level : string, optional

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

ncoa_credential_id : integer, optional

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

perform_ncoa : boolean, optional

Whether to update addresses for records matching the National Change of Address (NCOA) database.

Returns output_level : string

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

perform_ncoa : boolean

Whether to update addresses for records matching the National Change of Address (NCOA) database.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

ncoa_credential_id : integer

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

post_enhancements_geocodings (*source_table_id*)

Geocode a table

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

Returns **enhanced_table_schema** : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

post_enhancements_prepared_matchings (*source_table_id*, *threshold*, *match_table_id*,
***kwargs*)

Match person records against a dynamo table prepared by Civis

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

match_table_id : integer

The ID of the Dynamo table to match against.

max_matches : integer, optional

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

Returns **max_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

match_table_id : integer

The ID of the Dynamo table to match against.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

post_enhancements_table_matchings (*source_table_id*, *threshold*, *match_table_id*,
***kwargs*)

Match person records against an arbitrary Redshift table

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

match_table_id : integer

The ID of the Redshift table to match against.

max_matches : integer, optional

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

Returns **max_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

id : integer

The ID of the enhancement.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

match_table_id : integer

The ID of the Redshift table to match against.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_name : string

The name of the table created by the enhancement.

post_refresh (*id*)

Request a refresh for column and table statistics

Parameters **id** : integer

Returns **schema** : string

The name of the schema containing the table.

id : integer

The ID of the table.

multipart_key : list

view_def : string

ontology_mapping : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

owner : string

The database username of the table's owner.

enhancements : list:

```
- type : string
- updated_at : string/time
- created_at : string/time
- join_id : integer
```

last_run : dict:

```
- id : integer
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
```

```
The time that the run started.
- finished_at : string/time
The time that the run completed.
```

description : string

The description of the table, as specified by the table owner

distkey : string

The column used as the Amazon Redshift distkey.

column_count : integer

The number of columns in the table.

last_refresh : string/date-time

The time of the last statistics refresh.

joins : list:

```
- left_table_id : integer
- right_identifier : string
- on : string
- id : integer
- created_at : string/time
- updated_at : string/time
- left_join : boolean
- left_identifier : string
- right_table_id : integer
```

sortkeys : string

The column used as the Amazon Redshift sortkey.

is_view : boolean

True if this table represents a view. False if it represents a regular table.

size_mb : number/float

The size of the table in megabytes.

outgoing_table_matches : list:

```
- target_type : string
  Target type
- source_table_id : integer
  Source table
- job : dict::
  - match_options : dict::
    - max_matches : integer
    - threshold : string
  - id : integer
  - created_at : string/date-time
  - name : string
  - hidden : boolean
    The hidden status of the object. Setting this to true hides
    it from most API endpoints. The object can still be queried
    directly by ID
  - type : string
```

```

- updated_at : string/date-time
- state : string
  Whether the job is idle, queued, running, cancelled, or
↳ failed.
- last_run : dict::
  - id : integer
  - created_at : string/time
    The time that the run was queued.
  - error : string
    The error message for this run, if present.
  - state : string
  - started_at : string/time
    The time that the run started.
  - finished_at : string/time
    The time that the run completed.
- runs : list::
  Information about the most recent runs of the job.
  - id : integer
  - created_at : string/time
    The time that the run was queued.
  - error : string
    The error message for this run, if present.
  - state : string
  - started_at : string/time
    The time that the run started.
  - finished_at : string/time
    The time that the run completed.
- target_id : integer
  Target ID
- target : dict::
  - name : string

```

columns : list:

```

- order : integer
  Relative position of the column in the table.
- sql_type : string
  SQL type of the column.
- null_count : integer
  Number of null values in the column.
- useable_as_independent_variable : boolean
  Whether the column may be used as an independent variable to
↳ train a
  model.
- possible_dependent_variable_types : list
  Possible dependent variable types the column may be used to
↳ model.
  Null if it may not be used as a dependent variable.
- value_distribution_percent : dict
  A mapping between each value in the column and the percentage
↳ of rows
  with that value. Only present for tables with fewer than
↳ approximately
  25,000,000 rows and for columns with fewer than twenty distinct
↳ values.
- encoding : string
  The compression encoding for this column See: http://docs.aws.
↳ amazon.com

```

```

    /redshift/latest/dg/c_Compression_encodings.html
- distinct_count : integer
    Number of distinct values in the column.
- stddev : number/float
    Stddev of the column, where applicable.
- value_distribution : dict
    An object mapping distinct values in the column to the number_
↳ of times
    they appear in the column
- sample_values : list
    A sample of values from the column.
- min_value : string
    Smallest value in the column.
- name : string
    Name of the column.
- description : string
    The description of the column, as specified by the table owner
- avg_value : number/float
    Average value of the column, where applicable.
- useable_as_primary_key : boolean
    Whether the column may be used as an primary key to identify_
↳ table
    rows.
- coverage_count : integer
    Number of non-null values in the column.
- max_value : string
    Largest value in the column.
```

- database_id** : integer
The ID of the database.
- refresh_status** : string
How up-to-date the table’s statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.
- name** : string
Name of the table.
- refresh_id** : string
The ID of the most recent statistics refresh.
- row_count** : integer
The number of rows in the table.

Users

class **Users** (session, return_type='civis')

Methods

<code>delete_api_keys(id, key_id)</code>	Revoke the specified API key
<code>get(id)</code>	Show info about a user
Continued on next page	

Table 4.16 – continued from previous page

<code>get_api_keys(id, key_id)</code>	Show the specified API key
<code>list(**kwargs)</code>	List users
<code>list_api_keys(id, **kwargs)</code>	Show API keys belonging to the specified user
<code>list_me()</code>	Show info about the logged-in user
<code>patch_me(**kwargs)</code>	Update info about the logged-in user
<code>post_api_keys(id, expires_in, name, **kwargs)</code>	Create a new API key belonging to the logged-in user

delete_api_keys (*id*, *key_id*)

Revoke the specified API key

Parameters *id* : string

The ID of the user or ‘me’.

key_id : integer

The ID of the API key.

Returns *id* : integer

The ID of the API key.

created_at : string/date-time

The date and time when the key was created.

name : string

The name of the API key.

constraints : list:

```
Constraints on the abilities of the created key
- post_allowed : boolean
    Whether the constraint allows POST requests.
- constraint : string
    The path matcher of the constraint.
- constraint_type : string
    The type of constraint (exact/prefix/regex/verb).
- get_allowed : boolean
    Whether the constraint allows GET requests.
- delete_allowed : boolean
    Whether the constraint allows DELETE requests.
- head_allowed : boolean
    Whether the constraint allows HEAD requests.
- put_allowed : boolean
    Whether the constraint allows PUT requests.
- patch_allowed : boolean
    Whether the constraint allows PATCH requests.
```

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

expires_at : string/date-time

The date and time when the key expired.

expired : boolean

True if the key has expired.

use_count : integer

The number of times the key has been used.

scopes : list

The scopes which the key is permissioned on.

last_used_at : string/date-time

The date and time when the key was last used.

get (*id*)

Show info about a user

Parameters **id** : integer

The ID of this user.

Returns **user** : string

The username of this user.

id : integer

The ID of this user.

title : string

The title of this user.

time_zone : string

The time zone of this user.

phone : string

The phone number of this user.

github_username : string

The GitHub username of this user.

active : string

The account status of this user.

prefers_sms_otp : string

The preference for phone authorization of this user

primary_group_id : integer

The ID of the primary group of this user.

vpn_enabled : string

The availability of vpn for this user.

department : string

The deartment of this user.

city : string

The city of this user.

state : string

The state of this user.

name : string

The name of this user.

email : string

The email of this user.

groups : list:

```
An array of all the groups this user is in.
- organization_id : integer
  The organization associated with this group.
- id : integer
  The ID of this group.
- name : string
  The name of this group.
```

initials : string

The initials of this user.

otp_required_for_login : string

The two factor authorization requirement for this user.

get_api_keys (*id*, *key_id*)

Show the specified API key

Parameters **id** : string

The ID of the user or 'me'.

key_id : integer

The ID of the API key.

Returns **id** : integer

The ID of the API key.

created_at : string/date-time

The date and time when the key was created.

name : string

The name of the API key.

constraints : list:

```
Constraints on the abilities of the created key
- post_allowed : boolean
  Whether the constraint allows POST requests.
- constraint : string
  The path matcher of the constraint.
- constraint_type : string
  The type of constraint (exact/prefix/regex/verb).
- get_allowed : boolean
  Whether the constraint allows GET requests.
- delete_allowed : boolean
  Whether the constraint allows DELETE requests.
```

```
- head_allowed : boolean
    Whether the constraint allows HEAD requests.
- put_allowed : boolean
    Whether the constraint allows PUT requests.
- patch_allowed : boolean
    Whether the constraint allows PATCH requests.
```

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

expires_at : string/date-time

The date and time when the key expired.

expired : boolean

True if the key has expired.

use_count : integer

The number of times the key has been used.

scopes : list

The scopes which the key is permissioned on.

last_used_at : string/date-time

The date and time when the key was last used.

list (***kwargs*)
List users

Parameters **feature_flag** : string, optional

Return users that have a feature flag enabled.

account_status : string, optional

The account status by which to filter users. May be one of “active”, “inactive”, or “all”.

query : string, optional

Return users who match the given query, based on name, user, and email.

group_id : integer, optional

The ID of the group by which to filter users. Cannot be present if organization_id is.

organization_id : integer, optional

The ID of the organization by which to filter users. Cannot be present if group_id is.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 10000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to name. Must be one of: name, user.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns user : string

The username of this user.

id : integer

The ID of this user.

created_at : string/date-time

The date and time when the user was created.

name : string

The name of this user.

email : string

The email of this user.

groups : list:

An array of `all` the groups this user `is in`.

- `organization_id` : integer
The organization associated `with` this group.
- `id` : integer
The ID of this group.
- `name` : string
The name of this group.

active : string

The account status of this user.

primary_group_id : integer

The ID of the primary group of this user.

current_sign_in_at : string/date-time

The date and time when the user's current session began.

list_api_keys (*id*, ***kwargs*)

Show API keys belonging to the specified user

Parameters id : string

The ID of the user or 'me'.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns constraint_count : integer

The number of constraints on the created key

id : integer

The ID of the API key.

created_at : string/date-time

The date and time when the key was created.

name : string

The name of the API key.

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

expires_at : string/date-time

The date and time when the key expired.

expired : boolean

True if the key has expired.

use_count : integer

The number of times the key has been used.

scopes : list

The scopes which the key is permissioned on.

last_used_at : string/date-time

The date and time when the key was last used.

list_me()

Show info about the logged-in user

Returns last_checked_announcements : string/date-time

The date and time at which the user last checked their announcements.

id : integer

The ID of this user.

roles : list

The roles this user has, listed by slug.

preferences : dict

This user's preferences.

organization_name : string

The name of the organization the user belongs to.

name : string

This user's name.

email : string

This user's email address.

groups : list:

An array of **all** the groups this user **is in**.

- **organization_id** : integer
The organization associated **with** this group.
- **id** : integer
The ID of this group.
- **name** : string
The name of this group.

initials : string

This user's initials.

custom_branding : string

The branding of Platform for this user.

feature_flags : dict

The feature flag settings for this user.

username : string

This user's username.

patch_me (***kwargs*)

Update info about the logged-in user

Parameters **last_checked_announcements** : string/date-time, optional

The date and time at which the user last checked their announcements.

preferences : dict, optional:

- **enhancement_index_archived_filter** : string
Archived **filter for** the enhancements index page.
- **script_index_archived_filter** : string
Archived **filter for** the scripts index page.
- **project_detail_type_filter** : string
Type **filter for** projects detail pages.
- **project_index_archived_filter** : string
Archived **filter for** the projects index page.
- **script_index_type_filter** : string
Type **filter for** the scripts index page.
- **result_index_order_dir** : string
Order direction **for** the results index page.
- **project_index_order_dir** : string

```
    Order direction for the projects index page.
- model_index_author_filter : string
    Author filter for the models index page.
- project_index_author_filter : string
    Author filter for the projects index page.
- script_index_author_filter : string
    Author filter for the scripts index page.
- import_index_status_filter : string
    Status filter for the imports index page.
- export_index_type_filter : string
    Type filter for the exports index page.
- enhancement_index_order_dir : string
    Order direction for the enhancements index page.
- export_index_author_filter : string
    Author filter for the exports index page.
- project_detail_order_dir : string
    Order direction for projects detail pages.
- project_index_order_field : string
    Order field for the projects index page.
- import_index_author_filter : string
    Author filter for the imports index page.
- script_index_status_filter : string
    Status filter for the scripts index page.
- app_index_order_field : string
    Order field for the apps index pages.
- model_index_archived_filter : string
    Archived filter for the models index page.
- import_index_archived_filter : string
    Archived filter for the imports index page.
- preferred_server_id : integer
    ID of preferred server.
- model_index_thumbnail_view : string
    Thumbnail view for the models index page.
- result_index_type_filter : string
    Type filter for the results index page.
- script_index_order_field : string
    Order field for the scripts index page.
- project_detail_order_field : string
    Order field for projects detail pages.
- model_index_order_field : string
    Order field for the models index page.
- model_index_status_filter : string
    Status filter for the models index page.
- import_index_type_filter : string
    Type filter for the imports index page.
- import_index_order_field : string
    Order field for the imports index page.
- export_index_status_filter : string
    Status filter for the exports index page.
- import_index_order_dir : string
    Order direction for the imports index page.
- model_index_order_dir : string
    Order direction for the models index page.
- project_detail_archived_filter : string
    Archived filter for the projects detail pages.
- script_index_order_dir : string
    Order direction for the scripts index page.
- enhancement_index_order_field : string
```

```

    Order field for the enhancements index page.
- result_index_author_filter : string
    Author filter for the results index page.
- result_index_archived_filter : string
    Archived filter for the results index page.
- app_index_order_dir : string
    Oder direction for the apps index pages.
- export_index_order_dir : string
    Order direction for the exports index page.
- result_index_order_field : string
    Order field for the results index page.
- import_index_dest_filter : string
    Destination filter for the imports index page.
- project_detail_author_filter : string
    Author filter for projects detail pages.
- export_index_order_field : string
    Order field for the exports index page.
- report_index_thumbnail_view : string
    Thumbnail view for the reports index page.
- enhancement_index_author_filter : string
    Author filter for the enhancements index page.
- civis_explore_skip_intro : boolean
    Whether the user is shown steps for each exploration.

```

Returns `last_checked_announcements` : string/date-time

The date and time at which the user last checked their announcements.

id : integer

The ID of this user.

roles : list

The roles this user has, listed by slug.

preferences : dict

This user's preferences.

organization_name : string

The name of the organization the user belongs to.

name : string

This user's name.

email : string

This user's email address.

groups : list:

```

An array of all the groups this user is in.
- organization_id : integer
    The organization associated with this group.
- id : integer
    The ID of this group.
- name : string
    The name of this group.

```

initials : string

This user's initials.

custom_branding : string

The branding of Platform for this user.

feature_flags : dict

The feature flag settings for this user.

username : string

This user's username.

post_api_keys (*id*, *expires_in*, *name*, ***kwargs*)

Create a new API key belonging to the logged-in user

Parameters **id** : string

The ID of the user or 'me'.

expires_in : integer

The number of seconds the key should last for.

name : string

The name of the API key.

constraints : list, optional:

Constraints on the abilities of the created key.

- **post_allowed** : boolean
Whether the constraint allows POST requests.
- **constraint** : string
The path matcher of the constraint.
- **constraint_type** : string
The **type** of constraint (exact/prefix/regex/verb).
- **get_allowed** : boolean
Whether the constraint allows GET requests.
- **delete_allowed** : boolean
Whether the constraint allows DELETE requests.
- **head_allowed** : boolean
Whether the constraint allows HEAD requests.
- **put_allowed** : boolean
Whether the constraint allows PUT requests.
- **patch_allowed** : boolean
Whether the constraint allows PATCH requests.

Returns **token** : string

The API key.

id : integer

The ID of the API key.

created_at : string/date-time

The date and time when the key was created.

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

expired : boolean

True if the key has expired.

use_count : integer

The number of times the key has been used.

name : string

The name of the API key.

constraints : list:

```
Constraints on the abilities of the created key
- post_allowed : boolean
    Whether the constraint allows POST requests.
- constraint : string
    The path matcher of the constraint.
- constraint_type : string
    The type of constraint (exact/prefix/regex/verb).
- get_allowed : boolean
    Whether the constraint allows GET requests.
- delete_allowed : boolean
    Whether the constraint allows DELETE requests.
- head_allowed : boolean
    Whether the constraint allows HEAD requests.
- put_allowed : boolean
    Whether the constraint allows PUT requests.
- patch_allowed : boolean
    Whether the constraint allows PATCH requests.
```

expires_at : string/date-time

The date and time when the key expired.

scopes : list

The scopes which the key is permissioned on.

last_used_at : string/date-time

The date and time when the key was last used.

Command Line Interface

A command line interface (CLI) to Civis is provided. This can be invoked by typing the command `civis` in the shell (sh, bash, zsh, etc.). It can also be used in Civis container scripts where the Docker image has this client installed. Here's a simple example of printing the types of scripts.

```
> civis scripts list-types
- name: sql
- name: python3
- name: javascript
- name: r
- name: containers
```

Not all API endpoints are available through the CLI since some take complex data types (e.g., arrays, objects/dictionaries) as input. However, functionality is available for getting information about scripts, logs, etc., as well as executing already created scripts.

There are a few extra, CLI-only commands that wrap the Files API endpoints to make uploading and downloading files easier: `civis files upload $PATH` and `civis files download $FILEID $PATH`.

The default output format is YAML, but the `--json-output` allows you to get output in JSON.

CHAPTER 5

Indices and tables

- `genindex`
- `modindex`
- `search`

A

APIClient (class in `civis`), 22

C

CIVIS_API_KEY, 12, 14, 15, 17, 19, 21, 22

`civis_to_csv()` (in module `civis.io`), 11

`civis_to_file()` (in module `civis.io`), 19

Credentials (class in `civis.resources._resources`), 26

`csv_to_civis()` (in module `civis.io`), 12

D

Databases (class in `civis.resources._resources`), 32

`dataframe_to_civis()` (in module `civis.io`), 14

`default_credential` (`civis.APIClient` attribute), 23

`delete_api_keys()` (`civis.resources._resources.Users` method), 395

`delete_builds()` (`civis.resources._resources.Models` method), 81

`delete_containers_projects()` (`civis.resources._resources.Scripts` method), 167

`delete_containers_runs()` (`civis.resources._resources.Scripts` method), 167

`delete_containers_shares_groups()` (`civis.resources._resources.Scripts` method), 167

`delete_containers_shares_users()` (`civis.resources._resources.Scripts` method), 167

`delete_custom_projects()` (`civis.resources._resources.Scripts` method), 168

`delete_custom_runs()` (`civis.resources._resources.Scripts` method), 168

`delete_custom_shares_groups()` (`civis.resources._resources.Scripts` method), 168

`delete_custom_shares_users()` (`civis.resources._resources.Scripts` method),

168

`delete_files_runs()` (`civis.resources._resources.Imports` method), 41

`delete_grants()` (`civis.resources._resources.Reports` method), 143

`delete_javascript_projects()` (`civis.resources._resources.Scripts` method), 168

`delete_javascript_runs()` (`civis.resources._resources.Scripts` method), 169

`delete_javascript_shares_groups()` (`civis.resources._resources.Scripts` method), 169

`delete_javascript_shares_users()` (`civis.resources._resources.Scripts` method), 169

`delete_projects()` (`civis.resources._resources.Files` method), 35

`delete_projects()` (`civis.resources._resources.Imports` method), 41

`delete_projects()` (`civis.resources._resources.Jobs` method), 72

`delete_projects()` (`civis.resources._resources.Models` method), 82

`delete_projects()` (`civis.resources._resources.Reports` method), 143

`delete_python3_projects()` (`civis.resources._resources.Scripts` method), 169

`delete_python3_runs()` (`civis.resources._resources.Scripts` method), 170

`delete_python3_shares_groups()` (`civis.resources._resources.Scripts` method), 170

`delete_python3_shares_users()` (`civis.resources._resources.Scripts` method), 170

`delete_r_projects()` (`civis.resources._resources.Scripts` method), 170

`delete_r_runs()` (`civis.resources._resources.Scripts`

method), 170
delete_r_shares_groups()
 (civis.resources._resources.Scripts method),
 171
delete_r_shares_users() (civis.resources._resources.Scripts
 method), 171
delete_runs() (civis.resources._resources.Predictions
 method), 110
delete_runs() (civis.resources._resources.Queries
 method), 134
delete_shares_groups() (civis.resources._resources.Files
 method), 35
delete_shares_groups() (civis.resources._resources.Imports
 method), 41
delete_shares_groups() (civis.resources._resources.Jobs
 method), 73
delete_shares_groups() (civis.resources._resources.Models
 method), 82
delete_shares_groups() (civis.resources._resources.Projects
 method), 119
delete_shares_groups() (civis.resources._resources.Reports
 method), 143
delete_shares_users() (civis.resources._resources.Files
 method), 35
delete_shares_users() (civis.resources._resources.Imports
 method), 42
delete_shares_users() (civis.resources._resources.Jobs
 method), 73
delete_shares_users() (civis.resources._resources.Models
 method), 82
delete_shares_users() (civis.resources._resources.Projects
 method), 119
delete_shares_users() (civis.resources._resources.Reports
 method), 143
delete_sql_projects() (civis.resources._resources.Scripts
 method), 171
delete_sql_runs() (civis.resources._resources.Scripts
 method), 171
delete_sql_shares_groups()
 (civis.resources._resources.Scripts method),
 171
delete_sql_shares_users()
 (civis.resources._resources.Scripts method),
 172
delete_syncs() (civis.resources._resources.Imports
 method), 42
delete_whitelist_ips() (civis.resources._resources.Databases
 method), 32

E

environment variable
 CIVIS_API_KEY, 12, 14, 15, 17, 19, 21, 22

F

file_to_civis() (in module civis.io), 19
Files (class in civis.resources._resources), 35

G

get() (civis.resources._resources.Credentials method), 27
get() (civis.resources._resources.Files method), 36
get() (civis.resources._resources.Imports method), 42
get() (civis.resources._resources.Jobs method), 73
get() (civis.resources._resources.Models method), 82
get() (civis.resources._resources.Predictions method),
 110
get() (civis.resources._resources.Projects method), 119
get() (civis.resources._resources.Queries method), 134
get() (civis.resources._resources.Reports method), 143
get() (civis.resources._resources.Scripts method), 172
get() (civis.resources._resources.Tables method), 377
get() (civis.resources._resources.Users method), 396
get_api_keys() (civis.resources._resources.Users
 method), 397
get_aws_credential_id() (civis.APIClient method), 23
get_batches() (civis.resources._resources.Imports
 method), 45
get_builds() (civis.resources._resources.Models method),
 86
get_containers() (civis.resources._resources.Scripts
 method), 175
get_containers_runs() (civis.resources._resources.Scripts
 method), 179
get_custom() (civis.resources._resources.Scripts
 method), 180
get_custom_runs() (civis.resources._resources.Scripts
 method), 183
get_database_credential_id() (civis.APIClient method),
 24
get_database_id() (civis.APIClient method), 24
get_enhancements_cass_ncoa()
 (civis.resources._resources.Tables method),
 380
get_enhancements_geocodings()
 (civis.resources._resources.Tables method),
 381
get_enhancements_prepared_matchings()
 (civis.resources._resources.Tables method),
 381
get_enhancements_table_matchings()
 (civis.resources._resources.Tables method),
 382
get_files_runs() (civis.resources._resources.Imports
 method), 46
get_javascript() (civis.resources._resources.Scripts
 method), 184
get_javascript_runs() (civis.resources._resources.Scripts
 method), 187

- `get_python3()` (civis.resources._resources.Scripts method), 188
- `get_python3_runs()` (civis.resources._resources.Scripts method), 191
- `get_r()` (civis.resources._resources.Scripts method), 192
- `get_r_runs()` (civis.resources._resources.Scripts method), 195
- `get_runs()` (civis.resources._resources.Jobs method), 74
- `get_runs()` (civis.resources._resources.Predictions method), 112
- `get_runs()` (civis.resources._resources.Queries method), 136
- `get_sql()` (civis.resources._resources.Scripts method), 196
- `get_sql_runs()` (civis.resources._resources.Scripts method), 200
- `get_table_id()` (civis.APIClient method), 24
- `get_whitelist_ips()` (civis.resources._resources.Databases method), 33
- I**
- Imports (class in civis.resources._resources), 40
- J**
- Jobs (class in civis.resources._resources), 72
- L**
- `list()` (civis.resources._resources.Credentials method), 27
- `list()` (civis.resources._resources.Databases method), 33
- `list()` (civis.resources._resources.Imports method), 46
- `list()` (civis.resources._resources.Jobs method), 74
- `list()` (civis.resources._resources.Models method), 87
- `list()` (civis.resources._resources.Predictions method), 113
- `list()` (civis.resources._resources.Projects method), 122
- `list()` (civis.resources._resources.Queries method), 136
- `list()` (civis.resources._resources.Reports method), 145
- `list()` (civis.resources._resources.Scripts method), 201
- `list()` (civis.resources._resources.Tables method), 383
- `list()` (civis.resources._resources.Users method), 398
- `list_api_keys()` (civis.resources._resources.Users method), 399
- `list_batches()` (civis.resources._resources.Imports method), 48
- `list_builds()` (civis.resources._resources.Models method), 91
- `list_children()` (civis.resources._resources.Jobs method), 75
- `list_columns()` (civis.resources._resources.Tables method), 384
- `list_containers_projects()` (civis.resources._resources.Scripts method), 203
- `list_containers_runs()` (civis.resources._resources.Scripts method), 204
- `list_containers_runs_logs()` (civis.resources._resources.Scripts method), 204
- `list_containers_runs_outputs()` (civis.resources._resources.Scripts method), 205
- `list_containers_shares()` (civis.resources._resources.Scripts method), 206
- `list_custom()` (civis.resources._resources.Scripts method), 206
- `list_custom_projects()` (civis.resources._resources.Scripts method), 208
- `list_custom_runs()` (civis.resources._resources.Scripts method), 209
- `list_custom_runs_logs()` (civis.resources._resources.Scripts method), 210
- `list_custom_runs_outputs()` (civis.resources._resources.Scripts method), 210
- `list_custom_shares()` (civis.resources._resources.Scripts method), 211
- `list_files_runs()` (civis.resources._resources.Imports method), 49
- `list_history()` (civis.resources._resources.Scripts method), 212
- `list_javascript_projects()` (civis.resources._resources.Scripts method), 213
- `list_javascript_runs()` (civis.resources._resources.Scripts method), 213
- `list_javascript_runs_logs()` (civis.resources._resources.Scripts method), 214
- `list_javascript_runs_outputs()` (civis.resources._resources.Scripts method), 215
- `list_javascript_shares()` (civis.resources._resources.Scripts method), 215
- `list_me()` (civis.resources._resources.Users method), 400
- `list_parents()` (civis.resources._resources.Jobs method), 76
- `list_projects()` (civis.resources._resources.Files method), 36
- `list_projects()` (civis.resources._resources.Imports method), 50
- `list_projects()` (civis.resources._resources.Jobs method), 77
- `list_projects()` (civis.resources._resources.Models method), 92
- `list_projects()` (civis.resources._resources.Reports method), 147
- `list_python3_projects()` (civis.resources._resources.Scripts method), 216

`list_python3_runs()` (civis.resources._resources.Scripts method), 217

`list_python3_runs_logs()` (civis.resources._resources.Scripts method), 218

`list_python3_runs_outputs()` (civis.resources._resources.Scripts method), 218

`list_python3_shares()` (civis.resources._resources.Scripts method), 219

`list_r_projects()` (civis.resources._resources.Scripts method), 220

`list_r_runs()` (civis.resources._resources.Scripts method), 221

`list_r_runs_logs()` (civis.resources._resources.Scripts method), 222

`list_r_runs_outputs()` (civis.resources._resources.Scripts method), 222

`list_r_shares()` (civis.resources._resources.Scripts method), 223

`list_runs()` (civis.resources._resources.Imports method), 51

`list_runs()` (civis.resources._resources.Predictions method), 114

`list_runs()` (civis.resources._resources.Queries method), 137

`list_schedules()` (civis.resources._resources.Models method), 93

`list_schedules()` (civis.resources._resources.Predictions method), 115

`list_schemas()` (civis.resources._resources.Databases method), 33

`list_shares()` (civis.resources._resources.Files method), 37

`list_shares()` (civis.resources._resources.Imports method), 51

`list_shares()` (civis.resources._resources.Jobs method), 78

`list_shares()` (civis.resources._resources.Models method), 93

`list_shares()` (civis.resources._resources.Projects method), 123

`list_shares()` (civis.resources._resources.Reports method), 148

`list_snapshots()` (civis.resources._resources.Reports method), 149

`list_sql_projects()` (civis.resources._resources.Scripts method), 224

`list_sql_runs()` (civis.resources._resources.Scripts method), 224

`list_sql_runs_logs()` (civis.resources._resources.Scripts method), 225

`list_sql_runs_outputs()` (civis.resources._resources.Scripts method), 226

`list_sql_shares()` (civis.resources._resources.Scripts

method), 227

`list_types()` (civis.resources._resources.Models method), 94

`list_types()` (civis.resources._resources.Scripts method), 227

`list_whitelist_ips()` (civis.resources._resources.Databases method), 34

M

Models (class in civis.resources._resources), 81

P

PaginatedResponse (class in civis.response), 25

`patch()` (civis.resources._resources.Models method), 94

`patch()` (civis.resources._resources.Predictions method), 115

`patch()` (civis.resources._resources.Reports method), 150

`patch()` (civis.resources._resources.Scripts method), 228

`patch()` (civis.resources._resources.Tables method), 386

`patch_containers()` (civis.resources._resources.Scripts method), 232

`patch_containers_runs()` (civis.resources._resources.Scripts method), 239

`patch_custom()` (civis.resources._resources.Scripts method), 239

`patch_javascript()` (civis.resources._resources.Scripts method), 243

`patch_me()` (civis.resources._resources.Users method), 401

`patch_python3()` (civis.resources._resources.Scripts method), 248

`patch_r()` (civis.resources._resources.Scripts method), 254

`patch_snapshots()` (civis.resources._resources.Reports method), 152

`patch_sql()` (civis.resources._resources.Scripts method), 260

PollableResult (class in civis.polling), 26

`post()` (civis.resources._resources.Credentials method), 29

`post()` (civis.resources._resources.Files method), 38

`post()` (civis.resources._resources.Imports method), 52

`post()` (civis.resources._resources.Models method), 96

`post()` (civis.resources._resources.Projects method), 124

`post()` (civis.resources._resources.Queries method), 138

`post()` (civis.resources._resources.Reports method), 154

`post()` (civis.resources._resources.Scripts method), 266

`post()` (civis.resources._resources.Tables method), 387

`post_api_keys()` (civis.resources._resources.Users method), 404

`post_authenticate()` (civis.resources._resources.Credentials method), 30

`post_batches()` (civis.resources._resources.Imports method), 56

[post_builds\(\)](#) (civis.resources._resources.Models method), [101](#)
[post_cancel\(\)](#) (civis.resources._resources.Imports method), [58](#)
[post_cancel\(\)](#) (civis.resources._resources.Scripts method), [270](#)
[post_containers\(\)](#) (civis.resources._resources.Scripts method), [271](#)
[post_containers_runs\(\)](#) (civis.resources._resources.Scripts method), [277](#)
[post_containers_runs_heartbeats\(\)](#) (civis.resources._resources.Scripts method), [277](#)
[post_containers_runs_logs\(\)](#) (civis.resources._resources.Scripts method), [278](#)
[post_containers_runs_outputs\(\)](#) (civis.resources._resources.Scripts method), [278](#)
[post_custom\(\)](#) (civis.resources._resources.Scripts method), [278](#)
[post_custom_runs\(\)](#) (civis.resources._resources.Scripts method), [283](#)
[post_custom_runs_outputs\(\)](#) (civis.resources._resources.Scripts method), [283](#)
[post_enhancements_cass_ncoa\(\)](#) (civis.resources._resources.Tables method), [388](#)
[post_enhancements_geocodings\(\)](#) (civis.resources._resources.Tables method), [389](#)
[post_enhancements_prepared_matchings\(\)](#) (civis.resources._resources.Tables method), [389](#)
[post_enhancements_table_matchings\(\)](#) (civis.resources._resources.Tables method), [390](#)
[post_files\(\)](#) (civis.resources._resources.Imports method), [58](#)
[post_files_runs\(\)](#) (civis.resources._resources.Imports method), [59](#)
[post_grants\(\)](#) (civis.resources._resources.Reports method), [156](#)
[post_javascript\(\)](#) (civis.resources._resources.Scripts method), [284](#)
[post_javascript_runs\(\)](#) (civis.resources._resources.Scripts method), [289](#)
[post_javascript_runs_outputs\(\)](#) (civis.resources._resources.Scripts method), [289](#)
[post_python3\(\)](#) (civis.resources._resources.Scripts method), [290](#)
[post_python3_runs\(\)](#) (civis.resources._resources.Scripts method), [296](#)
[post_python3_runs_outputs\(\)](#) (civis.resources._resources.Scripts method), [296](#)
[post_r\(\)](#) (civis.resources._resources.Scripts method), [297](#)
[post_r_runs\(\)](#) (civis.resources._resources.Scripts method), [302](#)
[post_r_runs_outputs\(\)](#) (civis.resources._resources.Scripts method), [303](#)
[post_refresh\(\)](#) (civis.resources._resources.Tables method), [391](#)
[post_run\(\)](#) (civis.resources._resources.Scripts method), [303](#)
[post_runs\(\)](#) (civis.resources._resources.Imports method), [60](#)
[post_runs\(\)](#) (civis.resources._resources.Jobs method), [78](#)
[post_runs\(\)](#) (civis.resources._resources.Predictions method), [117](#)
[post_runs\(\)](#) (civis.resources._resources.Queries method), [140](#)
[post_snapshots\(\)](#) (civis.resources._resources.Reports method), [158](#)
[post_sql\(\)](#) (civis.resources._resources.Scripts method), [303](#)
[post_sql_runs\(\)](#) (civis.resources._resources.Scripts method), [309](#)
[post_syncs\(\)](#) (civis.resources._resources.Imports method), [60](#)
[post_temporary\(\)](#) (civis.resources._resources.Credentials method), [31](#)
[post_trigger_email\(\)](#) (civis.resources._resources.Jobs method), [79](#)
[post_whitelist_ips\(\)](#) (civis.resources._resources.Databases method), [34](#)
[Predictions](#) (class in civis.resources._resources), [110](#)
[Projects](#) (class in civis.resources._resources), [118](#)
[put\(\)](#) (civis.resources._resources.Credentials method), [31](#)
[put\(\)](#) (civis.resources._resources.Imports method), [61](#)
[put\(\)](#) (civis.resources._resources.Projects method), [127](#)
[put_archive\(\)](#) (civis.resources._resources.Imports method), [65](#)
[put_archive\(\)](#) (civis.resources._resources.Models method), [102](#)
[put_archive\(\)](#) (civis.resources._resources.Projects method), [129](#)
[put_archive\(\)](#) (civis.resources._resources.Reports method), [160](#)
[put_containers\(\)](#) (civis.resources._resources.Scripts method), [310](#)
[put_containers_archive\(\)](#) (civis.resources._resources.Scripts method), [316](#)
[put_containers_projects\(\)](#) (civis.resources._resources.Scripts method),

320
put_containers_shares_groups()
 (civis.resources._resources.Scripts method),
 321
put_containers_shares_users()
 (civis.resources._resources.Scripts method),
 321
put_custom() (civis.resources._resources.Scripts
 method), 322
put_custom_archive() (civis.resources._resources.Scripts
 method), 326
put_custom_projects() (civis.resources._resources.Scripts
 method), 329
put_custom_shares_groups()
 (civis.resources._resources.Scripts method),
 330
put_custom_shares_users()
 (civis.resources._resources.Scripts method),
 330
put_javascript() (civis.resources._resources.Scripts
 method), 331
put_javascript_archive() (civis.resources._resources.Scripts
 method), 336
put_javascript_projects()
 (civis.resources._resources.Scripts method),
 340
put_javascript_shares_groups()
 (civis.resources._resources.Scripts method),
 340
put_javascript_shares_users()
 (civis.resources._resources.Scripts method),
 341
put_predictions() (civis.resources._resources.Models
 method), 106
put_projects() (civis.resources._resources.Files method),
 38
put_projects() (civis.resources._resources.Imports
 method), 68
put_projects() (civis.resources._resources.Jobs method),
 79
put_projects() (civis.resources._resources.Models
 method), 107
put_projects() (civis.resources._resources.Reports
 method), 162
put_python3() (civis.resources._resources.Scripts
 method), 342
put_python3_archive() (civis.resources._resources.Scripts
 method), 347
put_python3_projects() (civis.resources._resources.Scripts
 method), 351
put_python3_shares_groups()
 (civis.resources._resources.Scripts method),
 351
put_python3_shares_users()
 (civis.resources._resources.Scripts method),
 352
put_r() (civis.resources._resources.Scripts method), 353
put_r_archive() (civis.resources._resources.Scripts
 method), 359
put_r_projects() (civis.resources._resources.Scripts
 method), 362
put_r_shares_groups() (civis.resources._resources.Scripts
 method), 363
put_r_shares_users() (civis.resources._resources.Scripts
 method), 363
put_schedules() (civis.resources._resources.Models
 method), 108
put_schedules() (civis.resources._resources.Predictions
 method), 117
put_scripts() (civis.resources._resources.Queries
 method), 141
put_shares_groups() (civis.resources._resources.Files
 method), 39
put_shares_groups() (civis.resources._resources.Imports
 method), 69
put_shares_groups() (civis.resources._resources.Jobs
 method), 79
put_shares_groups() (civis.resources._resources.Models
 method), 108
put_shares_groups() (civis.resources._resources.Projects
 method), 132
put_shares_groups() (civis.resources._resources.Reports
 method), 162
put_shares_users() (civis.resources._resources.Files
 method), 39
put_shares_users() (civis.resources._resources.Imports
 method), 69
put_shares_users() (civis.resources._resources.Jobs
 method), 80
put_shares_users() (civis.resources._resources.Models
 method), 109
put_shares_users() (civis.resources._resources.Projects
 method), 133
put_shares_users() (civis.resources._resources.Reports
 method), 163
put_sql() (civis.resources._resources.Scripts method),
 364
put_sql_archive() (civis.resources._resources.Scripts
 method), 370
put_sql_projects() (civis.resources._resources.Scripts
 method), 374
put_sql_shares_groups() (civis.resources._resources.Scripts
 method), 375
put_sql_shares_users() (civis.resources._resources.Scripts
 method), 375
put_syncs() (civis.resources._resources.Imports method),
 70

Q

Queries (class in `civis.resources._resources`), [134](#)
`query_civis()` (in module `civis.io`), [21](#)

R

`read_civis()` (in module `civis.io`), [15](#)
`read_civis_sql()` (in module `civis.io`), [16](#)
Reports (class in `civis.resources._resources`), [142](#)
Response (class in `civis.response`), [25](#)

S

Scripts (class in `civis.resources._resources`), [164](#)

T

Tables (class in `civis.resources._resources`), [376](#)
`transfer_table()` (in module `civis.io`), [20](#)

U

`username` (`civis.APIClient` attribute), [25](#)
Users (class in `civis.resources._resources`), [394](#)