
Civis Client Documentation

Release 1.0.0

Civis Analytics

May 16, 2017

Contents

1	Installation	3
2	Python version support	5
3	Authentication	7
4	User Guide	9
5	Client API Reference	11
6	Indices and tables	421

The Civis API Python client is a Python package that helps analysts and developers interact with the Civis Platform. The package includes a set of tools around common workflows as well as a convenient interface to make requests directly to the Civis API.

CHAPTER 1

Installation

The recommended install method is `pip`:

```
pip install civis
```

Alternatively, you may clone the code from github and build from source:

```
git clone https://github.com/civisanalytics/civis-python.git
cd civis-python
python setup.py install
```

The client has a soft dependency on `pandas` to support features such as data type parsing. If you are using the `io` namespace to read or write data from Civis, it is highly recommended that you install `pandas` and set `use_pandas=True` in functions that accept that parameter. To install `pandas`:

```
pip install pandas
```

Machine learning features in the `ml` namespace have a soft dependency on `scikit-learn`, `joblib`, and `pandas`. Install `scikit-learn` and `joblib` to export your trained models from the Civis Platform or to provide your own custom models. Use `pandas` to download model predictions from the Civis Platform. Install these dependencies with

```
pip install scikit-learn
pip install joblib
pip install pandas
```


CHAPTER 2

Python version support

Python 2.7, 3.4, 3.5, and 3.6

CHAPTER 3

Authentication

In order to make requests to the Civis API, you will need an API key that is unique to you. Instructions for creating a new key are found here: <https://civis.zendesk.com/hc/en-us/articles/216341583-Generating-an-API-Key>. By default, the Python client will look for your key in the environment variable `CIVIS_API_KEY`. To add the API key to your environment, copy the key you generated to your clipboard and follow the instructions below for your operating system.

Mac

Open `.bash_profile` in TextEdit:

```
cd ~/
touch .bash_profile
open -e .bash_profile
```

Then add the following line, replacing `api_key_here` with your key:

```
export CIVIS_API_KEY="api_key_here"
```

Linux

Open `.bash_profile` in your favorite editor (nano is used here):

```
cd ~/
nano .bash_profile
```

Then add the following line, replacing `api_key_here` with your key:

```
export CIVIS_API_KEY="api_key_here"
```


CHAPTER 4

User Guide

For a more detailed walkthrough, see the *User Guide*.

User Guide

Getting Started

After installing the Civis API Python client and setting up your API key, you can now import the package `civis`:

```
>>> import civis
```

There are two entrypoints for working with the Civis API. The first is the `civis` namespace, which contains tools for typical workflows in a user friendly manner. For example, you may want to perform some transformation on your data in Python that might be tricky to code in SQL. This code downloads data from Civis, calculates the correlation between all the columns and then uploads the data back into Civis:

```
>>> df = civis.io.read_civis(table="my_schema.my_table",
...                         database="database",
...                         use_pandas=True)
>>> correlation_matrix = df.corr()
>>> correlation_matrix["corr_var"] = correlation_matrix.index
>>> fut = civis.io.dataframe_to_civis(df=correlation_matrix,
...                                  database="database",
...                                  table="my_schema.my_correlations")
...
>>> fut.result()
```

Civis Futures

In the code above, `dataframe_to_civis()` returns a special `CivisFuture` object. Making a request to the Civis API usually results in a long running job. To account for this, various functions in the `civis` namespace return a `CivisFuture` to allow you to process multiple long running jobs simultaneously. For instance, you may want to start many jobs in parallel and wait for them all to finish rather than wait for each job to finish before starting the next one.

The `CivisFuture` follows the `concurrent.futures.Future` API fairly closely. For example, calling `result()` on `fut` above forces the program to wait for the job started with `dataframe_to_civis()` to finish and returns the result.

Working Directly with the Client

Although many common workflows are included in the Civis API Python client, projects often require direct calls to the Civis API. For convenience, the Civis API Python client implements an `APIClient` object to make these API calls with Python syntax rather than a manually crafted HTTP request. To make a call, first instantiate an `APIClient` object:

```
>>> client = civis.APIClient()
```

Note: Creating an instance of `APIClient` makes an HTTP request to determine the functions to attach to the object. You must have an API key and internet connection to create an `APIClient` object. By default, the functions attached to the object come from a base set of Civis API endpoints. Based on your user profile, you may have access to a set of developmental endpoints. To access these, instantiate the client with `client = civis.APIClient(resources='all')`.

With the client object instantiated, you can now make API requests like listing your user information:

```
>>> client.users.list_me()
{'email': 'user@email.com',
 'feature_flags': {'left_nav_basic': True,
                  'results': True,
                  'scripts_notify': True,
                  'table_person_matching': True},
 'id': 1,
 'initials': 'UN',
 'name': 'User Name',
 'username': 'uname'}
```

Suppose we did not have the `civis.io` namespace. This is how we might export a CSV file from Civis. As you will see, this can be quite involved and the `civis` namespace entrypoint should be preferred whenever possible.

First, we get the ID for our database then we get the default credential for the current user.

```
>>> db_id = client.get_database_id('cluster-name')
>>> cred_id = client.default_credential
```

In order to export a table, we need to write some SQL that will generate the data to export. Then we create the export job and run it.

```
>>> generate_table = "select * from schema.tablename"
>>> export_job = client.scripts.post_sql(name="our export job",
                                       remote_host_id=db_id,
                                       credential_id=cred_id,
                                       sql=generate_table)
>>> export_run = client.scripts.post_sql_runs(export_job.id)
```

We can then poll and wait for the export to be completed.

```
>>> import time
>>> export_state = client.scripts.get_sql_runs(export_job.id,
...                                           export_run.id)
```



```
>>> while export_state.state in ['queued', 'running']:
...     time.sleep(60)
...     export_state = client.scripts.get_sql_runs(export_job.id,
...                                                export_run.id)
```

Now, we can get the URL of the exported csv. First, we grab the result of our export job.

```
>>> export_result = client.scripts.get_sql_runs(export_job.id,
...                                                export_run.id)
```

In the future, a script may export multiple jobs, so the output of this is a list.

The path returned will have a gzipped csv file, which we could load, for example, with pandas.

```
>>> url = export_result.output[0].path
```

Data Import and Export

The `civis.io` namespace provides several functions for moving data in and out of Civis.

Tables

Often, your data will be in structured format like a table in a relational database, a CSV or a dataframe. The following functions handle moving structured data to and from Civis. When using these functions, it is recommended to have *pandas* installed and to pass *use_pandas=True* in the appropriate functions. If *pandas* is not installed, data returned from Civis will all be treated as strings.

<code>civis_to_csv(filename, sql, database[, ...])</code>	Export data from Civis to a local CSV file.
<code>csv_to_civis(filename, database, table[, ...])</code>	Upload the contents of a local CSV file to Civis.
<code>dataframe_to_civis(df, database, table[, ...])</code>	Upload a <i>pandas DataFrame</i> into a Civis table.
<code>read_civis(table, database[, columns, ...])</code>	Read data from a Civis table.
<code>read_civis_sql(sql, database[, use_pandas, ...])</code>	Read data from Civis using a custom SQL string.

civis.io.civis_to_csv

```
civis.io.civis_to_csv(filename, sql, database, job_name=None, api_key=None, client=None, credential_id=None, include_header=True, compression='none', delimiter=',', unquoted=False, archive=False, hidden=True, polling_interval=None)
```

Export data from Civis to a local CSV file.

Parameters `filename` : str

Download exported data into this file.

`sql` : str, optional

The SQL select string to be executed.

`database` : str or int

Export data from this database. Can be the database name or ID.

`job_name` : str, optional

A name to give the job. If omitted, a random job name will be used.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

include_header: bool, optional

If `True`, the first line of the CSV will be headers. Default: `True`.

compression: str, optional

Type of compression to use, if any. One of `'none'`, `'zip'`, or `'gzip'`. Default `'none'`.

delimiter, str: optional

Which delimiter to use, if any. One of `' '`, `' '`, or `'|'`. Default: `' '`.

unquoted: bool, optional

Whether or not to quote fields. Default: `False`.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

Returns results : `CivisFuture`

A `CivisFuture` object.

See also:

`civis.io.read_civis` Read table contents into memory.

`civis.io.read_civis_sql` Read results of a SQL query into memory.

Examples

```
>>> sql = "SELECT * FROM schema.table"
>>> fut = civis_to_csv("file.csv", sql, "my_database")
>>> fut.result() # Wait for job to complete
```

civis.io.csv_to_civis

`civis.io.csv_to_civis` (*filename*, *database*, *table*, *api_key=None*, *client=None*, *max_errors=None*, *existing_table_rows='fail'*, *distkey=None*, *sortkey1=None*, *sortkey2=None*, *delimiter=''*, *headers=None*, *credential_id=None*, *polling_interval=None*, *archive=False*, *hidden=True*)

Upload the contents of a local CSV file to Civis.

Parameters **filename** : str

Upload the contents of this file.

database : str or int

Upload data into this database. Can be the database name or ID.

table : str

The schema and table you want to upload to. E.g., 'scratch.table'.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the CIVIS_API_KEY environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the CIVIS_API_KEY.

max_errors : int, optional

The maximum number of rows with errors to remove from the import before failing.

existing_table_rows : str, optional

The behaviour if a table with the requested name already exists. One of 'fail', 'truncate', 'append' or 'drop'. Defaults to 'fail'.

distkey : str, optional

The column to use as the distkey for the table.

sortkey1 : str, optional

The column to use as the sortkey for the table.

sortkey2 : str, optional

The second column in a compound sortkey for the table.

delimiter : string, optional

The column delimiter. One of ',', '\t' or '|'.

headers : bool, optional

Whether or not the first row of the file should be treated as headers. The default, `None`, attempts to autodetect whether or not the first row contains headers.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for job completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

Returns results : `CivisFuture`

A `CivisFuture` object.

Notes

This reads the contents of *filename* into memory.

Examples

```
>>> with open('input_file.csv', 'w') as _input:
...     _input.write('a,b,c\n1,2,3')
>>> fut = civis.io.csv_to_civis('input_file.csv',
...                             'my-database',
...                             'scratch.my_data')
>>> fut.result()
```

civis.io.dataframe_to_civis

`civis.io.dataframe_to_civis(df, database, table, api_key=None, client=None, max_errors=None, existing_table_rows='fail', distkey=None, sortkey1=None, sortkey2=None, headers=None, credential_id=None, polling_interval=None, archive=False, hidden=True, **kwargs)`

Upload a *pandas DataFrame* into a Civis table.

The *DataFrame*'s index will not be included. To store the index along with the other values, use `df.reset_index()` instead of `df` as the first argument to this function.

Parameters **df** : `pandas.DataFrame`

The *DataFrame* to upload to Civis.

database : str or int

Upload data into this database. Can be the database name or ID.

table : str

The schema and table you want to upload to. E.g., `'scratch.table'`.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

max_errors : int, optional

The maximum number of rows with errors to remove from the import before failing.

existing_table_rows : str, optional

The behaviour if a table with the requested name already exists. One of 'fail', 'truncate', 'append' or 'drop'. Defaults to 'fail'.

distkey : str, optional

The column to use as the distkey for the table.

sortkey1 : str, optional

The column to use as the sortkey for the table.

sortkey2 : str, optional

The second column in a compound sortkey for the table.

headers : bool, optional

Whether or not the first row of the file should be treated as headers. The default, `None`, attempts to autodetect whether or not the first row contains headers.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for job completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

****kwargs** : kwargs

Extra keyword arguments will be passed to `pandas.DataFrame.to_csv()`.

Returns `fut` : *CivisFuture*

A *CivisFuture* object.

Examples

```
>>> import pandas as pd
>>> df = pd.DataFrame({'a': [1, 2, 3], 'b': [4, 5, 6]})
>>> fut = civis.io.dataframe_to_civis(df, 'my-database',
...                                  'scratch.df_table')
>>> fut.result()
```

civis.io.read_civis

`civis.io.read_civis`(*table*, *database*, *columns=None*, *use_pandas=False*, *job_name=None*, *api_key=None*, *client=None*, *credential_id=None*, *polling_interval=None*, *archive=False*, *hidden=True*, ***kwargs*)

Read data from a Civis table.

Parameters *table* : str

Name of table, including schema, in the database. I.e. 'my_schema.my_table'.

database : str or int

Read data from this database. Can be the database name or ID.

columns : list, optional

A list of column names. Column SQL transformations are possible. If omitted, all columns are exported.

use_pandas : bool, optional

If `True`, return a `pandas.DataFrame`. Otherwise, return a list of results from `csv.reader()`.

job_name : str, optional

A name to give the job. If omitted, a random job name will be used.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

credential_id : str or int, optional

The database credential ID. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

****kwargs** : kwargs

Extra keyword arguments are passed into `pandas.read_csv()` if `use_pandas` is `True` or passed into `csv.reader()` if `use_pandas` is `False`.

Returns data : `pandas.DataFrame` or list

A list of rows (with header as first row) if `use_pandas` is `False`, otherwise a `pandas.DataFrame`. Note that if `use_pandas` is `False`, no parsing of types is performed and each row will be a list of strings.

Raises ImportError

If `use_pandas` is `True` and `pandas` is not installed.

See also:

`civis.io.read_civis_sql` Read directly into memory using SQL.

`civis.io.civis_to_csv` Write directly to csv.

Examples

```
>>> table = "schema.table"
>>> database = "my_data"
>>> columns = ["column_a", "ROW_NUMBER() OVER(ORDER BY date) AS order"]
>>> data = read_civis(table, database, columns=columns)
>>> columns = data.pop(0)
>>> col_a_index = columns.index("column_a")
>>> col_a = [row[col_a_index] for row in data]
```

```
>>> df = read_civis("schema.table", "my_data", use_pandas=True)
>>> col_a = df["column_a"]
```

civis.io.read_civis_sql

`civis.io.read_civis_sql(sql, database, use_pandas=False, job_name=None, api_key=None, client=None, credential_id=None, polling_interval=None, archive=False, hidden=True, **kwargs)`

Read data from Civis using a custom SQL string.

Parameters `sql` : str, optional

The SQL select string to be executed.

database : str or int

Execute the query against this database. Can be the database name or ID.

use_pandas : bool, optional

If `True`, return a `pandas.DataFrame`. Otherwise, return a list of results from `csv.reader()`.

job_name : str, optional

A name to give the job. If omitted, a random job name will be used.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

credential_id : str or int, optional

The database credential ID. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

archive : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

****kwargs** : kwargs

Extra keyword arguments are passed into `pandas.read_csv()` if `use_pandas` is `True` or passed into `csv.reader()` if `use_pandas` is `False`.

Returns data : `pandas.DataFrame` or list

A list of rows (with header as first row) if `use_pandas` is `False`, otherwise a *pandas DataFrame*. Note that if `use_pandas` is `False`, no parsing of types is performed and each row will be a list of strings.

Raises ImportError

If `use_pandas` is `True` and *pandas* is not installed.

See also:

`civis.io.read_civis` Read directly into memory without SQL.

`civis.io.civis_to_csv` Write directly to a CSV file.

Notes

This reads the data into memory.

Examples

```
>>> sql = "SELECT * FROM schema.table"
>>> df = read_civis_sql(sql, "my_database", use_pandas=True)
>>> col_a = df["column_a"]
```

```
>>> data = read_civis_sql(sql, "my_database")
>>> columns = data.pop(0)
>>> col_a_index = columns.index("column_a")
>>> col_a = [row[col_a_index] for row in data]
```

Files

These functions will pass flat files to and from Civis. This is useful if you have data stored in binary or JSON format. Any type of file can be stored in platform via the files endpoint.

<code>civis_to_file(file_id, buf[, api_key, client])</code>	Download a file from Civis.
<code>file_to_civis(buf, name[, api_key, client])</code>	Upload a file to Civis.

civis.io.civis_to_file

`civis.io.civis_to_file` (*file_id*, *buf*, *api_key=None*, *client=None*)

Download a file from Civis.

Parameters `file_id` : int

The Civis file ID.

`buf` : file-like object

The file or other buffer to write the contents of the Civis file into.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

Returns None

Examples

```
>>> file_id = 100
>>> with open("my_file.txt", "wb") as f:
...     civis_to_file(file_id, f)
```

civis.io.file_to_civis

`civis.io.file_to_civis` (*buf*, *name*, *api_key=None*, *client=None*, ***kwargs*)

Upload a file to Civis.

Parameters **buf** : file-like object

The file or other buffer that you wish to upload.

name : str

The name you wish to give the file.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

****kwargs** : kwargs

Extra keyword arguments will be passed to the file creation endpoint. See `post()`.

Returns **file_id** : int

The new Civis file ID.

Notes

If you are opening a binary file (e.g., a compressed archive) to pass to this function, do so using the `'rb'` (read binary) mode (e.g., `open('myfile.zip', 'rb')`).

If you have the `requests-toolbelt` package installed (`pip install requests-toolbelt`), then this function will stream from the open file pointer into Platform. If `requests-toolbelt` is not installed, then it will need to read the entire buffer into memory before writing.

Examples

```
>>> # Upload file which expires in 30 days
>>> with open("my_data.csv", "r") as f:
...     file_id = file_to_civis(f, 'my_data')
>>> # Upload file which never expires
>>> with open("my_data.csv", "r") as f:
...     file_id = file_to_civis(f, 'my_data', expires_at=None)
```

Databases

These functions move data from one database to another and expose an interface to run SQL in the database. Use `query_civis()` when you need to execute SQL that does not return data (for example, a GRANT or DROP TABLE statement).

<code>transfer_table(source_db, dest_db, ...[, ...])</code>	Transfer a table from one location to another.
<code>query_civis(sql, database[, api_key, ...])</code>	Execute a SQL statement as a Civis query.

civis.io.transfer_table

```
civis.io.transfer_table(source_db, dest_db, source_table, dest_table, job_name=None,
                        api_key=None, client=None, source_credential_id=None,
                        dest_credential_id=None, polling_interval=None, **advanced_options)
```

Transfer a table from one location to another.

Parameters `source_db` : str or int

The name of the database where the source table is located. Optionally, could be the database ID.

`dest_db` : str or int

The name of the database where the table will be transfered. Optionally, could be the database ID.

`source_table` : str

Full name of the table to transfer, e.g., 'schema.table'.

`dest_table` : str

Full name of the table in the destination database, e.g., 'schema.table'.

`job_name` : str, optional

A name to give the job. If omitted, a random job name will be used.

`api_key` : DEPRECATED str, optional

Your Civis API key. If not given, the CIVIS_API_KEY environment variable will be used.

`client` : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the CIVIS_API_KEY.

`source_credential_id` : str or int, optional

Optional credential ID for the source database. If `None`, the default credential will be used.

dest_credential_id : str or int, optional

Optional credential ID for the destination database. If `None`, the default credential will be used.

polling_interval : int or float, optional

Number of seconds to wait between checks for job completion.

****advanced_options** : kwargs

Extra keyword arguments will be passed to the import sync job. See `post_syncs()`.

Returns results : *CivisFuture*

A *CivisFuture* object.

Examples

```
>>> transfer_table(source_db='Cluster A', dest_db='Cluster B',
...               source_table='schma.tbl', dest_table='schma.tbl')
```

civis.io.query_civis

`civis.io.query_civis(sql, database, api_key=None, client=None, credential_id=None, preview_rows=10, polling_interval=None, hidden=True)`

Execute a SQL statement as a Civis query.

Run a query that may return no results or where only a small preview is required. To execute a query that returns a large number of rows, see `read_civis_sql()`.

Parameters sql : str

The SQL statement to execute.

database : str or int

The name or ID of the database.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : *civis.APIClient*, optional

If not provided, an *civis.APIClient* object will be created from the `CIVIS_API_KEY`.

credential_id : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

preview_rows : int, optional

The maximum number of rows to return. No more than 100 rows can be returned at once.

polling_interval : int or float, optional

Number of seconds to wait between checks for query completion.

hidden : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

Returns results : *CivisFuture*

A *CivisFuture* object.

Examples

```
>>> run = query_civis(sql="DELETE schema.table", database='database')
>>> run.result() # Wait for query to complete
```

Machine Learning

CivisML uses the Civis Platform to train machine learning models and parallelize their predictions over large datasets. It contains best-practice models for general-purpose classification and regression modeling as well as model quality evaluations and visualizations. All CivisML models use [scikit-learn](#) for interoperability with other platforms and to allow you to leverage resources in the open-source software community when creating machine learning models.

Define Your Model

Start the modeling process by defining your model. Do this by creating an instance of the *ModelPipeline* class. Each *ModelPipeline* corresponds to a scikit-learn *Pipeline* which will run in Civis Platform. A *Pipeline* allows you to combine multiple modeling steps (such as missing value imputation and feature selection) into a single model. The *Pipeline* is treated as a unit – for example, cross-validation happens over all steps together.

You can define your model in two ways, either by selecting a pre-defined algorithm or by providing your own scikit-learn *Pipeline* or *BaseEstimator* object. Note that whichever option you chose, CivisML will pre-process your data to one-hot-encode categorical features (the non-numerical columns) to binary indicator columns before sending the features to the *Pipeline*.

Pre-Defined Models

You can use the following pre-defined models with CivisML. All models start by imputing missing values with the mean of non-null values in a column. The “sparse_” models include a LASSO regression step (using the [glmnet](#) package) to do feature selection before passing data to the final model. In some models, CivisML uses default parameters different from those in scikit-learn, as indicated in the “Altered Defaults” column. All models also have `random_state=42`.

Name	Model Type	Algorithm	Altered Defaults
sparse_logistic	classification	LogisticRegression	<code>C=499999950, tol=1e-08</code>
gradient_boosting_classifier	classification	GradientBoostingClassifier	<code>n_estimators=500, max_depth=2</code>
random_forest_classifier	classification	RandomForestClassifier	<code>n_estimators=500</code>
extra_trees_classifier	classification	ExtraTreesClassifier	<code>n_estimators=500</code>
sparse_linear_regressor	regression	LinearRegression	
sparse_ridge_regressor	regression	Ridge	
gradient_boosting_regressor	regression	GradientBoostingRegressor	<code>n_estimators=500, max_depth=2</code>
random_forest_regressor	regression	RandomForestRegressor	<code>n_estimators=500</code>
extra_trees_regressor	regression	ExtraTreesRegressor	<code>n_estimators=500</code>

Custom Models

You can create your own [Pipeline](#) instead of using one of the pre-defined ones. Create the object and pass it as the `model` parameter of the [ModelPipeline](#). Your model must be built from libraries which CivisML recognizes. You can use code from

- [scikit-learn](#) v0.18.1
- [glmnet](#) v2.0.0
- [xgboost](#) v0.6a2
- [muffnn](#) v1.1.1

When you're assembling your own model, remember that you'll have to make certain that either you add a missing value imputation step or that your data doesn't have any missing values. If you're making a classification model, the model must have a `predict_proba` method. If the class you're using doesn't have a `predict_proba` method, you can add one by wrapping it in a [CalibratedClassifierCV](#).

Asynchronous Execution

All calls to a [ModelPipeline](#) object are non-blocking, i.e. they immediately provide a result without waiting for the job in the Civis Platform to complete. Calls to `civis.ml.ModelPipeline.train()` and `civis.ml.ModelPipeline.predict()` return a [ModelFuture](#) object, which is a subclass of [Future](#) from the Python standard library. This behavior lets you train multiple models at once, or generate predictions from models, while still doing other work while waiting for your jobs to complete.

The [ModelFuture](#) can find and retrieve outputs from your CivisML jobs, such as trained [Pipeline](#) objects or out-of-sample predictions. The [ModelFuture](#) only downloads outputs when you request them.

Model Persistence

Civis Platform permanently stores all models, indexed by the job ID and the run ID (also called a “build”) of the training job. If you wish to use an existing model, call `civis.ml.ModelPipeline.from_existing()` with the job ID of the training job. You can find the job ID with the `train_job_id` attribute of a [ModelFuture](#), or by looking at the URL of your model on the [Civis Platform models page](#). If the training job has multiple runs, you may also provide a run ID to select a run other than the most recent. You can list all model runs of a training job by calling

`civis.APIClient().jobs.get(train_job_id)['runs']`. You may also store the *ModelPipeline* itself with the `pickle` module.

Examples

Future objects have the method `add_done_callback()`. This is called as soon as the run completes. It takes a single argument, the *Future* for the completed job. You can use this method to chain jobs together:

```
from concurrent import futures
from civis.ml import ModelPipeline
import pandas as pd
df = pd.read_csv('data.csv')
training, predictions = [], []
model = ModelPipeline('sparse_logistic', dependent_variable='type')
training.append(model.train(df))
training[-1].add_done_callback(lambda fut: predictions.append(model.predict(df)))
futures.wait(training) # Blocks until all training jobs complete
futures.wait(predictions) # Blocks until all prediction jobs complete
```

You can create and train multiple models at once to find the best approach for solving a problem. For example:

```
from civis.ml import ModelPipeline
algorithms = ['gradient_boosting_classifier', 'sparse_logistic', 'random_forest_
↳ classifier']
pkey = 'person_id'
depvar = 'likes_cats'
models = [ModelPipeline(alg, primary_key=pkey, dependent_variable=depvar) for alg in
↳ algorithms]
train = [model.train(table_name='schema.name', database_name='My DB') for model in
↳ models]
aucs = [tr.metrics['roc_auc'] for tr in train] # Code blocks here
```

Optional dependencies

You do not need any external libraries installed to use CivisML, but the following pip-installable dependencies enhance the capabilities of the *ModelPipeline*:

- pandas
- scikit-learn
- joblib
- glmnet
- pubnub

Install `pandas` if you wish to download tables of predictions. You can also model on `DataFrame` objects in your interpreter.

If you wish to use custom models or download trained models, you'll need `scikit-learn` installed.

We use the `joblib` library to move `scikit-learn` models back and forth from Platform. Install it if you wish to use custom models or download trained models.

The “`sparse_logistic`”, “`sparse_linear_regressor`”, and “`sparse_ridge_regressor`” models all use the public Civis Analytics `glmnet` library. Install it if you wish to download a model created from one of these pre-defined models.

If you install `pubnub`, the Civis Platform API client can use the notifications endpoint instead of polling for job completion. This gives faster results and uses fewer API calls.

Object reference

```
class civis.ml.ModelPipeline(model,      dependent_variable,      primary_key=None,      pa-
                             rameters=None,      cross_validation_parameters=None,
                             model_name=None, calibration=None, excluded_columns=None,
                             client=None,      cpu_requested=None,      memory_requested=None,
                             disk_requested=None, verbose=False)
```

Interface for scikit-learn modeling in the Civis Platform

Each `ModelPipeline` corresponds to a scikit-learn `Pipeline` which will run in Civis Platform.

Parameters `model` : string or Estimator

Either the name of a pre-defined model (e.g. “sparse_logistic” or “gradient_boosting_classifier”) or else a pre-existing Estimator object.

dependent_variable : string or List[str]

The dependent variable of the training dataset. For a multi-target problem, this should be a list of column names of dependent variables.

primary_key : string, optional

The unique ID (primary key) of the training dataset. This will be used to index the out-of-sample scores.

parameters : dict, optional

Specify parameters for the final stage estimator in a predefined model, e.g. `{ 'C' : 2 }` for a “sparse_logistic” model.

cross_validation_parameters : dict, optional

Cross validation parameter grid for learner parameters, e.g. `{ 'n_estimators' : [100, 200, 500], 'learning_rate' : [0.01, 0.1], 'max_depth' : [2, 3] }`.

model_name : string, optional

The prefix of the Platform modeling jobs. It will have “Train” or “Predict” added to become the Script title.

calibration : {None, “sigmoid”, “isotonic”}

If not None, calibrate output probabilities with the selected method. Valid only with classification models.

excluded_columns : array, optional

A list of columns which will be considered ineligible to be independent variables.

client : `APIClient`, optional

If not provided, an `APIClient` object will be created from the `CIVIS_API_KEY`.

cpu_requested : int, optional

Number of CPU shares requested in the Civis Platform for training jobs. 1024 shares = 1 CPU.

memory_requested : int, optional

Memory requested from Civis Platform for training jobs, in MiB

disk_requested : float, optional

Disk space requested on Civis Platform for training jobs, in GB

verbose : bool, optional

If True, supply debug outputs in Platform logs and make prediction child jobs visible.

See also:

`civis.ml.ModelFuture`

Examples

```
>>> from civis.ml import ModelPipeline
>>> model = ModelPipeline('gradient_boosting_classifier', 'depvar',
...                       primary_key='voterbase_id')
>>> train = model.train(table_name='schema.survey_data',
...                     fit_params={'sample_weight': 'survey_weight'},
...                     database_name='My Redshift Cluster',
...                     oos_scores='scratch.survey_depvar_oos_scores')
>>> train
<ModelFuture at 0x11be7ae10 state=queued>
>>> train.running()
True
>>> train.done()
False
>>> df = train.table # Read OOS scores from its Civis File. Blocking.
>>> meta = train.metadata # Metadata from training run
>>> train.metrics['roc_auc']
0.88425
>>> pred = model.predict(table_name='schema.demographics_table ',
...                      database_name='My Redshift Cluster',
...                      output_table='schema.predicted_survey_response',
...                      if_exists='drop',
...                      n_jobs=50)
>>> df_pred = pred.table # Blocks until finished
# Modify the parameters of the base estimator in a default model:
>>> model = ModelPipeline('sparse_logistic', 'depvar',
...                       primary_key='voterbase_id',
...                       parameters={'C': 2})
# Grid search over hyperparameters in the base estimator:
>>> model = ModelPipeline('sparse_logistic', 'depvar',
...                       primary_key='voterbase_id',
...                       cross_validation_parameters={'C': [0.1, 1, 10]})
```

Attributes

estimator	(Pipeline) The trained scikit-learn Pipeline
train_result_	(ModelFuture) ModelFuture encapsulating this model's training run
state	(str) Status of the training job (non-blocking)

Methods

<code>train()</code>	Train the model on data in Civis Platform; outputs <i>ModelFuture</i>
<code>predict()</code>	Make predictions on new data; outputs <i>ModelFuture</i>
<code>from_existing()</code>	Class method; use to create a <i>ModelPipeline</i> from an existing model training run

classmethod `from_existing` (*train_job_id*, *train_run_id*='latest', *client*=None)

Create a *ModelPipeline* object from existing model IDs

Parameters `train_job_id` : int

The ID of the CivisML job in the Civis Platform

`train_run_id` : int or string, optional

Location of the model run, either

- an explicit run ID,
- “latest” : The most recent run
- “active” : The run designated by the training job’s “active build” parameter

`client` : *APIClient*, optional

If not provided, an *APIClient* object will be created from the `CIVIS_API_KEY`.

Returns *ModelPipeline*

A *ModelPipeline* which refers to a previously-trained model

Examples

```
>>> from civis.ml import ModelPipeline
>>> model = ModelPipeline.from_existing(job_id)
>>> model.train_result_.metrics['roc_auc']
0.843
```

predict (*df*=None, *csv_path*=None, *table_name*=None, *database_name*=None, *manifest*=None, *file_id*=None, *sql_where*=None, *sql_limit*=None, *primary_key*=Sentinel(), *output_table*=None, *output_db*=None, *if_exists*='fail', *n_jobs*=None, *polling_interval*=None)

Make predictions on a trained model

Provide input through one of a *DataFrame* (*df*), a local CSV (*csv_path*), a Civis Table (*table_name* and *database_name*), a Civis File containing a CSV (*file_id*), or a Civis File containing a manifest file (*manifest*).

A “manifest file” is JSON which specifies the location of many shards of the data to be used for prediction. A manifest file is the output of a Civis export job with `force_multifile=True` set, e.g. from `civis.io.civis_to_multifile_csv()`. Large Civis Tables (provided using *table_name*) will automatically be exported to manifest files.

Prediction outputs will always be stored as gzipped CSVs in one or more Civis Files. You can find a list of File ID numbers for output files at the “output_file_ids” key in the metadata returned by the prediction job. Provide an *output_table* (and optionally an *output_db*, if it’s different from *database_name*) to copy these predictions into a Civis Table.

Parameters `df` : *pd.DataFrame*, optional

A *DataFrame* of data for prediction. The *DataFrame* will be uploaded to a Civis file so that CivisML can access it. Note that the index of the *DataFrame* will be ignored –

use `df.reset_index()` if you want your index column to be included with the data passed to CivisML.

csv_path : str, optional

The location of a CSV of data on the local disk. It will be uploaded to a Civis file.

table_name : str, optional

The qualified name of the table containing your data

database_name : str, optional

Name of the database holding the data, e.g., 'My Redshift Cluster'.

manifest : int, optional

ID for a manifest file stored as a Civis file. (Note: if the manifest is not a Civis Platform-specific manifest, like the one returned from `civis.io.civis_to_multifile_csv()`, this must be used in conjunction with `table_name` and `database_name` due to the need for column discovery via Redshift.)

file_id : int, optional

If the data are a CSV stored in a Civis file, provide the integer file ID.

sql_where : str, optional

A SQL WHERE clause used to scope the rows to be predicted

sql_limit : int, optional

SQL LIMIT clause to restrict the size of the prediction set

primary_key : str, optional

Primary key of the prediction table. Defaults to the primary key of the training data. Use `None` to indicate that the prediction data don't have a primary key column.

output_table: str, optional

The table in which to put the predictions.

output_db : str, optional

Database of the output table. Defaults to the database of the input table.

if_exists : {'fail', 'append', 'drop', 'truncate'}

Action to take if the prediction table already exists.

n_jobs : int, optional

Number of concurrent Platform jobs to use for multi-file / large table prediction.

polling_interval : float, optional

Check for job completion every this number of seconds. Do not set if using the notifications endpoint.

Returns *ModelFuture*

```
train(df=None, csv_path=None, table_name=None, database_name=None, file_id=None,
      sql_where=None, sql_limit=None, oos_scores=None, oos_scores_db=None, if_exists='fail',
      fit_params=None, polling_interval=None)
Start a Civis Platform job to train your model
```

Provide input through one of a `DataFrame` (`df`), a local CSV (`csv_path`), a Civis Table (`table_name` and `database_name`), or a Civis File containing a CSV (`file_id`).

Model outputs will always contain out-of-sample scores (accessible through `ModelFuture.table` on this function's output), and you may chose to store these out-of-sample scores in a Civis Table with the `oos_scores`, `oos_scores_db`, and `if_exists` parameters.

Parameters `df` : `pd.DataFrame`, optional

A `DataFrame` of training data. The `DataFrame` will be uploaded to a Civis file so that CivisML can access it. Note that the index of the `DataFrame` will be ignored – use `df.reset_index()` if you want your index column to be included with the data passed to CivisML.

`csv_path` : str, optional

The location of a CSV of data on the local disk. It will be uploaded to a Civis file.

`table_name` : str, optional

The qualified name of the table containing the training set from which to build the model.

`database_name` : str, optional

Name of the database holding the training set table used to build the model. E.g., 'My Cluster Name'.

`file_id` : int, optional

If the training data are stored in a Civis file, provide the integer file ID.

`sql_where` : str, optional

A SQL WHERE clause used to scope the rows of the training set (used for table input only)

`sql_limit` : int, optional

SQL LIMIT clause for querying the training set (used for table input only)

`oos_scores` : str, optional

If provided, store out-of-sample predictions on training set data to this Redshift "schema.tablename".

`oos_scores_db` : str, optional

If not provided, store OOS predictions in the same database which holds the training data.

`if_exists` : {'fail', 'append', 'drop', 'truncate'}

Action to take if the out-of-sample prediction table already exists.

`fit_params`: `Dict[str, str]`

Mapping from parameter names in the model's `fit` method to the column names which hold the data, e.g. `{ 'sample_weight': 'survey_weight_column' }`.

`polling_interval` : float, optional

Check for job completion every this number of seconds. Do not set if using the notifications endpoint.

Returns `ModelFuture`

```
class civis.ml.ModelFuture(job_id, run_id, train_job_id=None, train_run_id=None,
                           polling_interval=None, client=None, poll_on_creation=True)
    Encapsulates asynchronous execution of a CivisML job
```

This object knows where to find modeling outputs from CivisML jobs. All data attributes are lazily retrieved and block on job completion. This object can be pickled.

Parameters `job_id` : int

ID of the modeling job

run_id : int

ID of the modeling run

train_job_id : int, optional

If not provided, this object is assumed to encapsulate a training job, and `train_job_id` will equal `job_id`.

train_run_id : int, optional

If not provided, this object is assumed to encapsulate a training run, and `train_run_id` will equal `run_id`.

polling_interval : int or float, optional

The number of seconds between API requests to check whether a result is ready. The default intelligently switches between a short interval if `pubnub` is not available and a long interval for `pubnub` backup if that library is installed.

client : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

poll_on_creation : bool, optional

If `True` (the default), it will poll upon calling `result()` the first time. If `False`, it will wait the number of seconds specified in `polling_interval` from object creation before polling.

See also:

`civis.futures.CivisFuture`, `concurrent.futures.Future`

Attributes

metadata	(dict, blocking) The metadata associated with this modeling job
metrics	(dict, blocking) Validation metrics from this job's training
validation_metadata	(dict, blocking) Metadata from this modeling job's validation run
train_metadata	(dict, blocking) Metadata from this modeling job's training run (will be identical to <i>metadata</i> if this is a training run)
estimator	(<code>sklearn.pipeline.Pipeline</code> , blocking) The fitted scikit-learn Pipeline resulting from this model run
table	(<code>pandas.DataFrame</code> , blocking) The table output from this modeling job: out-of-sample predictions on the training set for a training job, or a table of predictions for a prediction job. If the prediction job was split into multiple files (this happens automatically for large tables), this attribute will provide only predictions for the first file.
state	(str) The current state of the Civis Platform run
job_id	(int)
run_id	(int)
train_job_id	(int) Container ID for the training job – identical to <code>job_id</code> if this is a training job.
train_run_id	(int) As <code>train_job_id</code> but for runs
is_training	(bool) True if this <code>ModelFuture</code> corresponds to a train-validate job.

Methods

<code>cancel()</code>	Cancels the corresponding Platform job before completion
<code>succeeded()</code>	(Non-blocking) Is the job a success?
<code>failed()</code>	(Non-blocking) Did the job fail?
<code>cancelled()</code>	(Non-blocking) Was the job cancelled?
<code>running()</code>	(Non-blocking) Is the job still running?
<code>done()</code>	(Non-blocking) Is the job finished?
<code>result()</code>	(Blocking) Return the final status of the Civis Platform job.

`add_done_callback (fn)`

Attaches a callable that will be called when the future finishes.

Args:

fn: A callable that will be called with this future as its only argument when the future completes or is cancelled. The callable will always be called by a thread in the same process in which it was added. If the future has already completed or been cancelled then the callable will be called immediately. These callables are called in the order that they were added.

`cancel ()`

Submit a request to cancel the container/script/run.

Note: If this object represents a prediction run, `cancel` will only cancel the parent job. Child jobs will remain active.

Returns bool

Whether or not the run is in a cancelled state.

`cancelled ()`

Return True if the future was cancelled.

done()

Return True if the future was cancelled or finished executing.

exception (*timeout=None*)

Return the exception raised by the call that the future represents.

Args:

timeout: The number of seconds to wait for the exception if the future isn't done. If None, then there is no limit on the wait time.

Returns: The exception raised by the call that the future represents or None if the call completed without raising.

Raises: CanceledError: If the future was cancelled. TimeoutError: If the future didn't finish executing before the given timeout.

failed()

Return True if the Civis job failed.

result (*timeout=None*)

Return the result of the call that the future represents.

Args:

timeout: The number of seconds to wait for the result if the future isn't done. If None, then there is no limit on the wait time.

Returns: The result of the call that the future represents.

Raises: CanceledError: If the future was cancelled. TimeoutError: If the future didn't finish executing before the given timeout.

Exception: If the call raised then that exception will be raised.

running()

Return True if the future is currently executing.

set_exception (*exception*)

Sets the result of the future as being the given exception.

Should only be used by Executor implementations and unit tests.

set_result (*result*)

Sets the return value of work associated with the future.

Should only be used by Executor implementations and unit tests.

set_running_or_notify_cancel()

Mark the future as running or process any cancel notifications.

Should only be used by Executor implementations and unit tests.

If the future has been cancelled (cancel() was called and returned True) then any threads waiting on the future completing (though calls to as_completed() or wait()) are notified and False is returned.

If the future was not cancelled then it is put in the running state (future calls to running() will return True) and True is returned.

This method should be called by Executor implementations before executing the work associated with this future. If this method returns False then the work should not be executed.

Returns: False if the Future was cancelled, True otherwise.

Raises:

RuntimeError: if this method was already called or if `set_result()` or `set_exception()` was called.

succeeded()

Return True if the job completed in Civis with no error.

API Client

APIClient is a class for handling requests to the Civis API. An instantiated *APIClient* contains a set of resources (listed below) where each resource is an object with methods. By convention, an instantiated *APIClient* object is named `client` and API requests are made with the following syntax:

```
client = civis.APIClient()
response = client.resource.method(params)
```

The methods on *APIClient* are created dynamically at runtime by parsing an `collections.OrderedDict` representation of the Civis API specification. By default, this specification is downloaded from the `/endpoints` endpoint the first time *APIClient* is instantiated (and cached in memory for the remainder of the program's run). In some circumstances, it may be useful to use a local cache of the API specification rather than downloading the spec. This can be done by passing the specification to the client through the parameter `local_api_spec` as either the `collections.OrderedDict` or a filename where the specification has been saved.

```
api_key = os.environ['CIVIS_API_KEY']
spec = civis.resources.get_api_spec(api_key)

# From OrderedDict
client = civis.APIClient(local_api_spec=spec)

# From file
with open('local_api_spec.json', 'w') as f:
    json.dump(spec, f)
client = civis.APIClient(local_api_spec='local_api_spec.json')
```

class `civis.APIClient` (*api_key=None*, *return_type='snake'*, *retry_total=6*, *api_version='1.0'*, *resources='base'*, *local_api_spec=None*)

The Civis API client.

Parameters `api_key` : str, optional

Your API key obtained from the Civis Platform. If not given, the client will use the `CIVIS_API_KEY` environment variable.

return_type : str, optional

The following types are implemented:

- 'raw' Returns the raw `requests.Response` object.
- 'snake' Returns a `civis.response.Response` object for the json-encoded content of a response. This maps the top-level json keys to `snake_case`.
- 'pandas' Returns a `pandas.DataFrame` for list-like responses and a `pandas.Series` for single a json response.

retry_total : int, optional

A number indicating the maximum number of retries for 429, 502, 503, or 504 errors.

api_version : string, optional

The version of endpoints to call. May instantiate multiple client objects with different versions. Currently only “1.0” is supported.

resources : string, optional

When set to “base”, only the default endpoints will be exposed in the client object. Set to “all” to include all endpoints available for a given user, including those that may be in development and subject to breaking changes at a later date.

local_api_spec : collections.OrderedDict or string, optional

The methods on this class are dynamically built from the Civis API specification, which can be retrieved from the /endpoints endpoint. When local_api_spec is None, the default, this specification is downloaded the first time APIClient is instantiated. Alternatively, a local cache of the specification may be passed as either an OrderedDict or a filename which points to a json file.

Attributes

credentials	An instance of the <i>Credentials</i> endpoint
databases	An instance of the <i>Databases</i> endpoint
files	An instance of the <i>Files</i> endpoint
imports	An instance of the <i>Imports</i> endpoint
jobs	An instance of the <i>Jobs</i> endpoint
models	An instance of the <i>Models</i> endpoint
predictions	An instance of the <i>Predictions</i> endpoint
projects	An instance of the <i>Projects</i> endpoint
queries	An instance of the <i>Queries</i> endpoint
reports	An instance of the <i>Reports</i> endpoint
scripts	An instance of the <i>Scripts</i> endpoint
tables	An instance of the <i>Tables</i> endpoint
users	An instance of the <i>Users</i> endpoint

default_credential

The current user’s default credential.

get_aws_credential_id(cred_name, owner=None)

Find an AWS credential ID.

Parameters cred_name : str or int

If an integer ID is given, this passes through directly. If a str is given, return the ID corresponding to the AWS credential with that name.

owner : str, optional

Return the credential with this owner. If not provided, search for credentials under your username to disambiguate multiple credentials with the same name. Note that this function cannot return credentials which are not associated with an owner.

Returns aws_credential_id : int

The ID number of the AWS credentials.

Raises ValueError

If the AWS credential can’t be found.

Examples

```
>>> import civis
>>> client = civis.APIClient()
>>> client.get_aws_credential_id('jsmith')
1234
```

```
>>> client.get_aws_credential_id(1111)
1111
```

```
>>> client.get_aws_credential_id('shared-cred',
...                             owner='research-group')
99
```

get_database_credential_id(*username*, *database_name*)

Return the credential ID for a given username in a given database.

Parameters *username* : str or int

If an integer ID is given, this passes through directly. If a str is given, return the ID corresponding to the database credential with that username.

database_name : str or int

Return the ID of the database credential with username *username* for this database name or ID.

Returns *database_credential_id* : int

The ID of the database credentials.

Raises **ValueError**

If the credential can't be found.

Examples

```
>>> import civis
>>> client = civis.APIClient()
>>> client.get_database_credential_id('jsmith', 'redshift-general')
1234
```

```
>>> client.get_database_credential_id(1111, 'redshift-general')
1111
```

get_database_id(*database*)

Return the database ID for a given database name.

Parameters *database* : str or int

If an integer ID is given, passes through. If a str is given the database ID corresponding to that database name is returned.

Returns *database_id* : int

The ID of the database.

Raises **ValueError**

If the database can't be found.

get_table_id (*table*, *database*)

Return the table ID for a given database and table name.

Parameters *table* : str

The name of the table in format schema.table.

database : str or int

The name or ID of the database.

Returns *table_id* : int

The ID of the table. Only returns exact match to specified table.

Raises **ValueError**

If an exact table match can't be found.

username

The current user's username.

API Response Types

class `civis.response.Response` (*json_data*, *snake_case=True*, *headers=None*)

Custom Civis response object.

Notes

The main features of this class are that it maps camelCase to snake_case at the top level of the json object and attaches keys as attributes. Nested object keys are not changed.

Attributes

<i>json_data</i>	(dict None) This is <i>json_data</i> as it is originally returned to the user without the key names being changed. See Notes. None is used if the original response returned a 204 No Content response.
<i>headers</i>	(dict) This is the header for the API call without changing the key names.
<i>calls_remaining</i>	(int) Number of API calls remaining before rate limit is reached.
<i>rate_limit</i>	(int) Total number of calls per API rate limit period.

class `civis.response.PaginatedResponse` (*path*, *initial_params*, *endpoint*)

A response object that supports iteration.

Parameters *path* : str

Make GET requests to this path.

initial_params : dict

Query params that should be passed along with each request. Note that if *initial_params* contains the keys *page_num* or *limit*, they will be ignored. The given dict is not modified.

endpoint : *civis.base.Endpoint*

An endpoint used to make API requests.

Notes

This response is returned automatically by endpoints which support pagination when the *iterator* kwarg is specified.

Examples

```
>>> client = civis.APIClient()
>>> queries = client.queries.list(iterator=True)
>>> for query in queries:
...     print(query['id'])
```

class `civis.futures.CivisFuture` (*poller*, *poller_args*, *polling_interval=None*, *api_key=None*, *client=None*, *poll_on_creation=True*)

A class for tracking future results.

This class will attempt to subscribe to a Pubnub channel to listen for job completion events. If you don't have access to Pubnub channels, then it will fallback to polling.

This is a subclass of `concurrent.futures.Future` from the Python standard library. See: <https://docs.python.org/3/library/concurrent.futures.html>

Parameters *poller* : func

A function which returns an object that has a `state` attribute.

poller_args : tuple

The arguments with which to call the poller function.

polling_interval : int or float, optional

The number of seconds between API requests to check whether a result is ready.

api_key : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

client : `civis.APIClient`, optional

poll_on_creation : bool, optional

If `True` (the default), it will poll upon calling `result()` the first time. If `False`, it will wait the number of seconds specified in *polling_interval* from object creation before polling.

Examples

This example is provided as a function at `query_civis()`.

```
>>> client = civis.APIClient()
>>> database_id = client.get_database_id("my_database")
>>> cred_id = client.default_credential
>>> sql = "SELECT 1"
>>> preview_rows = 10
>>> response = client.queries.post(database_id, sql, preview_rows,
>>>                                credential=cred_id)
>>> job_id = response.id
```

```
>>>
>>> poller = client.queries.get
>>> poller_args = (job_id, ) # (job_id, run_id) if poller requires run_id
>>> polling_interval = 10
>>> future = CivisFuture(poller, poller_args, polling_interval)
```

API Resources

Credentials

class **Credentials** (*session*, *return_type*='civis')

Methods

<code>get(id)</code>	Get a credential
<code>list(**kwargs)</code>	List credentials
<code>post(username, password, type, **kwargs)</code>	Create or update a credential
<code>post_authenticate(remote_host_type, ...)</code>	Authenticate against a remote host
<code>post_temporary(id, **kwargs)</code>	Generate a temporary credential for accessing S3
<code>put(id, username, password, type, **kwargs)</code>	Update an existing credential

get (*id*)

Get a credential

Parameters *id* : integer

The ID of the credential.

Returns *description* : string

A long description of the credential.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

id : integer

The ID of the credential.

type : string

The credential's type.

name : string

The name identifying the credential

list (***kwargs*)

List credentials

Parameters **type** : string, optional

The type (or types) of credentials to return. One or more of: Amazon Web Services S3, BSD::API, CASS/NCOA PAF, Catalist::API, Catalist::SFTP, Certificate, Civis Platform, Custom, Database, Google, Github, JobTraits::Ftp, Salesforce User, Salesforce Client, Silverpop Application, Silverpop Refresh Token, Silverpop User, TableauUser, VAN::MyVoterFile, VAN::MyCampaign, and VAN::BothModes. Specify multiple values as a comma-separated list (e.g., "A,B").

default : boolean, optional

If true, will return a list with a single credential which is the current user's default credential.

limit : integer, optional

Number of results to return. Defaults to its maximum of 1000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, created_at, name.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **description** : string

A long description of the credential.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

id : integer

The ID of the credential.

type : string

The credential's type.

name : string

The name identifying the credential

post (*username, password, type, **kwargs*)

Create or update a credential

Parameters **username** : string

The username for the credential.

password : string

The password for the credential.

type : string

remote_host : dict, optional:

```
- url : string
    The URL to your host.
- type : string
    The type of remote host. One of: RemoteHostTypes::BSD,
    RemoteHostTypes::Ftp, RemoteHostTypes::Github,
    RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC,
    RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and
    RemoteHostTypes::Van
- name : string
    The human readable name for the remote host.
```

remote_host_id : integer, optional

The ID of the remote host associated with the credential.

description : string, optional

A long description of the credential.

name : string, optional

The name identifying the credential.

Returns **description** : string

A long description of the credential.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

id : integer

The ID of the credential.

type : string

The credential's type.

name : string

The name identifying the credential

post_authenticate (*remote_host_type, username, url, password*)

Authenticate against a remote host

Parameters **remote_host_type** : string

The type of remote host. One of: RemoteHostTypes::BSD, RemoteHostTypes::Ftp, RemoteHostTypes::Github, RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC, RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and RemoteHostTypes::Van

username : string

The username for the credential.

url : string

The URL to your host.

password : string

The password for the credential.

Returns **description** : string

A long description of the credential.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

id : integer

The ID of the credential.

type : string

The credential's type.

name : string

The name identifying the credential

post_temporary (*id*, ***kwargs*)

Generate a temporary credential for accessing S3

Parameters **id** : integer

The ID of the credential.

duration : integer, optional

The number of seconds the temporary credential should be valid. Defaults to 15 minutes. Must not be less than 15 minutes or greater than 36 hours.

Returns **session_token** : string

The session token identifier.

secret_access_key : string

The secret part of the credential.

access_key : string

The identifier of the credential.

put (*id*, *username*, *password*, *type*, ***kwargs*)

Update an existing credential

Parameters **id** : integer

The ID of the credential.

username : string

The username for the credential.

password : string

The password for the credential.

type : string

remote_host : dict, optional:

```
- url : string
    The URL to your host.
- type : string
    The type of remote host. One of: RemoteHostTypes::BSD,
```



```

RemoteHostTypes::Ftp, RemoteHostTypes::Github,
RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC,
RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and
RemoteHostTypes::Van
- name : string
    The human readable name for the remote host.

```

remote_host_id : integer, optional

The ID of the remote host associated with the credential.

description : string, optional

A long description of the credential.

name : string, optional

The name identifying the credential.

Returns description : string

A long description of the credential.

created_at : string/time

The creation time for this credential.

remote_host_name : string

The name of the remote host associated with this credential.

updated_at : string/time

The last modification time for this credential.

remote_host_id : integer

The ID of the remote host associated with this credential.

owner : string

The name of the user who this credential belongs to.

username : string

The username for the credential.

id : integer

The ID of the credential.

type : string

The credential's type.

name : string

The name identifying the credential

Databases

class Databases (*session*, *return_type*='civis')

Methods

<code>delete_whitelist_ips(id, whitelisted_ip_id)</code>	Remove a whitelisted IP address
<code>get_whitelist_ips(id, whitelisted_ip_id)</code>	View details about a whitelisted IP
<code>list()</code>	List databases
<code>list_schemas(id)</code>	List schemas in this database
<code>list_whitelist_ips(id)</code>	List whitelisted IPs for the specified database
<code>post_whitelist_ips(id, subnet_mask)</code>	Whitelist an IP address

delete_whitelist_ips (*id*, *whitelisted_ip_id*)

Remove a whitelisted IP address

Parameters *id* : integer

The ID of the database this rule is applied to.

whitelisted_ip_id : integer

The ID of this whitelisted IP address.

Returns None

Response code 204: success

get_whitelist_ips (*id*, *whitelisted_ip_id*)

View details about a whitelisted IP

Parameters *id* : integer

The ID of the database this rule is applied to.

whitelisted_ip_id : integer

The ID of this whitelisted IP address.

Returns **created_at** : string/time

The time this rule was created.

is_active : boolean

True if the rule is applied, false if it has been revoked.

security_group_id : string

The ID of the security group this rule is applied to.

subnet_mask : string

The subnet mask that is allowed by this rule.

remote_host_id : integer

The ID of the database this rule is applied to.

authorized_by : string

The user who authorized this rule.

updated_at : string/time

The time this rule was last updated.

id : integer

The ID of this whitelisted IP address.

list()

List databases

Returns name : string

The name of the database.

id : integer

The ID for the database.

list_schemas(id)

List schemas in this database

Parameters id : integer

The ID of the database.

Returns schema : string

The name of a schema.

list_whitelist_ips(id)

List whitelisted IPs for the specified database

Parameters id : integer

The ID for the database.

Returns created_at : string/time

The time this rule was created.

security_group_id : string

The ID of the security group this rule is applied to.

subnet_mask : string

The subnet mask that is allowed by this rule.

remote_host_id : integer

The ID of the database this rule is applied to.

updated_at : string/time

The time this rule was last updated.

id : integer

The ID of this whitelisted IP address.

post_whitelist_ips(id, subnet_mask)

Whitelist an IP address

Parameters id : integer

The ID of the database this rule is applied to.

subnet_mask : string

The subnet mask that is allowed by this rule.

Returns created_at : string/time

The time this rule was created.

is_active : boolean

True if the rule is applied, false if it has been revoked.

security_group_id : string

The ID of the security group this rule is applied to.

subnet_mask : string

The subnet mask that is allowed by this rule.

remote_host_id : integer

The ID of the database this rule is applied to.

authorized_by : string

The user who authorized this rule.

updated_at : string/time

The time this rule was last updated.

id : integer

The ID of this whitelisted IP address.

Files

class Files (*session*, *return_type*='civis')

Methods

<i>delete_projects</i> (id, project_id)	Remove a Data::S3File from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Get details about a file
<i>list_projects</i> (id)	List the projects a Data::S3File belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>post</i> (name, **kwargs)	Initiate an upload of a file into the platform
<i>put_projects</i> (id, project_id)	Add a Data::S3File to a project
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, permission_level, user_ids)	Set the permissions users have on this object

delete_projects (*id*, *project_id*)

Remove a Data::S3File from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Get details about a file

Parameters **id** : integer

The ID of the file object.

Returns **expires_at** : string/date-time

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

created_at : string/date-time

The date and time the file was created.

download_url : string

A JSON string containing information about the URL of the file.

file_size : integer

The file size.

id : integer

The ID of the file object.

file_url : string

The URL that may be used to download the file.

name : string

The file name.

list_projects (*id*)

List the projects a Data::S3File belongs to

Parameters **id** : integer

The ID of the resource.

Returns `archived` : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_shares (*id*)

List users and groups permissioned on this object

Parameters `id` : integer

The ID of the object.

Returns `writers` : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

post (*name*, ***kwargs*)

Initiate an upload of a file into the platform

Parameters **name** : string

The file name.

expires_at : string/date-time, optional

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

Returns **expires_at** : string/date-time

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

upload_url : string

The URL that may be used to upload a file. To use the upload URL, initiate a POST request to the given URL with the file you wish to import as the “file” form field.

created_at : string/date-time

The date and time the file was created.

upload_fields : dict

A hash containing the form fields to be included with the POST request.

file_size : integer

The file size.

id : integer

The ID of the file object.

name : string

The file name.

put_projects (*id*, *project_id*)

Add a Data::S3File to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns *writers* : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

Imports

class Imports (*session*, *return_type*='civis')

Methods

<i>delete_files_runs</i> (<i>id</i> , <i>run_id</i>)	Cancel a run
<i>delete_projects</i> (<i>id</i> , <i>project_id</i>)	Remove a JobTypes::Import from a project
<i>delete_shares_groups</i> (<i>id</i> , <i>group_id</i>)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (<i>id</i> , <i>user_id</i>)	Revoke the permissions a user has on this object
<i>delete_syncs</i> (<i>id</i> , <i>sync_id</i>)	Delete a sync
<i>get</i> (<i>id</i>)	Get details about an import
<i>get_batches</i> (<i>id</i>)	Get details about a batch import
<i>get_files_runs</i> (<i>id</i> , <i>run_id</i>)	Check status of a run
<i>list</i> (** <i>kwargs</i>)	List imports
<i>list_batches</i> (** <i>kwargs</i>)	List batch imports
<i>list_files_runs</i> (<i>id</i> , ** <i>kwargs</i>)	List runs for the given import
<i>list_projects</i> (<i>id</i>)	List the projects a JobTypes::Import belongs to
<i>list_runs</i> (<i>id</i>)	Get the run history of this import
<i>list_shares</i> (<i>id</i>)	List users and groups permissioned on this object
<i>post</i> (<i>is_outbound</i> , <i>sync_type</i> , <i>name</i> , ** <i>kwargs</i>)	Create a new import configuration
<i>post_batches</i> (<i>credential_id</i> , <i>remote_host_id</i> , ...)	Upload multiple files to Redshift
<i>post_cancel</i> (<i>id</i>)	Cancel a run
<i>post_files</i> (<i>credential_id</i> , <i>remote_host_id</i> , ...)	Initate an import of a tabular file into the platform
<i>post_files_runs</i> (<i>id</i>)	Start a run
<i>post_runs</i> (<i>id</i>)	Run an import
<i>post_syncs</i> (<i>id</i> , <i>source</i> , <i>destination</i> , ** <i>kwargs</i>)	Create a sync
<i>put</i> (<i>id</i> , <i>is_outbound</i> , <i>sync_type</i> , <i>name</i> , ** <i>kwargs</i>)	Update an import
<i>put_archive</i> (<i>id</i> , <i>status</i>)	Update the archive status of this object
<i>put_projects</i> (<i>id</i> , <i>project_id</i>)	Add a JobTypes::Import to a project
<i>put_shares_groups</i> (<i>id</i> , <i>group_ids</i> , ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (<i>id</i> , <i>permission_level</i> , <i>user_ids</i>)	Set the permissions users have on this object
<i>put_syncs</i> (<i>id</i> , <i>sync_id</i> , <i>source</i> , <i>destination</i> , ...)	Update a sync

delete_files_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the import.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_projects (*id*, *project_id*)

Remove a JobTypes::Import from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_syncs (*id, sync_id*)

Delete a sync

Parameters **id** : integer

The ID of the import to fetch.

sync_id : integer

The ID of the sync to fetch.

Returns None

Response code 204: success

get (*id*)

Get details about an import

Parameters **id** : integer

The ID for the import.

Returns **is_outbound** : boolean

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

archived : string

The archival status of the requested object(s).

time_zone : string

The time zone of this import.

next_run_at : string/time

The time of the next scheduled run.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

destination : dict:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳imports. For
    salesforce imports, the first and only element is the client_
↳credential
    id.
- remote_host_id : integer
- name : string
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

created_at : string/date-time

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
```

```
Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : dict:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
- name : string
```

updated_at : string/date-time

parent_id : integer

Parent id to trigger this import from

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳ hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

id : integer

The ID for the import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
  - partition_table_partition_column_min_name : string
  - wipe_destination_table : boolean
  - export_action : string
  - sortkey2 : string
  - max_errors : integer
  - partition_table_partition_column_max_name : string
  - partition_schema_name : string
  - contact_lists : string
  - identity_column : string
  - first_row_is_header : boolean
  - sql_query : string
  - last_modified_column : string
  - invalid_char_replacement : string
  - soql_query : string
  - partition_table_name : string
  - existing_table_rows : string
  - distkey : string
  - truncate_long_lines : boolean
  - verify_table_row_counts : boolean
  - sortkey1 : string
  - column_delimiter : string
  - row_chunk_size : integer
  - partition_column_name : string
  - mysql_catalog_matches_schema : boolean
- destination : dict::
  - path : string
    The schema.tablename to sync to.
- source : dict::
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
  - id : integer
    The ID of the table or file, if available.
- id : integer
```

name : string

The name of the import.

get_batches (*id*)

Get details about a batch import

Parameters **id** : integer

The ID for the import.

Returns **hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

finished_at : string/time

The time the last run completed.

remote_host_id : integer

The ID of the destination database host.

started_at : string/time

The time the last run started at.

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

state : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

schema : string

The destination schema name. This schema must already exist in Redshift.

error : string

The error returned by the run, if any.

id : integer

The ID for the import.

get_files_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the import.

run_id : integer

The ID of the run.

Returns **finished_at** : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of ‘queued’ ‘running’ ‘succeeded’ ‘failed’ or ‘cancelled’.

import_id : integer

The ID of the import.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list (***kwargs*)

List imports

Parameters **type** : string, optional

If specified, return imports of these types. It accepts a comma-separated list, possible values are 'AutoImport', 'DbSync', 'Salesforce', 'GdocImport'.

author : string, optional

If specified, return imports from this author. It accepts a comma-separated list of author ids.

destination : string, optional

If specified, returns imports with one of these destinations. It accepts a comma-separated list of remote host ids.

status : string, optional

If specified, returns imports with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at, last_run.updated_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **is_outbound** : boolean

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

archived : string

The archival status of the requested object(s).

time_zone : string

The time zone of this import.

destination : dict:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
- name : string
```

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

created_at : string/date-time

source : dict:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
- name : string
```

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

state : string

id : integer

The ID for the import.

updated_at : string/date-time

name : string

The name of the import.

list_batches (**kwargs)

List batch imports

Parameters **limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, created_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **finished_at** : string/time

The time the last run completed.

remote_host_id : integer

The ID of the destination database host.

started_at : string/time

The time the last run started at.

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

state : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

schema : string

The destination schema name. This schema must already exist in Redshift.

error : string

The error returned by the run, if any.

id : integer

The ID for the import.

list_files_runs (*id*, ***kwargs*)

List runs for the given import

Parameters **id** : integer

The ID of the import.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **finished_at** : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

import_id : integer

The ID of the import.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_projects (*id*)

List the projects a JobTypes::Import belongs to

Parameters `id` : integer

The ID of the resource.

Returns `archived` : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_runs (*id*)

Get the run history of this import

Parameters `id` : integer

Returns `created_at` : string/time

The time that the run was queued.

started_at : string/time

The time that the run started.

state : string

finished_at : string/time

The time that the run completed.

error : string

The error message for this run, if present.

id : integer

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

post (*is_outbound*, *sync_type*, *name*, ***kwargs*)

Create a new import configuration

Parameters **is_outbound** : boolean

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

name : string

The name of the import.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

next_run_at : string/time, optional

The time of the next scheduled run.

source : dict, optional:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- remote_host_id : integer
```

parent_id : integer, optional

Parent id to trigger this import from

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

time_zone : string, optional

The time zone of this import.

destination : dict, optional:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
```

Returns is_outbound : boolean

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

archived : string

The archival status of the requested object(s).

time_zone : string

The time zone of this import.

next_run_at : string/time

The time of the next scheduled run.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

destination : dict:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
- name : string
```

notifications : dict:


```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

created_at : string/date-time

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : dict:

```

- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific,
↳imports. For
    salesforce imports, the first and only element is the client,
↳credential
    id.
- remote_host_id : integer
- name : string

```

updated_at : string/date-time

parent_id : integer

Parent id to trigger this import from

user : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.

```

```
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

id : integer

The ID for the import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
    - partition_table_partition_column_min_name : string
    - wipe_destination_table : boolean
    - export_action : string
    - sortkey2 : string
    - max_errors : integer
    - partition_table_partition_column_max_name : string
    - partition_schema_name : string
    - contact_lists : string
    - identity_column : string
    - first_row_is_header : boolean
    - sql_query : string
    - last_modified_column : string
    - invalid_char_replacement : string
    - soql_query : string
    - partition_table_name : string
    - existing_table_rows : string
    - distkey : string
    - truncate_long_lines : boolean
    - verify_table_row_counts : boolean
    - sortkey1 : string
    - column_delimiter : string
    - row_chunk_size : integer
    - partition_column_name : string
    - mysql_catalog_matches_schema : boolean
- destination : dict::
    - path : string
```

```

    The schema.tablename to sync to.
- source : dict::
    - path : string
        The path of the dataset to sync from; for a database source,
        schema.tablename.
    - id : integer
        The ID of the table or file, if available.
- id : integer

```

name : string

The name of the import.

post_batches (*credential_id, remote_host_id, file_ids, table, schema, **kwargs*)

Upload multiple files to Redshift

Parameters **credential_id** : integer

The ID of the credentials to be used when performing the database import.

remote_host_id : integer

The ID of the destination database host.

file_ids : list

The file IDs for the import.

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

schema : string

The destination schema name. This schema must already exist in Redshift.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

column_delimiter : string, optional

The column delimiter for the file. Valid arguments are “comma”, “tab”, and “pipe”. If unspecified, defaults to “comma”.

compression : string, optional

The type of compression. Valid arguments are “gzip”, “zip”, and “none”. If unspecified, defaults to “gzip”.

first_row_is_header : boolean, optional

A boolean value indicating whether or not the first row is a header row. If unspecified, defaults to false.

Returns **hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

finished_at : string/time

The time the last run completed.

remote_host_id : integer

The ID of the destination database host.

started_at : string/time

The time the last run started at.

table : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

state : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

schema : string

The destination schema name. This schema must already exist in Redshift.

error : string

The error returned by the run, if any.

id : integer

The ID for the import.

post_cancel (*id*)

Cancel a run

Parameters id : integer

The ID of the job.

Returns is_cancel_requested : boolean

True if run cancel requested, else false.

state : string

The state of the run, one of ‘queued’, ‘running’ or ‘cancelled’.

id : integer

The ID of the run.

post_files (*credential_id*, *remote_host_id*, *schema*, *name*, ***kwargs*)

Initiate an import of a tabular file into the platform

Parameters credential_id : integer

The id of the credentials to be used when performing the database import.

remote_host_id : integer

The id of the destination database host.

schema : string

The schema of the destination table.

name : string

The name of the destination table.

existing_table_rows : string, optional

The behaviour if a table with the requested name already exists. One of “fail”, “truncate”, “append”, or “drop”. Defaults to “fail”.

distkey : string, optional

The column to use as the distkey for the table.

sortkey2 : string, optional

The second column in a compound sortkey for the table.

max_errors : integer, optional

The maximum number of rows with errors to remove from the import before failing.

first_row_is_header : boolean, optional

A boolean value indicating whether or not the first row is a header row. If first_row_is_header is null or omitted, it will be auto-detected.

sortkey1 : string, optional

The column to use as the sort key for the table.

column_delimiter : string, optional

The column delimiter of the file. If column_delimiter is null or omitted, it will be auto-detected. Valid arguments are “comma”, “tab”, and “pipe”.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

multipart : boolean, optional

If true, the upload URI will require a *multipart/form-data* POST request. Defaults to false.

Returns upload_uri : string

The URI which may be used to upload a tabular file for import. You must use this URI to upload the file you wish imported and then inform the Civis API when your upload is complete using the URI given by the runUri field of this response.

upload_fields : dict

If multipart was set to true, these fields should be included in the multipart upload.

run_uri : string

The URI to POST to once the file upload is complete. After uploading the file using the URI given in the uploadUri attribute of the response, POST to this URI to initiate the import of your uploaded file into the platform.

id : integer

The id of the import.

post_files_runs (*id*)

Start a run

Parameters id : integer

The ID of the import.

Returns finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

import_id : integer

The ID of the import.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

post_runs (*id*)

Run an import

Parameters **id** : integer

The ID of the import to run.

Returns **run_id** : integer

The ID of the new run triggered.

post_syncs (*id*, *source*, *destination*, ***kwargs*)

Create a sync

Parameters **id** : integer

source : dict:

```
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
```

destination : dict:

```
- path : string
    The schema.tablename to sync to.
```

advanced_options : dict, optional:

```
- partition_table_partition_column_min_name : string
- wipe_destination_table : boolean
- export_action : string
- sortkey2 : string
- max_errors : integer
- partition_table_partition_column_max_name : string
- partition_schema_name : string
- contact_lists : string
- identity_column : string
- first_row_is_header : boolean
- sql_query : string
```

```
- last_modified_column : string
- invalid_char_replacement : string
- soql_query : string
- partition_table_name : string
- existing_table_rows : string
- distkey : string
- truncate_long_lines : boolean
- verify_table_row_counts : boolean
- sortkey1 : string
- column_delimiter : string
- row_chunk_size : integer
- partition_column_name : string
- mysql_catalog_matches_schema : boolean
```

Returns `advanced_options` : dict:

```
- partition_table_partition_column_min_name : string
- wipe_destination_table : boolean
- export_action : string
- sortkey2 : string
- max_errors : integer
- partition_table_partition_column_max_name : string
- partition_schema_name : string
- contact_lists : string
- identity_column : string
- first_row_is_header : boolean
- sql_query : string
- last_modified_column : string
- invalid_char_replacement : string
- soql_query : string
- partition_table_name : string
- existing_table_rows : string
- distkey : string
- truncate_long_lines : boolean
- verify_table_row_counts : boolean
- sortkey1 : string
- column_delimiter : string
- row_chunk_size : integer
- partition_column_name : string
- mysql_catalog_matches_schema : boolean
```

destination : dict:

```
- path : string
    The schema.tablename to sync to.
```

source : dict:

```
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
- id : integer
    The ID of the table or file, if available.
```

id : integer

put (*id*, *is_outbound*, *sync_type*, *name*, ***kwargs*)
Update an import

Parameters `id` : integer

The ID for the import.

is_outbound : boolean

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

name : string

The name of the import.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

next_run_at : string/time, optional

The time of the next scheduled run.

source : dict, optional:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- remote_host_id : integer
```

parent_id : integer, optional

Parent id to trigger this import from

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```



```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

time_zone : string, optional

The time zone of this import.

destination : dict, optional:

```

- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- remote_host_id : integer

```

Returns is_outbound : boolean

sync_type : string

The type of sync to perform; one of DbSync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

archived : string

The archival status of the requested object(s).

time_zone : string

The time zone of this import.

next_run_at : string/time

The time of the next scheduled run.

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

destination : dict:

```

- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.

```

```
- remote_host_id : integer
- name : string
```

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

created_at : string/date-time

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : dict:

```
- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳imports. For
    salesforce imports, the first and only element is the client_
↳credential
    id.
- remote_host_id : integer
- name : string
```

updated_at : string/date-time

parent_id : integer

Parent id to trigger this import from

user : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

state : string

id : integer

The ID for the import.

syncs : list:

```

List of syncs.
- advanced_options : dict::
    - partition_table_partition_column_min_name : string
    - wipe_destination_table : boolean
    - export_action : string
    - sortkey2 : string
    - max_errors : integer
    - partition_table_partition_column_max_name : string
    - partition_schema_name : string
    - contact_lists : string
    - identity_column : string
    - first_row_is_header : boolean
    - sql_query : string
    - last_modified_column : string
    - invalid_char_replacement : string
    - soql_query : string
    - partition_table_name : string
    - existing_table_rows : string
    - distkey : string
    - truncate_long_lines : boolean
    - verify_table_row_counts : boolean
    - sortkey1 : string

```

```
- column_delimiter : string
- row_chunk_size : integer
- partition_column_name : string
- mysql_catalog_matches_schema : boolean
- destination : dict::
  - path : string
    The schema.tablename to sync to.
- source : dict::
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
  - id : integer
    The ID of the table or file, if available.
- id : integer
```

name : string

The name of the import.

put_archive (*id*, *status*)

Update the archive status of this object

Parameters *id* : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns *is_outbound* : boolean

sync_type : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

archived : string

The archival status of the requested object(s).

time_zone : string

The time zone of this import.

next_run_at : string/time

The time of the next scheduled run.

last_run : dict:

```
- created_at : string/time
  The time that the run was queued.
- started_at : string/time
  The time that the run started.
- state : string
- finished_at : string/time
  The time that the run completed.
- error : string
  The error message for this run, if present.
- id : integer
```

destination : dict:

```

- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
- name : string

```

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

created_at : string/date-time

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : dict:

```

- credential_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳ imports. For
    salesforce imports, the first and only element is the client_
↳ credential
    id.
- remote_host_id : integer
- name : string

```

updated_at : string/date-time

parent_id : integer

Parent id to trigger this import from

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

id : integer

The ID for the import.

syncs : list:

```
List of syncs.
- advanced_options : dict::
    - partition_table_partition_column_min_name : string
    - wipe_destination_table : boolean
    - export_action : string
    - sortkey2 : string
    - max_errors : integer
    - partition_table_partition_column_max_name : string
    - partition_schema_name : string
    - contact_lists : string
    - identity_column : string
    - first_row_is_header : boolean
    - sql_query : string
    - last_modified_column : string
    - invalid_char_replacement : string
    - soql_query : string
    - partition_table_name : string
```

```

- existing_table_rows : string
- distkey : string
- truncate_long_lines : boolean
- verify_table_row_counts : boolean
- sortkey1 : string
- column_delimiter : string
- row_chunk_size : integer
- partition_column_name : string
- mysql_catalog_matches_schema : boolean
- destination : dict::
  - path : string
    The schema.tablename to sync to.
- source : dict::
  - path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
  - id : integer
    The ID of the table or file, if available.
- id : integer

```

name : string

The name of the import.

put_projects (*id*, *project_id*)

Add a JobTypes::Import to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```

- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer

```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:


```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_syncs (*id*, *sync_id*, *source*, *destination*, ***kwargs*)
Update a sync

Parameters *id* : integer

The ID of the import to fetch.

sync_id : integer

The ID of the sync to fetch.

source : dict:

```
- path : string
  The path of the dataset to sync from; for a database source,
  schema.tablename.
```

destination : dict:

```
- path : string
  The schema.tablename to sync to.
```

advanced_options : dict, optional:

```
- partition_table_partition_column_min_name : string
- wipe_destination_table : boolean
- export_action : string
- sortkey2 : string
- max_errors : integer
- partition_table_partition_column_max_name : string
- partition_schema_name : string
- contact_lists : string
- identity_column : string
- first_row_is_header : boolean
- sql_query : string
- last_modified_column : string
- invalid_char_replacement : string
- soql_query : string
- partition_table_name : string
- existing_table_rows : string
- distkey : string
- truncate_long_lines : boolean
- verify_table_row_counts : boolean
- sortkey1 : string
```

```
- column_delimiter : string
- row_chunk_size : integer
- partition_column_name : string
- mysql_catalog_matches_schema : boolean
```

Returns `advanced_options` : dict:

```
- partition_table_partition_column_min_name : string
- wipe_destination_table : boolean
- export_action : string
- sortkey2 : string
- max_errors : integer
- partition_table_partition_column_max_name : string
- partition_schema_name : string
- contact_lists : string
- identity_column : string
- first_row_is_header : boolean
- sql_query : string
- last_modified_column : string
- invalid_char_replacement : string
- soql_query : string
- partition_table_name : string
- existing_table_rows : string
- distkey : string
- truncate_long_lines : boolean
- verify_table_row_counts : boolean
- sortkey1 : string
- column_delimiter : string
- row_chunk_size : integer
- partition_column_name : string
- mysql_catalog_matches_schema : boolean
```

destination : dict:

```
- path : string
    The schema.tablename to sync to.
```

source : dict:

```
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
- id : integer
    The ID of the table or file, if available.
```

id : integer

Jobs

class `Jobs` (*session*, *return_type*='civis')

Methods

`delete_projects`(*id*, *project_id*)

Remove a Job from a project

Continued on next page

Table 5.8 – continued from previous page

<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Show basic job info
<i>get_runs</i> (id, run_id)	Check status of a job
<i>list</i> (**kwargs)	List jobs
<i>list_children</i> (id)	Show nested tree of children that this job triggers
<i>list_parents</i> (id)	Show chain of parents as a list that this job triggers from
<i>list_projects</i> (id)	List the projects a Job belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>post_runs</i> (id)	Run a job
<i>post_trigger_email</i> (id)	Generate and retrieve trigger email address
<i>put_projects</i> (id, project_id)	Add a Job to a project
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, permission_level, user_ids)	Set the permissions users have on this object

delete_projects (id, project_id)

Remove a Job from a project

Parameters id : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (id, group_id)

Revoke the permissions a group has on this object

Parameters id : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (id, user_id)

Revoke the permissions a user has on this object

Parameters id : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (id)

Show basic job info

Parameters `id` : integer

The ID for this job.

Returns `last_run` : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

created_at : string/date-time

updated_at : string/date-time

archived : string

The archival status of the requested object(s).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

Whether the job is idle, queued, running, cancelled, or failed.

runs : list:

```
Information about the most recent runs of the job.
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

id : integer

type : string

name : string

get_runs (*id*, *run_id*)

Check status of a job

Parameters `id` : integer

The ID of the Job.

run_id : integer

The ID of the Run.

Returns `created_at` : string/time

The time that the run was queued.

started_at : string/time

The time that the run started.

state : string

finished_at : string/time

The time that the run completed.

error : string

The error message for this run, if present.

id : integer

list (***kwargs*)

List jobs

Parameters **limit** : integer, optional

The maximum number of jobs to return.

state : string, optional

The job's state. One or more of queued, running, succeeded, failed, and cancelled. Specify multiple values as a comma-separated list (e.g., "A,B").

type : string, optional

The job's type. Specify multiple values as a comma-separated list (e.g., "A,B").

q : string, optional

Query string to search on the id, name, and job type

permission : string, optional

A permissions string, one of "read", "write", or "manage". Lists only jobs for which the current user has that permission.

archived : string, optional

The archival status of the requested object(s).

Returns `last_run` : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

created_at : string/date-time

updated_at : string/date-time

archived : string

The archival status of the requested object(s).

state : string

Whether the job is idle, queued, running, cancelled, or failed.

id : integer

type : string

name : string

list_children (*id*)

Show nested tree of children that this job triggers

Parameters **id** : integer

The ID for this job.

Returns **last_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

created_at : string/date-time

children : list

updated_at : string/date-time

state : string

runs : list:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

id : integer

type : string

name : string

list_parents (*id*)

Show chain of parents as a list that this job triggers from

Parameters **id** : integer

The ID for this job.

Returns **last_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

created_at : string/date-time

updated_at : string/date-time

archived : string

The archival status of the requested object(s).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

Whether the job is idle, queued, running, cancelled, or failed.

runs : list:

```
Information about the most recent runs of the job.
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

id : integer

type : string

name : string

list_projects (*id*)

List the projects a Job belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

post_runs (*id*)

Run a job

Parameters *id* : integer

The ID for this job.

Returns *created_at* : string/time

The time that the run was queued.

started_at : string/time

The time that the run started.

state : string

finished_at : string/time

The time that the run completed.

error : string

The error message for this run, if present.

id : integer

post_trigger_email (*id*)

Generate and retrieve trigger email address

Parameters *id* : integer

The ID for this job.

Returns *trigger_email* : string

Email address which may be used to trigger this job to run.

put_projects (*id*, *project_id*)

Add a Job to a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id, group_ids, permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_shares_users (*id, permission_level, user_ids*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns writers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

Models

class Models (*session*, *return_type*='civis')

Methods

<code>delete_builds(id, build_id)</code>	Cancel a build
<code>delete_projects(id, project_id)</code>	Remove a models from a project
<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
Continued on next page	

Table 5.9 – continued from previous page

<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Retrieve model configuration
<i>get_builds</i> (id, build_id)	Check status of a build
<i>list</i> (**kwargs)	List models
<i>list_builds</i> (id, **kwargs)	List builds for the given model
<i>list_projects</i> (id)	List the projects a models belongs to
<i>list_schedules</i> (id)	Show the model build schedule
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>list_types</i> ()	List all available model types
<i>patch</i> (id, **kwargs)	Update model configuration
<i>post</i> (**kwargs)	Create new configuration for a model
<i>post_builds</i> (id)	Start a build
<i>put_archive</i> (id, status)	Update the archive status of this object
<i>put_predictions</i> (id, primary_key, table_name, ...)	Add a table on which to apply the predictive model
<i>put_projects</i> (id, project_id)	Add a models to a project
<i>put_schedules</i> (id, schedule)	Schedule the model build
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, permission_level, user_ids)	Set the permissions users have on this object

delete_builds (*id*, *build_id*)

Cancel a build

Parameters *id* : integer

The ID of the model.

build_id : integer

The ID of the build.

Returns None

Response code 202: success

delete_projects (*id*, *project_id*)

Remove a models from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Retrieve model configuration

Parameters *id* : integer

The ID of the model.

Returns *number_of_folds* : integer

Number of folds for cross validation. Default value is 5.

current_build_exception : string

Exception message, if applicable, of the current model build.

database_id : integer

The ID of the database holding the training set table used to build the model.

interaction_terms : boolean

Whether to search for interaction terms.

time_zone : string

The time zone of this model.

description : string

A description of the model.

current_build_state : string

The status of the current model build. One of “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
```

```
The error message for this run, if present.  
- id : integer
```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

created_at : string/date-time

The time the model was created.

running_as : dict:

```
- username : string  
    This user's username.  
- online : boolean  
    Whether this user is online.  
- name : string  
    This user's name.  
- initials : string  
    This user's initials.  
- id : integer  
    The ID of this user.
```

parent_id : integer

The ID of the parent job that will trigger this model.

user : dict:

```
- username : string  
    This user's username.  
- online : boolean  
    Whether this user is online.  
- name : string  
    This user's name.  
- initials : string  
    This user's initials.  
- id : integer  
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list  
    Day based on numeric value starting at 0 for Sunday  
- scheduled : boolean  
    If the object is scheduled  
- scheduled_minutes : list  
    Minutes of the day it is scheduled on  
- scheduled_hours : list  
    Hours of the day it is scheduled on  
- scheduled_runs_per_hour : integer  
    Alternative to scheduled minutes, number of times to run per_  
↪hour
```

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

dependent_variable : string

The dependent variable of the training dataset.

archived : string

The archival status of the requested object(s).

predictions : list:

The tables upon which the model will be applied.

- primary_key : list
The primary key **or** composite keys of the table being predicted.
- table_name : string
The qualified name of the table on which to apply the **predictive model**.
- schedule : dict::
 - scheduled_days : list
Day based on numeric value starting at 0 **for** Sunday
 - scheduled : boolean
If the **object is** scheduled
 - scheduled_minutes : list
Minutes of the day it **is** scheduled on
 - scheduled_hours : list
Hours of the day it **is** scheduled on
 - scheduled_runs_per_hour : integer
Alternative to scheduled minutes, number of times to run **per hour**
- limiting_sql : string
A SQL WHERE clause used to scope the rows to be predicted.
- state : string
The status of the prediction. One of: "succeeded", "failed", "queued", **or** "running", **or** "idle", **if** no build has been attempted.
- output_table : string
The qualified name of the table to be created which will **contain the model's predictions**.
- id : integer
The ID of the model to which to apply the prediction.

primary_key : string

The unique ID (primary key) of the training dataset.

active_build_id : integer

The ID of the current active build, the build used to score predictions.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

builds : list:

A **list** of trained models available **for** making predictions.

- r_squared_error : number/float
A key metric **for** continuous models. Nil **for** other model types.

```
- created_at : string
    The time the model build was created.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil
↳ for other
    model types.
- root_mean_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- description : string
    A description of the model build.
- id : integer
    The ID of the model build.
- name : string
    The name of the model build.
```

model_name : string

The name of the model.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↳ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

table_name : string

The qualified name of the table containing the training set from which to build the model.

last_output_location : string

The output JSON for the last build.

model_type_id : integer

The ID of the model's type.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

updated_at : string/date-time

The time the model was updated.

id : integer

The ID of the model.

get_builds (*id*, *build_id*)

Check status of a build

Parameters **id** : integer

The ID of the model.

build_id : integer

The ID of the build.

Returns **r_squared_error** : number/float

A key metric for continuous models. Nil for other model types.

roc_auc : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

description : string

A description of the model build.

transformation_metadata : string

A string representing the full JSON output of the metadata for transformation of column names

name : string

The name of the model build.

output : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

output_location : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

created_at : string

The time the model build was created.

root_mean_squared_error : number/float

A key metric for continuous models. Nil for other model types.

state : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the build.

id : integer

The ID of the model build.

list (**kwargs)

List models

Parameters **model_name** : string, optional

If specified, will be used to filter the models returned. Substring matching is supported. (e.g., “modelName=model” will return both “model1” and “my model”).

training_table_name : string, optional

If specified, will be used to filter the models returned by the training dataset table name. Substring matching is supported. (e.g., “trainingTableName=table” will return both “table1” and “my_table”).

dependent_variable : string, optional

If specified, will be used to filter the models returned by the dependent variable column name. Substring matching is supported. (e.g., “dependentVariable=predictor” will return both “predictor” and “my predictor”).

author : string, optional

If specified, return models from this author. It accepts a comma-separated list of author ids.

status : string, optional

If specified, returns models with one of these statuses. It accepts a comma-separated list, possible values are ‘running’, ‘failed’, ‘succeeded’, ‘idle’, ‘scheduled’.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, model_name, created_at, name, last_run.updated_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **number_of_folds** : integer

Number of folds for cross validation. Default value is 5.

current_build_exception : string

Exception message, if applicable, of the current model build.

database_id : integer

The ID of the database holding the training set table used to build the model.

interaction_terms : boolean

Whether to search for interaction terms.

time_zone : string

The time zone of this model.

description : string

A description of the model.

current_build_state : string

The status of the current model build. One of “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

created_at : string/date-time

The time the model was created.

parent_id : integer

The ID of the parent job that will trigger this model.

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
```

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

archived : string

The archival status of the requested object(s).

dependent_variable : string

The dependent variable of the training dataset.

predictions : list:

The tables upon which the model will be applied.

```
- primary_key : list
    The primary key or composite keys of the table being predicted.
- table_name : string
    The qualified name of the table on which to apply the_
↳predictive model.
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↳"queued",
    or "running", or "idle", if no build has been attempted.
- output_table : string
    The qualified name of the table to be created which will_
↳contain the
    model's predictions.
- id : integer
    The ID of the model to which to apply the prediction.
```

primary_key : string

The unique ID (primary key) of the training dataset.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

builds : list:

A list of trained models available for making predictions.

```
- r_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- created_at : string
```

```

    The time the model build was created.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil
    for other
    model types.
- root_mean_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- description : string
    A description of the model build.
- id : integer
    The ID of the model build.
- name : string
    The name of the model build.

```

model_name : string

The name of the model.

table_name : string

The qualified name of the table containing the training set from which to build the model.

last_output_location : string

The output JSON for the last build.

model_type_id : integer

The ID of the model's type.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

updated_at : string/date-time

The time the model was updated.

id : integer

The ID of the model.

list_builds (*id*, ***kwargs*)

List builds for the given model

Parameters *id* : integer

The ID of the model.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **r_squared_error** : number/float

A key metric for continuous models. Nil for other model types.

roc_auc : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

description : string

A description of the model build.

transformation_metadata : string

A string representing the full JSON output of the metadata for transformation of column names

name : string

The name of the model build.

output : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

output_location : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

created_at : string

The time the model build was created.

root_mean_squared_error : number/float

A key metric for continuous models. Nil for other model types.

state : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the build.

id : integer

The ID of the model build.

list_projects (*id*)

List the projects a models belongs to

Parameters **id** : integer

The ID of the resource.

Returns `archived` : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_schedules (*id*)

Show the model build schedule

Parameters `id` : integer

The ID of the model associated with this schedule.

Returns `schedule` : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

id : integer

The ID of the model associated with this schedule.

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_types ()

List all available model types

Returns **dv_type** : string

The type of dependent variable predicted by the model.

algorithm : string

The name of the algorithm used to train the model.

fiint_allowed : boolean

Whether this model type supports searching for interaction terms.

id : integer

The ID of the model type.

patch (*id*, ***kwargs*)

Update model configuration

Parameters **id** : integer

The ID of the model.

primary_key : string, optional

The unique ID (primary key) of the training dataset.

cross_validation_parameters : dict, optional

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

credential_id : integer, optional

The ID of the credential used to read the target table. Defaults to the user's default credential.

model_name : string, optional

The name of the model.

database_id : integer, optional

The ID of the database holding the training set table used to build the model.

interaction_terms : boolean, optional

Whether to search for interaction terms.

number_of_folds : integer, optional

Number of folds for cross validation. Default value is 5.

excluded_columns : list, optional

A list of columns which will be considered ineligible to be independent variables.

description : string, optional

A description of the model.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes successfully.
- success_on : boolean
    If success email notifications are on
```

```
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

time_zone : string, optional

The time zone of this model.

box_cox_transformation : boolean, optional

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

active_build_id : integer, optional

The ID of the current active build, the build used to score predictions.

table_name : string, optional

The qualified name of the table containing the training set from which to build the model.

parent_id : integer, optional

The ID of the parent job that will trigger this model.

model_type_id : integer, optional

The ID of the model's type.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

limiting_sql : string, optional

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

dependent_variable : string, optional

The dependent variable of the training dataset.

dependent_variable_order : list, optional

The order of dependent variables, especially useful for Ordinal Modeling.

Returns None

Response code 204: success

post (***kwargs*)

Create new configuration for a model

Parameters **primary_key** : string, optional

The unique ID (primary key) of the training dataset.

cross_validation_parameters : dict, optional

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

credential_id : integer, optional

The ID of the credential used to read the target table. Defaults to the user's default credential.

model_name : string, optional

The name of the model.

database_id : integer, optional

The ID of the database holding the training set table used to build the model.

interaction_terms : boolean, optional

Whether to search for interaction terms.

number_of_folds : integer, optional

Number of folds for cross validation. Default value is 5.

excluded_columns : list, optional

A list of columns which will be considered ineligible to be independent variables.

description : string, optional

A description of the model.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

time_zone : string, optional

The time zone of this model.

box_cox_transformation : boolean, optional

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

active_build_id : integer, optional

The ID of the current active build, the build used to score predictions.

table_name : string, optional

The qualified name of the table containing the training set from which to build the model.

parent_id : integer, optional

The ID of the parent job that will trigger this model.

model_type_id : integer, optional

The ID of the model's type.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

limiting_sql : string, optional

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

dependent_variable : string, optional

The dependent variable of the training dataset.

dependent_variable_order : list, optional

The order of dependent variables, especially useful for Ordinal Modeling.

Returns number_of_folds : integer

Number of folds for cross validation. Default value is 5.

current_build_exception : string

Exception message, if applicable, of the current model build.

database_id : integer

The ID of the database holding the training set table used to build the model.

interaction_terms : boolean

Whether to search for interaction terms.

time_zone : string

The time zone of this model.

description : string

A description of the model.

current_build_state : string

The status of the current model build. One of “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

created_at : string/date-time

The time the model was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

parent_id : integer

The ID of the parent job that will trigger this model.

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
```

```
This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
  If the object is scheduled
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
  hour
```

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

dependent_variable : string

The dependent variable of the training dataset.

archived : string

The archival status of the requested object(s).

predictions : list:

```
The tables upon which the model will be applied.
- primary_key : list
  The primary key or composite keys of the table being predicted.
- table_name : string
  The qualified name of the table on which to apply the
  predictive model.
- schedule : dict::
  - scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
  - scheduled : boolean
    If the object is scheduled
  - scheduled_minutes : list
    Minutes of the day it is scheduled on
  - scheduled_hours : list
    Hours of the day it is scheduled on
  - scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run
    per hour
- limiting_sql : string
  A SQL WHERE clause used to scope the rows to be predicted.
- state : string
```

```

    The status of the prediction. One of: "succeeded", "failed",
    ↪ "queued",
    or "running", or "idle", if no build has been attempted.
- output_table : string
    The qualified name of the table to be created which will
    ↪ contain the
    model's predictions.
- id : integer
    The ID of the model to which to apply the prediction.

```

primary_key : string

The unique ID (primary key) of the training dataset.

active_build_id : integer

The ID of the current active build, the build used to score predictions.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

builds : list:

```

A list of trained models available for making predictions.
- r_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- created_at : string
    The time the model build was created.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil
    ↪ for other
    model types.
- root_mean_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- description : string
    A description of the model build.
- id : integer
    The ID of the model build.
- name : string
    The name of the model build.

```

model_name : string

The name of the model.

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer

```

```
Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

table_name : string

The qualified name of the table containing the training set from which to build the model.

last_output_location : string

The output JSON for the last build.

model_type_id : integer

The ID of the model's type.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

updated_at : string/date-time

The time the model was updated.

id : integer

The ID of the model.

post_builds (*id*)

Start a build

Parameters **id** : integer

The ID of the model.

Returns **r_squared_error** : number/float

A key metric for continuous models. Nil for other model types.

roc_auc : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

description : string

A description of the model build.

transformation_metadata : string

A string representing the full JSON output of the metadata for transformation of column names

name : string

The name of the model build.

output : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

output_location : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

created_at : string

The time the model build was created.

root_mean_squared_error : number/float

A key metric for continuous models. Nil for other model types.

state : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

error : string

The error, if any, returned by the build.

id : integer

The ID of the model build.

put_archive (*id, status*)

Update the archive status of this object

Parameters id : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns number_of_folds : integer

Number of folds for cross validation. Default value is 5.

current_build_exception : string

Exception message, if applicable, of the current model build.

database_id : integer

The ID of the database holding the training set table used to build the model.

interaction_terms : boolean

Whether to search for interaction terms.

time_zone : string

The time zone of this model.

description : string

A description of the model.

current_build_state : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

box_cox_transformation : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

excluded_columns : list

A list of columns which will be considered ineligible to be independent variables.

created_at : string/date-time

The time the model was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

parent_id : integer

The ID of the parent job that will trigger this model.

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
```

```
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

limiting_sql : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

dependent_variable : string

The dependent variable of the training dataset.

archived : string

The archival status of the requested object(s).

predictions : list:

```
The tables upon which the model will be applied.
- primary_key : list
    The primary key or composite keys of the table being predicted.
- table_name : string
    The qualified name of the table on which to apply the_
↪predictive model.
- schedule : dict::
    - scheduled_days : list
        Day based on numeric value starting at 0 for Sunday
    - scheduled : boolean
        If the object is scheduled
    - scheduled_minutes : list
        Minutes of the day it is scheduled on
    - scheduled_hours : list
        Hours of the day it is scheduled on
    - scheduled_runs_per_hour : integer
        Alternative to scheduled minutes, number of times to run_
↪per hour
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↪"queued",
    or "running", or "idle", if no build has been attempted.
- output_table : string
    The qualified name of the table to be created which will_
↪contain the
    model's predictions.
- id : integer
    The ID of the model to which to apply the prediction.
```

primary_key : string

The unique ID (primary key) of the training dataset.

active_build_id : integer

The ID of the current active build, the build used to score predictions.

credential_id : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

builds : list:

```
A list of trained models available for making predictions.
- r_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- created_at : string
  The time the model build was created.
- roc_auc : number/float
  A key metric for binary, multinomial, and ordinal models. Nil
  for other model types.
- root_mean_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- description : string
  A description of the model build.
- id : integer
  The ID of the model build.
- name : string
  The name of the model build.
```

model_name : string

The name of the model.

notifications : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
  successfully.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

table_name : string

The qualified name of the table containing the training set from which to build the model.

last_output_location : string

The output JSON for the last build.

model_type_id : integer

The ID of the model's type.

cross_validation_parameters : dict

Cross validation parameter grid for tree methods, e.g. {"n_estimators": [100, 200, 500], "learning_rate": [0.01, 0.1], "max_depth": [2, 3]}.

dependent_variable_order : list

The order of dependent variables, especially useful for Ordinal Modeling.

updated_at : string/date-time

The time the model was updated.

id : integer

The ID of the model.

put_predictions (*id*, *primary_key*, *table_name*, ***kwargs*)

Add a table on which to apply the predictive model

Parameters **id** : integer

The ID of the model to which to apply the prediction.

primary_key : list

The primary key or composite keys of the table being predicted.

table_name : string

The qualified name of the table on which to apply the predictive model.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

output_table : string, optional

The qualified name of the table to be created which will contain the model's predictions.

limiting_sql : string, optional

A SQL WHERE clause used to scope the rows to be predicted.

Returns **primary_key** : list

The primary key or composite keys of the table being predicted.

table_name : string

The qualified name of the table on which to apply the predictive model.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

limiting_sql : string

A SQL WHERE clause used to scope the rows to be predicted.

state : string

The status of the prediction. One of: “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

output_table : string

The qualified name of the table to be created which will contain the model’s predictions.

id : integer

The ID of the model to which to apply the prediction.

put_projects (*id*, *project_id*)

Add a models to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_schedules (*id*, *schedule*)

Schedule the model build

Parameters **id** : integer

The ID of the model associated with this schedule.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns `schedule` : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

id : integer

The ID of the model associated with this schedule.

put_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns `writers` : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```


Predictions

class Predictions (*session*, *return_type='civis'*)

Methods

<code>delete_runs(id, run_id)</code>	Cancel a run
<code>get(id)</code>	Show the specified prediction
<code>get_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List predictions
<code>list_runs(id, **kwargs)</code>	List runs for the given prediction
<code>list_schedules(id)</code>	Show the prediction schedule
<code>patch(id, **kwargs)</code>	Update a prediction
<code>post_runs(id)</code>	Start a run
<code>put_schedules(id, **kwargs)</code>	Schedule the prediction

delete_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the prediction.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

get (*id*)

Show the specified prediction

Parameters *id* : integer

The ID of the prediction.

Returns *primary_key* : list

The primary key or composite keys of the table being predicted.

model_id : integer

The ID of the model used for this prediction.

scored_table_id : integer

The ID of the source table for this prediction.

started_at : string/date-time

The start time of the last run of this prediction.

finished_at : string/date-time

The end time of the last run of this prediction.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

scored_tables : list:

```
An array of created prediction tables.
- created_at : string/date-time
    The time when the table with created predictions was created.
- name : string
    The name of table with created predictions.
- schema : string
    The schema of table with created predictions.
- score_stats : list::
    An array of metrics on the created predictions.
    - max_score : number/float
        The maximum score.
    - histogram : list
        The histogram of the distribution of scores.
    - score_name : string
        The name of the score.
    - avg_score : number/float
        The average score.
    - min_score : number/float
        The minimum score.
- id : integer
    The ID of the table with created predictions.
```

scored_table_name : string

The name of the source table for this prediction.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

output_table_name : string

The name of the output table for this prediction.

state : string

The state of the last run of this prediction.

limiting_sql : string

A SQL WHERE clause used to scope the rows to be predicted.

error : string

The error, if any, of the last run of this prediction.

id : integer

The ID of the prediction.

get_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the prediction.

run_id : integer

The ID of the run.

Returns **created_at** : string/date-time

The time when the table with created predictions was created.

exception : string

The exception, if any, returned by the prediction run.

score_stats : list:

```
An array of metrics on the created predictions.
- max_score : number/float
    The maximum score.
- histogram : list
    The histogram of the distribution of scores.
- score_name : string
    The name of the score.
- avg_score : number/float
    The average score.
- min_score : number/float
    The minimum score.
```

state : string

The state of the prediction run.

id : integer

The ID of the prediction run.

prediction_id : integer

The ID of the prediction.

name : string

The name of table created by this predictions run.

list (***kwargs*)

List predictions

Parameters **model_id** : integer, optional

If specified, only return predictions associated with this model ID.

Returns **last_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

model_id : integer

The ID of the model used for this prediction.

scored_table_id : integer

The ID of the source table for this prediction.

started_at : string/date-time

The start time of the last run of this prediction.

output_table_name : string

The name of the output table for this prediction.

scored_table_name : string

The name of the source table for this prediction.

state : string

The state of the last run of this prediction.

finished_at : string/date-time

The end time of the last run of this prediction.

error : string

The error, if any, of the last run of this prediction.

id : integer

The ID of the prediction.

list_runs (*id*, ***kwargs*)

List runs for the given prediction

Parameters **id** : integer

The ID of the prediction.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **created_at** : string/date-time

The time when the table with created predictions was created.

exception : string

The exception, if any, returned by the prediction run.

score_stats : list:

```
An array of metrics on the created predictions.
- max_score : number/float
    The maximum score.
- histogram : list
    The histogram of the distribution of scores.
- score_name : string
    The name of the score.
- avg_score : number/float
    The average score.
- min_score : number/float
    The minimum score.
```

state : string

The state of the prediction run.

id : integer

The ID of the prediction run.

prediction_id : integer

The ID of the prediction.

name : string

The name of table created by this predictions run.

list_schedules (*id*)

Show the prediction schedule

Parameters **id** : integer

ID of the prediction associated with this schedule.

Returns **schedule** : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
```

```
Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

score_on_model_build : boolean

Whether the prediction will run after a rebuild of the associated model.

id : integer

ID of the prediction associated with this schedule.

patch (*id*, ****kwargs**)

Update a prediction

Parameters **id** : integer

The ID of the prediction.

primary_key : list, optional

The primary key or composite keys of the table being predicted.

output_table_name : string, optional

The name of the output table for this prediction.

limiting_sql : string, optional

A SQL WHERE clause used to scope the rows to be predicted.

Returns **primary_key** : list

The primary key or composite keys of the table being predicted.

model_id : integer

The ID of the model used for this prediction.

scored_table_id : integer

The ID of the source table for this prediction.

started_at : string/date-time

The start time of the last run of this prediction.

finished_at : string/date-time

The end time of the last run of this prediction.

last_run : dict:

```
- created_at : string/time
  The time that the run was queued.
- started_at : string/time
  The time that the run started.
- state : string
- finished_at : string/time
  The time that the run completed.
- error : string
  The error message for this run, if present.
- id : integer
```

scored_tables : list:

```

An array of created prediction tables.
- created_at : string/date-time
    The time when the table with created predictions was created.
- name : string
    The name of table with created predictions.
- schema : string
    The schema of table with created predictions.
- score_stats : list::
    An array of metrics on the created predictions.
    - max_score : number/float
        The maximum score.
    - histogram : list
        The histogram of the distribution of scores.
    - score_name : string
        The name of the score.
    - avg_score : number/float
        The average score.
    - min_score : number/float
        The minimum score.
- id : integer
    The ID of the table with created predictions.

```

scored_table_name : string

The name of the source table for this prediction.

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

output_table_name : string

The name of the output table for this prediction.

state : string

The state of the last run of this prediction.

limiting_sql : string

A SQL WHERE clause used to scope the rows to be predicted.

error : string

The error, if any, of the last run of this prediction.

id : integer

The ID of the prediction.

post_runs (*id*)

Start a run

Parameters `id` : integer

The ID of the prediction.

Returns `created_at` : string/date-time

The time when the table with created predictions was created.

exception : string

The exception, if any, returned by the prediction run.

score_stats : list:

```
An array of metrics on the created predictions.
- max_score : number/float
    The maximum score.
- histogram : list
    The histogram of the distribution of scores.
- score_name : string
    The name of the score.
- avg_score : number/float
    The average score.
- min_score : number/float
    The minimum score.
```

state : string

The state of the prediction run.

id : integer

The ID of the prediction run.

prediction_id : integer

The ID of the prediction.

name : string

The name of table created by this predictions run.

put_schedules (*id*, ***kwargs*)

Schedule the prediction

Parameters `id` : integer

ID of the prediction associated with this schedule.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

score_on_model_build : boolean, optional

Whether the prediction will run after a rebuild of the associated model.

Returns `schedule` : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

score_on_model_build : boolean

Whether the prediction will run after a rebuild of the associated model.

id : integer

ID of the prediction associated with this schedule.

Projects

class Projects (*session, return_type='civis'*)

Methods

<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>get(project_id)</code>	Get a detailed view of a project and the objects in it
<code>list(**kwargs)</code>	List projects
<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post(description, name, **kwargs)</code>	Create a project
<code>put(project_id, **kwargs)</code>	Update a project
<code>put_archive(id, status)</code>	Update the archive status of this object
<code>put_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, permission_level, user_ids)</code>	Set the permissions users have on this object

delete_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*project_id*)

Get a detailed view of a project and the objects in it

Parameters *project_id* : integer

Returns *models* : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

all_objects : list:

```
- fco_type : string
- object_type : string
- sub_type : string
- author : string
- archived : string
  The archival status of the requested object(s).
- object_id : integer
- icon : string
- project_id : integer
- name : string
```

imports : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- finished_at : string/time
- type : string
- name : string
```

author : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
```

```

    This user's initials.
- id : integer
    The ID of this user.

```

reports : list:

```

- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.

```

scripts : list:

```

- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
    The object ID.
- finished_at : string/time
- type : string
- name : string

```

tables : list:

```

- created_at : string/time
- name : string
- column_count : integer
- row_count : integer
- updated_at : string/time
- schema : string

```

script_templates : list:

```

- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.

```

auto_share : boolean

surveys : list:

```

- created_at : string/time
- updated_at : string/time
- id : integer
    The object ID.

```

description : string

A description of the project

created_at : string/time

app_instances : list:

```
- slug : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

users : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

note : string

files : list:

```
- created_at : string/time
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
  The object ID.
```

name : string

The name of this project.

archived : string

The archival status of the requested object(s).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

updated_at : string/time

id : integer

The ID for this project.

list (***kwargs*)

List projects

Parameters **author** : string, optional

If specified, return projects owned by this author. It accepts a comma- separated list of author ids.

permission : string, optional

A permissions string, one of “read”, “write”, or “manage”. Lists only projects for which the current user has that permission.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 1000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `updated_at`. Must be one of: `updated_at`, `name`, `created_at`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

post (*description*, *name*, ***kwargs*)

Create a project

Parameters **description** : string

A description of the project

name : string

The name of this project.

note : string, optional

Notes for the project

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

Returns models : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

all_objects : list:

```
- fco_type : string
- object_type : string
- sub_type : string
- author : string
- archived : string
  The archival status of the requested object(s).
- object_id : integer
- icon : string
- project_id : integer
- name : string
```

imports : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- finished_at : string/time
- type : string
- name : string
```

author : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

reports : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

scripts : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
  The object ID.
- finished_at : string/time
- type : string
- name : string
```

tables : list:

```
- created_at : string/time
- name : string
- column_count : integer
- row_count : integer
- updated_at : string/time
- schema : string
```

script_templates : list:

```
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

auto_share : boolean

surveys : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
```

description : string

A description of the project

created_at : string/time

app_instances : list:

```
- slug : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```


users : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

note : string

files : list:

```
- created_at : string/time
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
  The object ID.
```

name : string

The name of this project.

archived : string

The archival status of the requested object(s).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

updated_at : string/time

id : integer

The ID for this project.

put (*project_id*, ***kwargs*)
Update a project

Parameters **project_id** : integer

description : string, optional

A description of the project

note : string, optional

Notes for the project

name : string, optional

The name of this project.

Returns **models** : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.
```

all_objects : list:

```
- fco_type : string
- object_type : string
- sub_type : string
- author : string
- archived : string
    The archival status of the requested object(s).
- object_id : integer
- icon : string
- project_id : integer
- name : string
```

imports : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
    The object ID.
- finished_at : string/time
- type : string
- name : string
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

reports : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.
```

scripts : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
```

```
- id : integer
    The object ID.
- finished_at : string/time
- type : string
- name : string
```

tables : list:

```
- created_at : string/time
- name : string
- column_count : integer
- row_count : integer
- updated_at : string/time
- schema : string
```

script_templates : list:

```
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.
```

auto_share : boolean

surveys : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
    The object ID.
```

description : string

A description of the project

created_at : string/time

app_instances : list:

```
- slug : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
```

```
- id : integer
    The ID of this user.
```

note : string

files : list:

```
- created_at : string/time
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
    The object ID.
```

name : string

The name of this project.

archived : string

The archival status of the requested object(s).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

updated_at : string/time

id : integer

The ID for this project.

put_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **models** : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.
```

all_objects : list:

```
- fco_type : string
- object_type : string
- sub_type : string
- author : string
- archived : string
    The archival status of the requested object(s).
- object_id : integer
- icon : string
```

```
- project_id : integer
- name : string
```

imports : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
    The object ID.
- finished_at : string/time
- type : string
- name : string
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

reports : list:

```
- state : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
    The object ID.
```

scripts : list:

```
- created_at : string/time
- state : string
- updated_at : string/time
- id : integer
    The object ID.
- finished_at : string/time
- type : string
- name : string
```

tables : list:

```
- created_at : string/time
- name : string
- column_count : integer
- row_count : integer
- updated_at : string/time
- schema : string
```

script_templates : list:

```
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

auto_share : boolean

surveys : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
```

description : string

A description of the project

created_at : string/time

app_instances : list:

```
- slug : string
- created_at : string/time
- name : string
- updated_at : string/time
- id : integer
  The object ID.
```

users : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

note : string

files : list:

```
- created_at : string/time
- file_name : string
- file_size : integer
- updated_at : string/time
- id : integer
  The object ID.
```

name : string

The name of this project.

archived : string

The archival status of the requested object(s).

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

updated_at : string/time

id : integer

The ID for this project.

put_shares_groups (*id, group_ids, permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_shares_users (*id, permission_level, user_ids*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

Queries

class **Queries** (*session, return_type='civis'*)

Methods

<code>delete_runs(id, run_id)</code>	Cancel a run
<code>get(id)</code>	Get details about a query
<code>get_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List all queries
<code>list_runs(id, **kwargs)</code>	List runs for the given query
<code>post(preview_rows, sql, database, **kwargs)</code>	Execute a query
<code>post_runs(id)</code>	Start a run
<code>put_scripts(id, script_id)</code>	Update the query's associated script

delete_runs (*id*, *run_id*)

Cancel a run

Parameters *id* : integer

The ID of the query.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

get (*id*)

Get details about a query

Parameters *id* : integer

The query ID.

Returns **report_id** : integer

The ID of the report associated with this query.

credential : integer

The credential ID.

finished_at : string/date-time

The end time of the last run.

script_id : integer

The ID of the script associated with this query.

sql : string

The SQL to execute.

author : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

last_run_id : integer

The ID of the last run.

started_at : string/date-time

The start time of the last run.

name : string

The name of the query.

created_at : string/time

exception : string

Exception returned from the query, null if the query was a success.

result_rows : list

A preview of rows returned by the query.

database : integer

The database ID.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

The state of the last run.

result_columns : list

A preview of columns returned by the query.

updated_at : string/time

id : integer

The query ID.

get_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the query.

run_id : integer

The ID of the run.

Returns **query_id** : integer

The ID of the query.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list (***kwargs*)

List all queries

Parameters **database_id** : integer, optional

The database ID.

author_id : integer, optional

The author of the query.

created_before : string, optional

An upper bound for the creation date of the query.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

Returns **preview_rows** : integer

The number of rows to save from the query's result (maximum: 100).

credential : integer

The credential ID.

finished_at : string/date-time

The end time of the last run.

script_id : integer

The ID of the script associated with this query.

sql : string

The SQL to execute.

started_at : string/date-time

The start time of the last run.

report_id : integer

The ID of the report associated with this query.

last_run_id : integer

The ID of the last run.

created_at : string/time

exception : string

Exception returned from the query, null if the query was a success.

result_rows : list

A preview of rows returned by the query.

database : integer

The database ID.

state : string

The state of the last run.

result_columns : list

A preview of columns returned by the query.

updated_at : string/time

id : integer

The query ID.

list_runs (*id*, ***kwargs*)

List runs for the given query

Parameters **id** : integer

The ID of the query.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns `query_id` : integer

The ID of the query.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

post (*preview_rows*, *sql*, *database*, ***kwargs*)

Execute a query

Parameters `preview_rows` : integer

The number of rows to save from the query's result (maximum: 100).

sql : string

The SQL to execute.

database : integer

The database ID.

credential : integer, optional

The credential ID.

interactive : boolean, optional

Deprecated and not used.

compression : string, optional

The type of compression. One of gzip or zip, or none [default: gzip].

unquoted : boolean, optional

If true, will not quote fields.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

include_header : boolean, optional

Whether the CSV output should include a header row [default: true].

filename_prefix : string, optional

The output filename prefix.

column_delimiter : string, optional

The delimiter to use. One of comma or tab, or pipe [default: comma].

Returns report_id : integer

The ID of the report associated with this query.

filename_prefix : string

The output filename prefix.

interactive : boolean

Deprecated and not used.

exception : string

Exception returned from the query, null if the query was a success.

compression : string

The type of compression. One of gzip or zip, or none [default: gzip].

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

preview_rows : integer

The number of rows to save from the query's result (maximum: 100).

credential : integer

The credential ID.

finished_at : string/date-time

The end time of the last run.

script_id : integer

The ID of the script associated with this query.

sql : string

The SQL to execute.

started_at : string/date-time

The start time of the last run.

last_run_id : integer

The ID of the last run.

include_header : boolean

Whether the CSV output should include a header row [default: true].

created_at : string/time

unquoted : boolean

If true, will not quote fields.

column_delimiter : string

The delimiter to use. One of comma or tab, or pipe [default: comma].

result_rows : list

A preview of rows returned by the query.

database : integer

The database ID.

state : string

The state of the last run.

result_columns : list

A preview of columns returned by the query.

updated_at : string/time

id : integer

The query ID.

post_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the query.

Returns **query_id** : integer

The ID of the query.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

put_scripts (*id*, *script_id*)

Update the query's associated script

Parameters **id** : integer

The query ID.

script_id : integer

The ID of the script associated with this query.

Returns **report_id** : integer

The ID of the report associated with this query.

credential : integer

The credential ID.

finished_at : string/date-time

The end time of the last run.

script_id : integer

The ID of the script associated with this query.

sql : string

The SQL to execute.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

last_run_id : integer

The ID of the last run.

started_at : string/date-time

The start time of the last run.

name : string

The name of the query.

created_at : string/time

exception : string

Exception returned from the query, null if the query was a success.

result_rows : list

A preview of rows returned by the query.

database : integer

The database ID.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

state : string

The state of the last run.

result_columns : list

A preview of columns returned by the query.

updated_at : string/time

id : integer

The query ID.

Reports

class Reports (*session*, *return_type*='civis')

Methods

<i>delete_grants</i> (id)	Revoke permission for this report to perform Civis platform API operations on
<i>delete_projects</i> (id, project_id)	Remove a Report from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Show a single report
<i>list</i> (**kwargs)	List the reports visible to the current user
<i>list_projects</i> (id)	List the projects a Report belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>list_snapshots</i> (id)	Get details about the report's snapshot automation settings
<i>patch</i> (id, **kwargs)	Update a report
<i>patch_snapshots</i> (id, **kwargs)	Update the report's snapshot automation settings
<i>post</i> (**kwargs)	Create a report
<i>post_grants</i> (id)	Grant this report the ability to perform Civis platform API operations on your
<i>post_snapshots</i> (id, **kwargs)	Generate and optionally email a snapshot of the specified report
<i>put_archive</i> (id, status)	Update the archive status of this object
<i>put_projects</i> (id, project_id)	Add a Report to a project
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, permission_level, user_ids)	Set the permissions users have on this object

delete_grants (*id*)

Revoke permission for this report to perform Civis platform API operations on your behalf

Parameters **id** : integer

The ID of this report.

Returns None

Response code 204: success

delete_projects (*id*, *project_id*)

Remove a Report from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_shares_groups (*id*, *group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_shares_users (*id*, *user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Show a single report

Parameters **id** : integer

The ID of this report.

Returns **template_id** : integer

The ID of the template used for this report.

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

archived : string

The archival status of the requested object(s).

auth_data_url : string

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
```

```

    The error message for this run, if present.
- id : integer

```

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

created_at : string/time

user : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

tableau_id : integer

script : dict:

```

- name : string
    The name of the script.
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.

```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

config : string

Any configuration metadata for this report.

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

name : string

The name of the report.

finished_at : string/time

The time that the report's last run finished.

viz_updated_at : string/time

The time that the report's visualization was last updated.

projects : list:

```
A list of projects containing the report.  
- name : string  
    The name of the project.  
- id : integer  
    The ID for the project.
```

api_key : string

A Civis API key that can be used by this report.

auth_thumbnail_url : string

URL for a thumbnail of the report.

auth_code_url : string

state : string

The status of the report's last run.

updated_at : string/time

id : integer

The ID of this report.

list (***kwargs*)

List the reports visible to the current user

Parameters **type** : string, optional

If specified, return report of these types. It accepts a comma-separated list, possible values are 'tableau', 'other'.

author : string, optional

If specified, return reports from this author. It accepts a comma-separated list of author ids.

template_id : integer, optional

If specified, return reports using the provided Template.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns `finished_at` : string/time

The time that the report's last run finished.

viz_updated_at : string/time

The time that the report's visualization was last updated.

projects : list:

```
A list of projects containing the report.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

job_path : string

The link to details of the job that backs this report.

archived : string

The archival status of the requested object(s).

auth_thumbnail_url : string

URL for a thumbnail of the report.

name : string

The name of the report.

template_id : integer

The ID of the template used for this report.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

created_at : string/time

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
```

```
    This user's initials.  
- id : integer  
    The ID of this user.
```

tableau_id : integer

script : dict:

```
- name : string  
    The name of the script.  
- sql : string  
    The raw SQL query for the script.  
- id : integer  
    The ID for the script.
```

state : string

The status of the report's last run.

updated_at : string/time

id : integer

The ID of this report.

list_projects (*id*)

List the projects a Report belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string  
    This user's username.  
- online : boolean  
    Whether this user is online.  
- name : string  
    This user's name.  
- initials : string  
    This user's initials.  
- id : integer  
    The ID of this user.
```

users : list:

```
Users who can see the project  
- username : string  
    This user's username.  
- online : boolean  
    Whether this user is online.  
- name : string  
    This user's name.  
- initials : string  
    This user's initials.
```

```
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

owners : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

list_snapshots (*id*)

Get details about the report's snapshot automation settings

Parameters *id* : integer

The ID of this report.

Returns *email_subject* : string

Subject for Email.

height : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

finished_at : string/time

The time that the job's last run finished.

recipient_email_addresses : string

Email addresses to send report to, comma separated.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

width : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

parent_id : integer

The ID of the parent job that will trigger this snapshot.

send_email_on_completion : boolean

Whether the job will send emails on completion.

email_template : string

Custom email template.

state : string

The status of the job's last run.

id : integer

The ID of this report.

patch (*id*, ***kwargs*)

Update a report

Parameters *id* : integer

The ID of the report to modify.

provide_api_key : boolean, optional

Allow the report to provide an API key to front-end code.

code_body : string, optional

The code for the report visualization.

script_id : integer, optional

The ID of the job (a script or a query) used to create this report.

config : string, optional

template_id : integer, optional

The ID of the template used for this report. If null is passed, no template will back this report. Changes to the backing template will reset the report appState.

name : string, optional

The name of the report.

app_state : dict, optional

The application state blob for this report.

Returns **template_id** : integer

The ID of the template used for this report.

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

archived : string

The archival status of the requested object(s).

auth_data_url : string

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

created_at : string/time

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

tableau_id : integer

script : dict:

```
- name : string
    The name of the script.
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

config : string

Any configuration metadata for this report.

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

name : string

The name of the report.

finished_at : string/time

The time that the report's last run finished.

viz_updated_at : string/time

The time that the report's visualization was last updated.

projects : list:

```
A list of projects containing the report.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

api_key : string

A Civis API key that can be used by this report.

auth_thumbnail_url : string

URL for a thumbnail of the report.

auth_code_url : string

state : string

The status of the report's last run.

updated_at : string/time

id : integer

The ID of this report.

patch_snapshots (*id*, ***kwargs*)

Update the report's snapshot automation settings

Parameters **id** : integer

The ID of this report.

email_subject : string, optional

Subject for Email.

height : integer, optional

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

finished_at : string/time, optional

The time that the job's last run finished.

recipient_email_addresses : string, optional

Email addresses to send report to, comma separated.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
```

width : integer, optional

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

parent_id : integer, optional

The ID of the parent job that will trigger this snapshot.

send_email_on_completion : boolean, optional

Whether the job will send emails on completion.

email_template : string, optional

Custom email template.

state : string, optional

The status of the job's last run.

Returns email_subject : string

Subject for Email.

height : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

finished_at : string/time

The time that the job's last run finished.

recipient_email_addresses : string

Email addresses to send report to, comma separated.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

width : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

parent_id : integer

The ID of the parent job that will trigger this snapshot.

send_email_on_completion : boolean

Whether the job will send emails on completion.

email_template : string

Custom email template.

state : string

The status of the job's last run.

id : integer

The ID of this report.

post (**kwargs)

Create a report

Parameters `provide_api_key` : boolean, optional

Allow the report to provide an API key to front-end code.

`script_id` : integer, optional

The ID of the job (a script or a query) used to create this report.

`code_body` : string, optional

The code for the report visualization.

`template_id` : integer, optional

The ID of the template used for this report.

`hidden` : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

`name` : string, optional

The name of the report.

`app_state` : dict, optional

Any application state blob for this report.

Returns `template_id` : integer

The ID of the template used for this report.

`app_state` : dict

Any application state blob for this report.

`job_path` : string

The link to details of the job that backs this report.

`archived` : string

The archival status of the requested object(s).

`auth_data_url` : string

`last_run` : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

`provide_api_key` : boolean

Whether the report requests an API Key from the report viewer.

`created_at` : string/time

`user` : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

tableau_id : integer

script : dict:

```
- name : string
    The name of the script.
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

config : string

Any configuration metadata for this report.

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

name : string

The name of the report.

finished_at : string/time

The time that the report's last run finished.

viz_updated_at : string/time

The time that the report's visualization was last updated.

projects : list:

```
A list of projects containing the report.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

api_key : string

A Civis API key that can be used by this report.

auth_thumbnail_url : string

URL for a thumbnail of the report.

auth_code_url : string

state : string

The status of the report's last run.

updated_at : string/time

id : integer

The ID of this report.

post_grants (*id*)

Grant this report the ability to perform Civis platform API operations on your behalf

Parameters **id** : integer

The ID of this report.

Returns **template_id** : integer

The ID of the template used for this report.

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

archived : string

The archival status of the requested object(s).

auth_data_url : string

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

created_at : string/time

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
```

```
    This user's name.
-   initials : string
    This user's initials.
-   id : integer
    The ID of this user.
```

tableau_id : integer

script : dict:

```
-   name : string
    The name of the script.
-   sql : string
    The raw SQL query for the script.
-   id : integer
    The ID for the script.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

config : string

Any configuration metadata for this report.

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

name : string

The name of the report.

finished_at : string/time

The time that the report's last run finished.

viz_updated_at : string/time

The time that the report's visualization was last updated.

projects : list:

```
A list of projects containing the report.
-   name : string
    The name of the project.
-   id : integer
    The ID for the project.
```

api_key : string

A Civis API key that can be used by this report.

auth_thumbnail_url : string

URL for a thumbnail of the report.

auth_code_url : string

state : string

The status of the report's last run.

updated_at : string/time

id : integer

The ID of this report.

post_snapshots (*id*, ***kwargs*)

Generate and optionally email a snapshot of the specified report

Parameters **id** : integer

The ID of this report.

email_subject : string, optional

Subject for Email.

height : integer, optional

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

finished_at : string/time, optional

The time that the job's last run finished.

recipient_email_addresses : string, optional

Email addresses to send report to, comma separated.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

width : integer, optional

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

parent_id : integer, optional

The ID of the parent job that will trigger this snapshot.

send_email_on_completion : boolean, optional

Whether the job will send emails on completion.

email_template : string, optional

Custom email template.

state : string, optional

The status of the job's last run.

Returns email_subject : string

Subject for Email.

height : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

finished_at : string/time

The time that the job's last run finished.

recipient_email_addresses : string

Email addresses to send report to, comma separated.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

width : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

parent_id : integer

The ID of the parent job that will trigger this snapshot.

send_email_on_completion : boolean

Whether the job will send emails on completion.

email_template : string

Custom email template.

state : string

The status of the job's last run.

id : integer

The ID of this report.

put_archive (*id, status*)

Update the archive status of this object

Parameters id : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **template_id** : integer

The ID of the template used for this report.

app_state : dict

Any application state blob for this report.

job_path : string

The link to details of the job that backs this report.

archived : string

The archival status of the requested object(s).

auth_data_url : string

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

provide_api_key : boolean

Whether the report requests an API Key from the report viewer.

created_at : string/time

user : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

tableau_id : integer

script : dict:

```
- name : string
    The name of the script.
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

config : string

Any configuration metadata for this report.

api_key_id : integer

The ID of the API key. Can be used for auditing API use by this report.

valid_output_file : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

name : string

The name of the report.

finished_at : string/time

The time that the report's last run finished.

viz_updated_at : string/time

The time that the report's visualization was last updated.

projects : list:

```
A list of projects containing the report.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

api_key : string

A Civis API key that can be used by this report.

auth_thumbnail_url : string

URL for a thumbnail of the report.

auth_code_url : string

state : string

The status of the report's last run.

updated_at : string/time

id : integer

The ID of this report.

put_projects (*id*, *project_id*)

Add a Report to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_shares_groups (*id, group_ids, permission_level*)

Set the permissions groups has on this object

Parameters *id* : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns *writers* : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_shares_users (*id, permission_level, user_ids*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns writers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

Scripts

class Scripts (*session*, *return_type*=‘civis’)

Methods

<code>delete_containers_projects(id, project_id)</code>	Remove a container docker from a project
<code>delete_containers_runs(id, run_id)</code>	Cancel a run
<code>delete_containers_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_containers_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object

Continued on next page

Table 5.14 – continued from previous page

<i>delete_custom_projects</i> (id, project_id)	Remove a Job from a project
<i>delete_custom_runs</i> (id, run_id)	Cancel a run
<i>delete_custom_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_custom_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>delete_javascript_projects</i> (id, project_id)	Remove a scripted sql from a project
<i>delete_javascript_runs</i> (id, run_id)	Cancel a run
<i>delete_javascript_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_javascript_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>delete_python3_projects</i> (id, project_id)	Remove a python docker from a project
<i>delete_python3_runs</i> (id, run_id)	Cancel a run
<i>delete_python3_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_python3_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>delete_r_projects</i> (id, project_id)	Remove a r docker from a project
<i>delete_r_runs</i> (id, run_id)	Cancel a run
<i>delete_r_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_r_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>delete_sql_projects</i> (id, project_id)	Remove a scripts from a project
<i>delete_sql_runs</i> (id, run_id)	Cancel a run
<i>delete_sql_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_sql_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Get details about a script
<i>get_containers</i> (id)	View a container
<i>get_containers_runs</i> (id, run_id)	Check status of a run
<i>get_custom</i> (id)	Get a CustomScript
<i>get_custom_runs</i> (id, run_id)	Check status of a run
<i>get_javascript</i> (id)	Get a JavaScript Script
<i>get_javascript_runs</i> (id, run_id)	Check status of a run
<i>get_python3</i> (id)	Get a Python Script
<i>get_python3_runs</i> (id, run_id)	Check status of a run
<i>get_r</i> (id)	Get an R Script
<i>get_r_runs</i> (id, run_id)	Check status of a run
<i>get_sql</i> (id)	Get a SQL script
<i>get_sql_runs</i> (id, run_id)	Check status of a run
<i>list</i> (**kwargs)	List scripts
<i>list_containers_projects</i> (id)	List the projects a container docker belongs to
<i>list_containers_runs</i> (id, **kwargs)	List runs for the given container
<i>list_containers_runs_logs</i> (id, run_id, **kwargs)	Get the logs for a run
<i>list_containers_runs_outputs</i> (id, run_id, ...)	List the outputs for a run
<i>list_containers_shares</i> (id)	List users and groups permissioned on this object
<i>list_custom</i> (**kwargs)	List Custom Scripts
<i>list_custom_projects</i> (id)	List the projects a Job belongs to
<i>list_custom_runs</i> (id, **kwargs)	List runs for the given custom
<i>list_custom_runs_logs</i> (id, run_id, **kwargs)	Get the logs for a run
<i>list_custom_runs_outputs</i> (id, run_id, **kwargs)	List the outputs for a run

Continued on next page

Table 5.14 – continued from previous page

<i>list_custom_shares</i> (id)	List users and groups permissioned on this object
<i>list_history</i> (id)	Get the run history and outputs of this script
<i>list_javascript_projects</i> (id)	List the projects a scripted sql belongs to
<i>list_javascript_runs</i> (id, **kwargs)	List runs for the given javascript
<i>list_javascript_runs_logs</i> (id, run_id, **kwargs)	Get the logs for a run
<i>list_javascript_runs_outputs</i> (id, run_id, ...)	List the outputs for a run
<i>list_javascript_shares</i> (id)	List users and groups permissioned on this object
<i>list_python3_projects</i> (id)	List the projects a python docker belongs to
<i>list_python3_runs</i> (id, **kwargs)	List runs for the given python
<i>list_python3_runs_logs</i> (id, run_id, **kwargs)	Get the logs for a run
<i>list_python3_runs_outputs</i> (id, run_id, **kwargs)	List the outputs for a run
<i>list_python3_shares</i> (id)	List users and groups permissioned on this object
<i>list_r_projects</i> (id)	List the projects a r docker belongs to
<i>list_r_runs</i> (id, **kwargs)	List runs for the given r
<i>list_r_runs_logs</i> (id, run_id, **kwargs)	Get the logs for a run
<i>list_r_runs_outputs</i> (id, run_id, **kwargs)	List the outputs for a run
<i>list_r_shares</i> (id)	List users and groups permissioned on this object
<i>list_sql_projects</i> (id)	List the projects a scripts belongs to
<i>list_sql_runs</i> (id, **kwargs)	List runs for the given sql
<i>list_sql_runs_logs</i> (id, run_id, **kwargs)	Get the logs for a run
<i>list_sql_runs_outputs</i> (id, run_id, **kwargs)	List the outputs for a run
<i>list_sql_shares</i> (id)	List users and groups permissioned on this object
<i>list_types</i> ()	List available script types
<i>patch</i> (id, **kwargs)	Update a script
<i>patch_containers</i> (id, **kwargs)	Update a container
<i>patch_containers_runs</i> (id, run_id, **kwargs)	Update a run
<i>patch_custom</i> (id, **kwargs)	Update some attributes of this CustomScript
<i>patch_javascript</i> (id, **kwargs)	Update some attributes of this JavaScript Script
<i>patch_python3</i> (id, **kwargs)	Update some attributes of this Python Script
<i>patch_r</i> (id, **kwargs)	Update some attributes of this R Script
<i>patch_sql</i> (id, **kwargs)	Update some attributes of this SQL script
<i>post</i> (credential_id, sql, remote_host_id, ...)	Create a script
<i>post_cancel</i> (id)	Cancel a run
<i>post_containers</i> (docker_image_name, ...)	Create a container
<i>post_containers_runs</i> (id)	Start a run
<i>post_containers_runs_heartbeats</i> (id, run_id)	Indicate that the given run is being handled
<i>post_containers_runs_logs</i> (id, run_id, **kwargs)	Add log messages
<i>post_containers_runs_outputs</i> (id, run_id, ...)	Add an output for a run
<i>post_custom</i> (from_template_id, **kwargs)	Create a CustomScript
<i>post_custom_runs</i> (id)	Start a run
<i>post_custom_runs_outputs</i> (id, run_id, ...)	Add an output for a run
<i>post_javascript</i> (remote_host_id, ...)	Create a JavaScript Script
<i>post_javascript_runs</i> (id)	Start a run

Continued on next page

Table 5.14 – continued from previous page

<i>post_javascript_runs_outputs</i> (id, run_id, ...)	Add an output for a run
<i>post_python3</i> (source, name, **kwargs)	Create a Python Script
<i>post_python3_runs</i> (id)	Start a run
<i>post_python3_runs_outputs</i> (id, run_id, ...)	Add an output for a run
<i>post_r</i> (source, name, **kwargs)	Create an R Script
<i>post_r_runs</i> (id)	Start a run
<i>post_r_runs_outputs</i> (id, run_id, object_type, ...)	Add an output for a run
<i>post_run</i> (id)	Run a script
<i>post_sql</i> (remote_host_id, sql, credential_id, ...)	Create a SQL script
<i>post_sql_runs</i> (id)	Start a run
<i>put_containers</i> (id, docker_image_name, ...)	Edit a container
<i>put_containers_archive</i> (id, status)	Update the archive status of this object
<i>put_containers_projects</i> (id, project_id)	Add a container docker to a project
<i>put_containers_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_containers_shares_users</i> (id, ...)	Set the permissions users have on this object
<i>put_custom</i> (id, **kwargs)	Replace all attributes of this CustomScript
<i>put_custom_archive</i> (id, status)	Update the archive status of this object
<i>put_custom_projects</i> (id, project_id)	Add a Job to a project
<i>put_custom_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_custom_shares_users</i> (id, ...)	Set the permissions users have on this object
<i>put_javascript</i> (id, remote_host_id, ...)	Replace all attributes of this JavaScript Script
<i>put_javascript_archive</i> (id, status)	Update the archive status of this object
<i>put_javascript_projects</i> (id, project_id)	Add a scripted sql to a project
<i>put_javascript_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_javascript_shares_users</i> (id, ...)	Set the permissions users have on this object
<i>put_python3</i> (id, source, name, **kwargs)	Replace all attributes of this Python Script
<i>put_python3_archive</i> (id, status)	Update the archive status of this object
<i>put_python3_projects</i> (id, project_id)	Add a python docker to a project
<i>put_python3_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_python3_shares_users</i> (id, ...)	Set the permissions users have on this object
<i>put_r</i> (id, source, name, **kwargs)	Replace all attributes of this R Script
<i>put_r_archive</i> (id, status)	Update the archive status of this object
<i>put_r_projects</i> (id, project_id)	Add a r docker to a project
<i>put_r_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_r_shares_users</i> (id, permission_level, ...)	Set the permissions users have on this object
<i>put_sql</i> (id, remote_host_id, sql, ...)	Replace all attributes of this SQL script
<i>put_sql_archive</i> (id, status)	Update the archive status of this object
<i>put_sql_projects</i> (id, project_id)	Add a scripts to a project
<i>put_sql_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_sql_shares_users</i> (id, permission_level, ...)	Set the permissions users have on this object

delete_containers_projects (*id*, *project_id*)

Remove a container docker from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_containers_runs (*id, run_id*)

Cancel a run

Parameters *id* : integer

The ID of the container.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_containers_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters *id* : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_containers_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters *id* : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_custom_projects (*id, project_id*)

Remove a Job from a project

Parameters *id* : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_custom_runs (*id, run_id*)

Cancel a run

Parameters *id* : integer

The ID of the custom.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_custom_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_custom_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_javascript_projects (*id, project_id*)

Remove a scripted sql from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_javascript_runs (*id, run_id*)

Cancel a run

Parameters **id** : integer

The ID of the javascript.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_javascript_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_javascript_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_python3_projects (*id, project_id*)

Remove a python docker from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_python3_runs (*id, run_id*)

Cancel a run

Parameters **id** : integer

The ID of the python.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_python3_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_python3_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_r_projects (*id, project_id*)

Remove a r docker from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_r_runs (*id, run_id*)

Cancel a run

Parameters **id** : integer

The ID of the r.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_r_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_r_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

delete_sql_projects (*id, project_id*)

Remove a scripts from a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

delete_sql_runs (*id, run_id*)

Cancel a run

Parameters **id** : integer

The ID of the sql.

run_id : integer

The ID of the run.

Returns None

Response code 202: success

delete_sql_shares_groups (*id, group_id*)

Revoke the permissions a group has on this object

Parameters **id** : integer

ID of the resource to be revoked

group_id : integer

ID of the group

Returns None

Response code 204: success

delete_sql_shares_users (*id, user_id*)

Revoke the permissions a user has on this object

Parameters **id** : integer

ID of the resource to be revoked

user_id : integer

ID of the user

Returns None

Response code 204: success

get (*id*)

Get details about a script

Parameters `id` : integer

The ID for the script.

Returns `user_context` : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of script.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
```

```
This user's initials.
- id : integer
  The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
  The label to present to users when asking them for the value.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- required : boolean
  Whether this param is required.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

template_script_id : integer

The ID of the template script, if any.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
```

```
URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time this script was last updated.

id : integer

The ID for the script.

get_containers (*id*)

View a container

Parameters id : integer

The ID for the script.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template script.

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

type : string

The type of the script (e.g Container)

last_run : dict:

```
- created_at : string/time
  The time that the run was queued.
- started_at : string/time
  The time that the run started.
- state : string
- finished_at : string/time
  The time that the run completed.
```

```
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↳value makes
    this parameter a fixed param.
- type : string
```

```
The type of parameter. Valid options: string, integer, float, bool,  
file, database, credential_aws, credential_redshift, or  
credential_custom  
- name : string  
  The variable's name as used within your code.
```

template_script_name : `string`

The name of the template script.

parent_id : `integer`

The ID of the parent job that will trigger this script

git_credential_id : `integer`

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

hidden : `boolean`

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

archived : `string`

The archival status of the requested object(s).

remote_host_credential_id : `integer`

The id of the database credentials to pass into the environment of the container.

name : `string`

The name of the container.

arguments : `dict`

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : `string/time`

The time that the script's last run finished.

links : `dict`:

```
- runs : string  
  The runs link to get the run information list for this script.  
- details : string  
  The details link to get more information about the script.
```

author : `dict`:

```
- username : string  
  This user's username.  
- online : boolean  
  Whether this user is online.  
- name : string  
  This user's name.  
- initials : string  
  This user's initials.
```

```
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

target_project_id : integer

Target project to which script outputs will be added.

repo_ref : string

The tag or branch of the github repo to clone into the container.

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪ core has
    1024 shares.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪ successfully.
- success_on : boolean
```

```
If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

repo_http_uri : string

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

get_containers_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the container.

run_id : integer

The ID of the run.

Returns **finished_at** : string/time

The time the last run completed.

container_id : integer

The ID of the container.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

get_custom(*id*)

Get a CustomScript

Parameters *id* : integer

Returns *parent_id* : integer

The ID of the parent job that will trigger this script

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g Custom)

remote_host_id : integer

The remote host ID that this script will connect to.

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- required : boolean
```

```
Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```


projects : list:

A **list** of projects containing the script.

- **name** : string
The name of the project.
- **id** : integer
The ID **for** the project.

target_project_id : integer

Target project to which script outputs will be added.

notifications : dict:

- **success_email_body** : string
Custom body text **for** success e-mail, written **in** Markdown.
- **failure_on** : boolean
If failure email notifications are on
- **success_email_subject** : string
Custom subject line **for** success e-mail.
- **success_email_addresses** : **list**
Addresses to notify by e-mail when the job completes, **↪**successfully.
- **success_on** : boolean
If success email notifications are on
- **stall_warning_minutes** : integer
Stall warning emails will be sent after this amount of minutes.
- **urls** : **list**
URLs to receive a POST request at job completion
- **failure_email_addresses** : **list**
Addresses to notify by e-mail when the job fails.

archived : string

The archival status of the requested object(s).

code_preview : string

The code that this script will run with arguments inserted.

last_run : dict:

- **created_at** : string/time
The time that the run was queued.
- **started_at** : string/time
The time that the run started.
- **state** : string
- **finished_at** : string/time
The time that the run completed.
- **error** : string
The error message **for** this run, **if** present.
- **id** : integer

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

get_custom_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the custom.

run_id : integer

The ID of the run.

Returns *finished_at* : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

custom_id : integer

The ID of the custom.

is_cancel_requested : boolean

True if run cancel requested, else false.

get_javascript (*id*)

Get a JavaScript Script

Parameters *id* : integer

Returns *user_context* : string

"runner" or "author", who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

created_at : string/time

The time this script was created.

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : string

The body/text of the script.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or

```

```
false, False, f, n, no, or 0 for false bool's. Cannot be used,  
↪ for  
    parameters that are required or a credential type.  
- required : boolean  
    Whether this param is required.  
- value : string  
    The value you would like to set this param to. Setting this,  
↪ value makes  
    this parameter a fixed param.  
- type : string  
    The type of parameter. Valid options: string, integer, float,  
↪ bool,  
    file, database, credential_aws, credential_redshift, or  
    credential_custom  
- name : string  
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string  
    The runs link to get the run information list for this script.  
- details : string  
    The details link to get more information about the script.
```

author : dict:

```
- username : string  
    This user's username.  
- online : boolean
```

```

    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

projects : list:

```

A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.

```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

get_javascript_runs (*id*, *run_id*)

Check status of a run

Parameters *id* : integer

The ID of the javascript.

run_id : integer

The ID of the run.

Returns *javascript_id* : integer

The ID of the javascript.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

get_python3 (*id*)

Get a Python Script

Parameters *id* : integer**Returns** *user_context* : string

"runner" or "author", who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

- *created_at* : string/time
The time that the run was queued.
- *started_at* : string/time
The time that the run started.

```

- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour

```

created_at : string/time

The time this script was created.

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : string

The body/text of the script.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.

```

```
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must_
↪be at
    least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↪This
    space will be used to hold the git repo configured for the_
↪container
    and anything your container writes to /tmp or /data. Fractional_
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↪core has
    1024 shares. Must be at least 2 shares.
```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

get_python3_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the python.

run_id : integer

The ID of the run.

Returns **finished_at** : string/time

The time the last run completed.

python_id : integer

The ID of the python.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

get_r (*id*)

Get an R Script

Parameters **id** : integer

Returns **user_context** : string

"runner" or "author", who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
```

```
A short sentence or fragment describing this parameter to the
↪end user.
- default : string
  If an argument for this parameter is not defined, it will use
↪this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
  parameters that are required or a credential type.
- required : boolean
  Whether this param is required.
- value : string
  The value you would like to set this param to. Setting this
↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↪bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
↪be at
  least 4 MiB.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↪This
  space will be used to hold the git repo configured for the
↪container
  and anything your container writes to /tmp or /data. Fractional
↪values
  (e.g. 0.25) are supported.
- cpu : integer
  The number of CPU shares to allocate for the container. Each
↪core has
  1024 shares. Must be at least 2 shares.
```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

```
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

get_r_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the r.

run_id : integer

The ID of the run.

Returns **finished_at** : string/time

The time the last run completed.

r_id : integer

The ID of the r.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

get_sql (*id*)

Get a SQL script

Parameters **id** : integer

Returns `user_context` : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
```

```
This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
```

```
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

code_preview : string

The code that this script will run with arguments inserted.

template_dependents_count : integer

How many other scripts use this one as a template.

csv_settings : dict:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

get_sql_runs (*id*, *run_id*)

Check status of a run

Parameters **id** : integer

The ID of the sql.

run_id : integer

The ID of the run.

Returns `finished_at` : string/time

The time that this run finished.

output : list:

A `list` of the outputs of this script.

- `file_id` : integer
The unique ID of the output file.
- `path` : string
The temporary link to download this output file, valid **for 36** hours.
- `output_name` : string
The name of the output file.

started_at : string/time

The time the last run started.

sql_id : integer

The ID of this sql.

state : string

The state of this run.

id : integer

The ID of this run.

error : string

The error message for this run, if present.

is_cancel_requested : boolean

True if run cancel requested, else false.

list (***kwargs*)

List scripts

Parameters `type` : string, optional

If specified, return objects of these types. The valid types are 'sql', 'python3', 'r', and 'javascript'.

author : string, optional

If specified, return objects from this author. Must use user IDs. A comma separated list of IDs is also accepted to return objects from multiple authors.

status : string, optional

If specified, returns objects with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `updated_at`. Must be one of: `updated_at`, `name`, `created_at`, `last_run.updated_at`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

Returns `finished_at` : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

template_script_id : integer

The ID of the template script, if any.

time_zone : string

The time zone of this script.

name : string

The name of the script.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

archived : string

The archival status of the requested object(s).

created_at : string/time

The time this script was created.

parent_id : integer

The ID of the parent job that will trigger this script

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

list_containers_projects (*id*)

List the projects a container docker belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
```

```
This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_containers_runs (*id*, ***kwargs*)

List runs for the given container

Parameters **id** : integer

The ID of the container.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns finished_at : string/time

The time the last run completed.

container_id : integer

The ID of the container.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_containers_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters id : integer

The ID of the container.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns created_at : string/date-time

The time the log was created.

message : string

The log message.

level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

list_containers_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters id : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

list_containers_shares (*id*)

List users and groups permissioned on this object

Parameters id : integer

The ID of the object.

Returns writers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_custom (**kwargs)

List Custom Scripts

Parameters from_template_id : integer, optional

The template script that this app uses.

author : string, optional

If specified, return objects from this author. Must use user IDs. A comma separated list of IDs is also accepted to return objects from multiple authors.

status : string, optional

If specified, returns objects with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

archived : string, optional

The archival status of the requested object(s).

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to updated_at. Must be one of: updated_at, name, created_at.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns `finished_at` : string/time

The time that the script's last run finished.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

name : string

The name of the script.

type : string

The type of the script (e.g Custom)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

archived : string

The archival status of the requested object(s).

created_at : string/time

The time this script was created.

parent_id : integer

The ID of the parent job that will trigger this script

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

list_custom_projects (*id*)

List the projects a Job belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_custom_runs (*id*, ***kwargs*)

List runs for the given custom

Parameters **id** : integer

The ID of the custom.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **finished_at** : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

custom_id : integer

The ID of the custom.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_custom_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the custom.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **created_at** : string/date-time

The time the log was created.

message : string

The log message.

level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

list_custom_runs_outputs (*id, run_id, **kwargs*)

List the outputs for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

list_custom_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_history (*id*)

Get the run history and outputs of this script

Parameters **id** : integer

The ID for the script.

Returns **finished_at** : string/time

The time that this run finished.

output : list:

```
A list of the outputs of this script.
- file_id : integer
    The unique ID of the output file.
- path : string
    The temporary link to download this output file, valid for 36
    hours.
- output_name : string
    The name of the output file.
```

sql_id : integer

The ID of this sql.

state : string

The state of this run.

id : integer

The ID of this run.

error : string

The error message for this run, if present.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_javascript_projects (*id*)

List the projects a scripted sql belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
```

```
Whether this user is online.  
- name : string  
  This user's name.  
- initials : string  
  This user's initials.  
- id : integer  
  The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_javascript_runs (*id*, ***kwargs*)

List runs for the given javascript

Parameters **id** : integer

The ID of the javascript.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **javascript_id** : integer

The ID of the javascript.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_javascript_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the javascript.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **created_at** : string/date-time

The time the log was created.

message : string

The log message.

level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

list_javascript_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

Returns **object_type** : string

The type of the output. Valid values are `File`, `Report`, `Table`, or `Project`

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

list_javascript_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_python3_projects (*id*)

List the projects a python docker belongs to

Parameters *id* : integer

The ID of the resource.

Returns *archived* : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_python3_runs (*id*, ***kwargs*)

List runs for the given python

Parameters **id** : integer

The ID of the python.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **finished_at** : string/time

The time the last run completed.

python_id : integer

The ID of the python.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_python3_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the python.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **created_at** : string/date-time

The time the log was created.

message : string

The log message.

level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

list_python3_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to created_at. Must be one of: created_at, id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

list_python3_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_r_projects (*id*)

List the projects a r docker belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_r_runs (*id*, ***kwargs*)

List runs for the given r

Parameters **id** : integer

The ID of the r.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns finished_at : string/time

The time the last run completed.

r_id : integer

The ID of the r.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_r_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters id : integer

The ID of the r.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns created_at : string/date-time

The time the log was created.

message : string

The log message.

level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

list_r_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

Returns **object_type** : string

The type of the output. Valid values are `File`, `Report`, `Table`, or `Project`

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

list_r_shares (*id*)

List users and groups permissioned on this object

Parameters **id** : integer

The ID of the object.

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
```

```
- name : string
- id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_sql_projects (*id*)

List the projects a scripts belongs to

Parameters **id** : integer

The ID of the resource.

Returns **archived** : string

The archival status of the requested object(s).

created_at : string/time

author : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

users : list:

```
Users who can see the project
- username : string
```

```

    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

auto_share : boolean

description : string

A description of the project

id : integer

The ID for this project.

updated_at : string/time

name : string

The name of this project.

list_sql_runs (*id*, ***kwargs*)

List runs for the given sql

Parameters **id** : integer

The ID of the sql.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **finished_at** : string/time

The time that this run finished.

output : list:

```

A list of the outputs of this script.
- file_id : integer
    The unique ID of the output file.
- path : string

```

```
The temporary link to download this output file, valid for 36_
↳hours.
- output_name : string
  The name of the output file.
```

started_at : string/time

The time the last run started.

sql_id : integer

The ID of this sql.

state : string

The state of this run.

id : integer

The ID of this run.

error : string

The error message for this run, if present.

is_cancel_requested : boolean

True if run cancel requested, else false.

list_sql_runs_logs (*id*, *run_id*, ***kwargs*)

Get the logs for a run

Parameters **id** : integer

The ID of the sql.

run_id : integer

The ID of the run.

last_id : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

limit : integer, optional

The maximum number of log messages to return. Default of 10000.

Returns **created_at** : string/date-time

The time the log was created.

message : string

The log message.

level : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

id : integer

The ID of the log.

list_sql_runs_outputs (*id*, *run_id*, ***kwargs*)

List the outputs for a run

Parameters `id` : integer

The ID of the output.

run_id : integer

The ID of the run.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

order_dir : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

Returns `object_type` : string

The type of the output. Valid values are `File`, `Report`, `Table`, or `Project`

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

list_sql_shares (*id*)

List users and groups permissioned on this object

Parameters `id` : integer

The ID of the object.

Returns `writers` : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

list_types()

List available script types

Returns name : string

The name of the type.

patch(id, **kwargs)

Update a script

Parameters id : integer

The ID for the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

notifications : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
Cannot be set if this script uses a template script.
- label : string
  The label to present to users when asking them for the value.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- required : boolean
  Whether this param is required.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
```

sql : string, optional

The raw SQL query for the script.

schedule : dict, optional:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
  If the object is scheduled
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
```

template_script_id : integer, optional

The ID of the template script, if any. A script cannot both have a template script and be a template for other scripts.

name : string, optional

The name of the script.

Returns `user_context` : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of script.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
```



```
- id : integer
    The ID of this user.
```

params : list:

A definition of the parameters this script accepts **in** the arguments.

```
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

template_script_id : integer

The ID of the template script, if any.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
```

```
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time this script was last updated.

id : integer

The ID for the script.

patch_containers (*id*, ***kwargs*)

Update a container

Parameters **id** : integer

The ID for the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

git_credential_id : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

time_zone : string, optional

The time zone of this script.

repo_http_uri : string, optional

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

docker_image_tag : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

repo_ref : string, optional

The tag or branch of the github repo to clone into the container.

docker_image_name : string, optional

The name of the docker image to pull from DockerHub.

docker_command : string, optional

The command to run on the container. Will be run via sh as: `["sh", "-c", dockerCommand]`

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

required_resources : dict, optional:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↳ This
    space will be used to hold the git repo configured for the
↳ container
    and anything your container writes to /tmp or /data. Fractional
↳ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↳ core has
    1024 shares.
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳ field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↳ end user.
- default : string
    If an argument for this parameter is not defined, it will use
↳ this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳ or
```

```

    false, False, f, n, no, or 0 for false bool's. Cannot be used,
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this,
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per,
↪hour

```

remote_host_credential_id : integer, optional

The id of the database credentials to pass into the environment of the container.

name : string, optional

The name of the container.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template script.

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

type : string

The type of the script (e.g Container)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
```

```

    false, False, f, n, no, or 0 for false bool's. Cannot be used,
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this,
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

remote_host_credential_id : integer

The id of the database credentials to pass into the environment of the container.

name : string

The name of the container.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

target_project_id : integer

Target project to which script outputs will be added.

repo_ref : string

The tag or branch of the github repo to clone into the container.

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪ core has
    1024 shares.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

notifications : dict:


```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

repo_http_uri : string

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

patch_containers_runs (*id*, *run_id*, ***kwargs*)

Update a run

Parameters **id** : integer

The ID for the script.

run_id : integer

The ID of the script run.

bocce_accepted_at : string/date-time, optional

The time when a bocce worker began processing the script.

state : string, optional

The state of the script.

bocce_started_at : string/date-time, optional

The time when a bocce worker began executing the script.

Returns None

Response code 204: success

patch_custom(*id*, ***kwargs*)

Update some attributes of this CustomScript

Parameters *id* : integer

The ID for the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

credential_id : integer, optional

The credential that this script will use.

parent_id : integer, optional

The ID of the parent job that will trigger this script

remote_host_id : integer, optional

The remote host ID that this script will connect to.

time_zone : string, optional

The time zone of this script.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

target_project_id : integer, optional

Target project to which script outputs will be added.

name : string, optional

The name of the script.

Returns parent_id : integer

The ID of the parent job that will trigger this script

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g Custom)

remote_host_id : integer

The remote host ID that this script will connect to.

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- required : boolean
```

```
Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

A **list** of projects containing the script.

- **name** : string
The name of the project.
- **id** : integer
The ID **for** the project.

target_project_id : integer

Target project to which script outputs will be added.

notifications : dict:

- **success_email_body** : string
Custom body text **for** success e-mail, written **in** Markdown.
- **failure_on** : boolean
If failure email notifications are on
- **success_email_subject** : string
Custom subject line **for** success e-mail.
- **success_email_addresses** : **list**
Addresses to notify by e-mail when the job completes, **↪**successfully.
- **success_on** : boolean
If success email notifications are on
- **stall_warning_minutes** : integer
Stall warning emails will be sent after this amount of minutes.
- **urls** : **list**
URLs to receive a POST request at job completion
- **failure_email_addresses** : **list**
Addresses to notify by e-mail when the job fails.

archived : string

The archival status of the requested object(s).

code_preview : string

The code that this script will run with arguments inserted.

last_run : dict:

- **created_at** : string/time
The time that the run was queued.
- **started_at** : string/time
The time that the run started.
- **state** : string
- **finished_at** : string/time
The time that the run completed.
- **error** : string
The error message **for** this run, **if** present.
- **id** : integer

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

patch_javascript (*id*, ***kwargs*)

Update some attributes of this JavaScript Script

Parameters *id* : integer

The ID for the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

remote_host_id : integer, optional

The remote host ID that this script will connect to.

time_zone : string, optional

The time zone of this script.

credential_id : integer, optional

The credential that this script will use.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

source : string, optional

The body/text of the script.

params : list, optional:

```

A definition of the parameters this script accepts in the arguments_
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour

```

name : string, optional

The name of the script.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

A definition of the parameters this script accepts **in** the arguments.

- ↪field.
- label : string
 - The label to present to users when asking them **for** the value.
- description : string
 - A short sentence **or** fragment describing this parameter to the
 - ↪end user.
- default : string
 - If an argument **for** this parameter **is not** defined, it will use
 - ↪this
 - default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's.
 - ↪or
 - false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used
 - ↪for
 - parameters that are required **or** a credential type.
- required : boolean
 - Whether this param **is** required.
- value : string
 - The value you would like to **set** this param to. Setting this
 - ↪value makes
 - this parameter a fixed param.
- type : string
 - The **type** of parameter. Valid options: string, integer, float,
 - ↪bool,
 - file, database, credential_aws, credential_redshift, **or**
 - credential_custom
- name : string
 - The variable's name as used within your code.

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

patch_python3 (*id*, ***kwargs*)

Update some attributes of this Python Script

Parameters **id** : integer

The ID for the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

next_run_at : string/time, optional

The time of the next scheduled run.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

required_resources : dict, optional:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
```

source : string, optional

The body/text of the script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

name : string, optional

The name of the script.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This space will be used to hold the git repo configured for the
    ↪container and anything your container writes to /tmp or /data. Fractional
    ↪values (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has 1024 shares. Must be at least 2 shares.
```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.  
- name : string  
    The name of the project.  
- id : integer  
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string  
    Custom body text for success e-mail, written in Markdown.  
- failure_on : boolean  
    If failure email notifications are on  
- success_email_subject : string  
    Custom subject line for success e-mail.  
- success_email_addresses : list  
    Addresses to notify by e-mail when the job completes,  
    ↪ successfully.  
- success_on : boolean  
    If success email notifications are on  
- stall_warning_minutes : integer  
    Stall warning emails will be sent after this amount of minutes.  
- urls : list  
    URLs to receive a POST request at job completion  
- failure_email_addresses : list  
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

patch_r (*id*, ****kwargs**)

Update some attributes of this R Script

Parameters **id** : integer

The ID for the script.

notifications : dict, optional:


```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

next_run_at : string/time, optional

The time of the next scheduled run.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

required_resources : dict, optional:

```

- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must_
↳be at
    least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↳This
    space will be used to hold the git repo configured for the_
↳container
    and anything your container writes to /tmp or /data. Fractional_
↳values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↳core has
    1024 shares. Must be at least 2 shares.

```

source : string, optional

The body/text of the script.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
```

name : string, optional

The name of the script.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments_  
↪field.  
- label : string  
    The label to present to users when asking them for the value.  
- description : string  
    A short sentence or fragment describing this parameter to the_  
↪end user.  
- default : string  
    If an argument for this parameter is not defined, it will use_  
↪this  
    default value. Use true, True, t, y, yes, or 1 for true bool's_  
↪or  
    false, False, f, n, no, or 0 for false bool's. Cannot be used_  
↪for  
    parameters that are required or a credential type.  
- required : boolean  
    Whether this param is required.  
- value : string  
    The value you would like to set this param to. Setting this_  
↪value makes  
    this parameter a fixed param.  
- type : string  
    The type of parameter. Valid options: string, integer, float,_  
↪bool,  
    file, database, credential_aws, credential_redshift, or  
    credential_custom  
- name : string  
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer  
    The amount of RAM to allocate for the container (in MiB). Must_  
↪be at  
    least 4 MiB.  
- disk_space : number/float  
    The amount of disk space, in GB, to allocate for the container._  
↪This  
    space will be used to hold the git repo configured for the_  
↪container  
    and anything your container writes to /tmp or /data. Fractional_  
↪values  
    (e.g. 0.25) are supported.  
- cpu : integer  
    The number of CPU shares to allocate for the container. Each_  
↪core has  
    1024 shares. Must be at least 2 shares.
```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes successfully.
```

```
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

patch_sql (*id*, ***kwargs*)

Update some attributes of this SQL script

Parameters id : integer

The ID for the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

remote_host_id : integer, optional

The remote host ID that this script will connect to.

sql : string, optional

The raw SQL query for the script.

time_zone : string, optional

The time zone of this script.

credential_id : integer, optional

The credential that this script will use.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

csv_settings : dict, optional:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
```

```
parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

name : string, optional

The name of the script.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:


```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

created_at : string/time

The time this script was created.

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.

```

```
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float, _
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
```

```
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

code_preview : string

The code that this script will run with arguments inserted.

template_dependents_count : integer

How many other scripts use this one as a template.

csv_settings : dict:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
```

```
A user specified filename prefix for the output file to have.↵
↵Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".↵
↵Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:↵
↵true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.↵
↵Default:
    false
```

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post (*credential_id*, *sql*, *remote_host_id*, *name*, ***kwargs*)

Create a script

Parameters **credential_id** : integer

The credential ID.

sql : string

The raw SQL query for the script.

remote_host_id : integer

The database ID.

name : string

The name of the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
```

```

    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

params : list, optional:

```

A definition of the parameters this script accepts in the arguments,
↪ field.
Cannot be set if this script uses a template script.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the,
    ↪ end user.
- default : string
    If an argument for this parameter is not defined, it will use,
    ↪ this
    default value. Use true, True, t, y, yes, or 1 for true bool's,
    ↪ or
    false, False, f, n, no, or 0 for false bool's. Cannot be used,
    ↪ for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this,
    ↪ value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪ bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

template_script_id : integer, optional

The ID of the template script, if any. A script cannot both have a template script and be a template for other scripts.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
 ↵field.

- label : string
 The label to present to users when asking them **for** the value.
- description : string
 A short sentence **or** fragment describing this parameter to the_↵
 ↵end user.
- default : string
 If an argument **for** this parameter **is not** defined, it will use_↵
 ↵this
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
 ↵or
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
 ↵for
 parameters that are required **or** a credential type.
- required : boolean
 Whether this param **is** required.
- value : string
 The value you would like to **set** this param to. Setting this_↵
 ↵value makes
 this parameter a fixed param.
- type : string
 The type of parameter. Valid options: string, integer, float,_↵
 ↵bool,
 file, database, credential_aws, credential_redshift, **or**
 credential_custom
- name : string
 The variable's name as used within your code.

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
 The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

- runs : string
 The runs link to get the run information list **for** this script.

```
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

template_script_id : integer

The ID of the template script, if any.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_cancel (*id*)

Cancel a run

Parameters **id** : integer

The ID of the job.

Returns **is_cancel_requested** : boolean

True if run cancel requested, else false.

state : string

The state of the run, one of 'queued', 'running' or 'cancelled'.

id : integer

The ID of the run.

post_containers (*docker_image_name, docker_command, required_resources, **kwargs*)

Create a container

Parameters **docker_image_name** : string

The name of the docker image to pull from DockerHub.

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪ core has
    1024 shares.
```

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

git_credential_id : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you’ve submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

time_zone : string, optional

The time zone of this script.

repo_http_uri : string, optional

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

docker_image_tag : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

repo_ref : string, optional

The tag or branch of the github repo to clone into the container.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
```

```

- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour

```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

remote_host_credential_id : integer, optional

The id of the database credentials to pass into the environment of the container.

name : string, optional

The name of the container.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template script.

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

type : string

The type of the script (e.g Container)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

remote_host_credential_id : integer

The id of the database credentials to pass into the environment of the container.

name : string

The name of the container.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

target_project_id : integer

Target project to which script outputs will be added.

repo_ref : string

The tag or branch of the github repo to clone into the container.

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
```

```
(e.g. 0.25) are supported.
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  core has
  1024 shares.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

notifications : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
  successfully.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

repo_http_uri : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_containers_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the container.

Returns **finished_at** : string/time

The time the last run completed.

container_id : integer

The ID of the container.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

post_containers_runs_heartbeats (*id*, *run_id*)

Indicate that the given run is being handled

Parameters **id** : integer

The ID of the container.

run_id : integer

The ID of the run.

Returns None

Response code 204: success

post_containers_runs_logs (*id*, *run_id*, ****kwargs**)

Add log messages

Parameters **id** : integer

The ID of the script.

run_id : integer

The ID of the script run.

messages : list, optional:

<pre>- created_at : string/date-time - message : string The log message to store. - level : string The log level of this message [default: info]</pre>
--

message : string, optional

The log message to store.

level : string, optional

The log level of this message [default: info]

Returns None

Response code 204: success

post_containers_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

post_custom (*from_template_id, **kwargs*)

Create a CustomScript

Parameters **from_template_id** : integer

The ID of the template script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

credential_id : integer, optional

The credential that this script will use.

parent_id : integer, optional

The ID of the parent job that will trigger this script

remote_host_id : integer, optional

The remote host ID that this script will connect to.

time_zone : string, optional

The time zone of this script.

target_project_id : integer, optional

Target project to which script outputs will be added.

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

name : string, optional

The name of the script.

Returns parent_id : integer

The ID of the parent job that will trigger this script

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g Custom)

remote_host_id : integer

The remote host ID that this script will connect to.

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

A definition of the parameters this script accepts **in** the arguments,
↳field.

```
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the   

↳end user.
- default : string
    If an argument for this parameter is not defined, it will use   

↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's   

↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used   

↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this   

↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,   

↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

target_project_id : integer

Target project to which script outputs will be added.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
```

```

    If success email notifications are on
-   stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
-   urls : list
    URLs to receive a POST request at job completion
-   failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

archived : string

The archival status of the requested object(s).

code_preview : string

The code that this script will run with arguments inserted.

last_run : dict:

```

-   created_at : string/time
    The time that the run was queued.
-   started_at : string/time
    The time that the run started.
-   state : string
-   finished_at : string/time
    The time that the run completed.
-   error : string
    The error message for this run, if present.
-   id : integer

```

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_custom_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the custom.

Returns **finished_at** : string/time

The time the last run completed.

error : string

The error, if any, returned by the run.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

custom_id : integer

The ID of the custom.

is_cancel_requested : boolean

True if run cancel requested, else false.

post_custom_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

post_javascript (*remote_host_id, credential_id, source, name, **kwargs*)

Create a JavaScript Script

Parameters **remote_host_id** : integer

The remote host ID that this script will connect to.

credential_id : integer

The credential that this script will use.

source : string

The body/text of the script.

name : string

The name of the script.

notifications : dict, optional:

- **success_email_body** : string
Custom body text **for** success e-mail, written **in** Markdown.
 - **failure_on** : boolean
If failure email notifications are on

```

- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

params : list, optional:

```

A definition of the parameters this script accepts in the arguments,
↳ field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the,
↳ end user.
- default : string
    If an argument for this parameter is not defined, it will use,
↳ this
    default value. Use true, True, t, y, yes, or 1 for true bool's,
↳ or
    false, False, f, n, no, or 0 for false bool's. Cannot be used,
↳ for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this,
↳ value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳ bool,

```

```
file, database, credential_aws, credential_redshift, or
credential_custom
- name : string
  The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
  If the object is scheduled
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
  hour
```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
  The time that the run was queued.
- started_at : string/time
  The time that the run started.
- state : string
- finished_at : string/time
  The time that the run completed.
- error : string
  The error message for this run, if present.
- id : integer
```


schedule : dict:

- `scheduled_days` : list
Day based on numeric value starting at 0 **for** Sunday
- `scheduled` : boolean
If the **object** **is** scheduled
- `scheduled_minutes` : list
Minutes of the day it **is** scheduled on
- `scheduled_hours` : list
Hours of the day it **is** scheduled on
- `scheduled_runs_per_hour` : integer
Alternative to scheduled minutes, number of times to run per_↵
hour

created_at : string/time

The time this script was created.

running_as : dict:

- `username` : string
This user's `username`.
- `online` : boolean
Whether this user **is** online.
- `name` : string
This user's `name`.
- `initials` : string
This user's `initials`.
- `id` : integer
The ID of this user.

source : string

The body/text of the script.

params : list:

A definition of the parameters this script accepts **in** the arguments_↵
field.

- `label` : string
The label to present to users when asking them **for** the value.
- `description` : string
A short sentence **or** fragment describing this parameter to the_↵
end user.
- `default` : string
If an argument **for** this parameter **is not** defined, it will use_↵
this
default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_↵
or
false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_↵
for
parameters that are required **or** a credential type.
- `required` : boolean
Whether this param **is** required.
- `value` : string
The value you would like to **set** this param to. Setting this_↵
value makes
this parameter a fixed param.

```
- type : string
    The type of parameter. Valid options: string, integer, float, ↵
↵bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
    ↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_javascript_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the javascript.

Returns **javascript_id** : integer

The ID of the javascript.

finished_at : string/time

The time the last run completed.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

post_javascript_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters id : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

post_python3 (*source, name, **kwargs*)

Create a Python Script

Parameters source : string

The body/text of the script.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

required_resources : dict, optional:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must_
↪be at
    least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↪This
    space will be used to hold the git repo configured for the_
↪container
    and anything your container writes to /tmp or /data. Fractional_
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↪core has
    1024 shares. Must be at least 2 shares.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_  
↪field.  
- label : string  
    The label to present to users when asking them for the value.  
- description : string  
    A short sentence or fragment describing this parameter to the_  
↪end user.  
- default : string  
    If an argument for this parameter is not defined, it will use_  
↪this  
    default value. Use true, True, t, y, yes, or 1 for true bool's_  
↪or  
    false, False, f, n, no, or 0 for false bool's. Cannot be used_  
↪for  
    parameters that are required or a credential type.  
- required : boolean  
    Whether this param is required.  
- value : string  
    The value you would like to set this param to. Setting this_  
↪value makes  
    this parameter a fixed param.  
- type : string  
    The type of parameter. Valid options: string, integer, float,_  
↪bool,  
    file, database, credential_aws, credential_redshift, or  
    credential_custom  
- name : string  
    The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list  
    Day based on numeric value starting at 0 for Sunday  
- scheduled : boolean  
    If the object is scheduled  
- scheduled_minutes : list  
    Minutes of the day it is scheduled on  
- scheduled_hours : list  
    Hours of the day it is scheduled on  
- scheduled_runs_per_hour : integer  
    Alternative to scheduled minutes, number of times to run per_  
↪hour
```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments_  
↪field.  
- label : string  
    The label to present to users when asking them for the value.  
- description : string  
    A short sentence or fragment describing this parameter to the_  
↪end user.  
- default : string  
    If an argument for this parameter is not defined, it will use_  
↪this  
    default value. Use true, True, t, y, yes, or 1 for true bool's_  
↪or  
    false, False, f, n, no, or 0 for false bool's. Cannot be used_  
↪for  
    parameters that are required or a credential type.  
- required : boolean  
    Whether this param is required.  
- value : string  
    The value you would like to set this param to. Setting this_  
↪value makes  
    this parameter a fixed param.  
- type : string  
    The type of parameter. Valid options: string, integer, float,_  
↪bool,  
    file, database, credential_aws, credential_redshift, or  
    credential_custom  
- name : string  
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer  
    The amount of RAM to allocate for the container (in MiB). Must_  
↪be at  
    least 4 MiB.  
- disk_space : number/float  
    The amount of disk space, in GB, to allocate for the container._  
↪This  
    space will be used to hold the git repo configured for the_  
↪container  
    and anything your container writes to /tmp or /data. Fractional_  
↪values  
    (e.g. 0.25) are supported.  
- cpu : integer  
    The number of CPU shares to allocate for the container. Each_  
↪core has  
    1024 shares. Must be at least 2 shares.
```


archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes successfully.
```

```
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_python3_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the python.

Returns **finished_at** : string/time

The time the last run completed.

python_id : integer

The ID of the python.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

post_python3_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

post_r (*source*, *name*, ***kwargs*)

Create an R Script

Parameters **source** : string

The body/text of the script.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

required_resources : dict, optional:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↳ be at least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↳ This space will be used to hold the git repo configured for the
    ↳ container
    ↳ and anything your container writes to /tmp or /data. Fractional
    ↳ values (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↳ core has 1024 shares. Must be at least 2 shares.
```

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳ field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
    ↳ end user.
- default : string
    If an argument for this parameter is not defined, it will use
    ↳ this default value. Use true, True, t, y, yes, or 1 for true bool's.
    ↳ or false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↳ for parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
    ↳ value makes this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↳ bool, file, database, credential_aws, credential_redshift, or
```

```

credential_custom
- name : string
  The variable's name as used within your code.

```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
  If the object is scheduled
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour

```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```

- created_at : string/time
  The time that the run was queued.
- started_at : string/time
  The time that the run started.
- state : string
- finished_at : string/time
  The time that the run completed.
- error : string
  The error message for this run, if present.
- id : integer

```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments
    field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
    end user.
- default : string
    If an argument for this parameter is not defined, it will use
    this default value. Use true, True, t, y, yes, or 1 for true bool's
    or false, False, f, n, no, or 0 for false bool's. Cannot be used
    for parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
    value makes this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    bool,
```

```

    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```

- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    be at least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    This space will be used to hold the git repo configured for the
    container and anything your container writes to /tmp or /data. Fractional
    values (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    core has 1024 shares. Must be at least 2 shares.

```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_r_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the r.

Returns **finished_at** : string/time

The time the last run completed.

r_id : integer

The ID of the r.

started_at : string/time

The time the last run started at.

state : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

id : integer

The ID of the run.

error : string

The error, if any, returned by the run.

is_cancel_requested : boolean

True if run cancel requested, else false.

post_r_runs_outputs (*id, run_id, object_type, object_id*)

Add an output for a run

Parameters **id** : integer

The ID of the output.

run_id : integer

The ID of the run.

object_type : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

Returns **object_type** : string

The type of the output. Valid values are File, Report, Table, or Project

object_id : integer

The ID of the output object.

link : string

The link to retrieve the output object.

name : string

The name of the output object.

post_run (*id*)

Run a script

Parameters *id* : integer

The ID for the script.

Returns None

Response code 204: success

post_sql (*remote_host_id*, *sql*, *credential_id*, *name*, ***kwargs*)

Create a SQL script

Parameters *remote_host_id* : integer

The remote host ID that this script will connect to.

sql : string

The raw SQL query for the script.

credential_id : integer

The credential that this script will use.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

csv_settings : dict, optional:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour
```

hidden : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    hour

```

created_at : string/time

The time this script was created.

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

params : list:

A definition of the parameters this script accepts in the arguments field.

```

- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
    end user.
- default : string
    If an argument for this parameter is not defined, it will use
    this default value. Use true, True, t, y, yes, or 1 for true bool's
    or false, False, f, n, no, or 0 for false bool's. Cannot be used
    for parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
    value makes this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    bool, file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

code_preview : string

The code that this script will run with arguments inserted.

template_dependents_count : integer

How many other scripts use this one as a template.

csv_settings : dict:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
```

```
Whether or not the csv should be split into multiple files.↵
↵Default:
false
```

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

post_sql_runs (*id*)

Start a run

Parameters **id** : integer

The ID of the sql.

Returns **finished_at** : string/time

The time that this run finished.

output : list:

```
A list of the outputs of this script.
- file_id : integer
  The unique ID of the output file.
- path : string
  The temporary link to download this output file, valid for 36↵
  ↵hours.
- output_name : string
  The name of the output file.
```

started_at : string/time

The time the last run started.

sql_id : integer

The ID of this sql.

state : string

The state of this run.

id : integer

The ID of this run.

error : string

The error message for this run, if present.

is_cancel_requested : boolean

True if run cancel requested, else false.

put_containers (*id*, *docker_image_name*, *docker_command*, *required_resources*, ***kwargs*)

Edit a container

Parameters *id* : integer

The ID for the script.

docker_image_name : string

The name of the docker image to pull from DockerHub.

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪ core has
    1024 shares.
```

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

git_credential_id : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you’ve submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

time_zone : string, optional

The time zone of this script.

repo_http_uri : string, optional

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

docker_image_tag : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

repo_ref : string, optional

The tag or branch of the github repo to clone into the container.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.  
↳field.  
- label : string  
  The label to present to users when asking them for the value.  
- description : string  
  A short sentence or fragment describing this parameter to the  
↳end user.  
- default : string  
  If an argument for this parameter is not defined, it will use  
↳this  
  default value. Use true, True, t, y, yes, or 1 for true bool's  
↳or  
  false, False, f, n, no, or 0 for false bool's. Cannot be used  
↳for  
  parameters that are required or a credential type.  
- required : boolean  
  Whether this param is required.  
- value : string  
  The value you would like to set this param to. Setting this  
↳value makes  
  this parameter a fixed param.  
- type : string  
  The type of parameter. Valid options: string, integer, float,  
↳bool,  
  file, database, credential_aws, credential_redshift, or  
  credential_custom  
- name : string  
  The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    hour

```

remote_host_credential_id : integer, optional

The id of the database credentials to pass into the environment of the container.

name : string, optional

The name of the container.

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template script.

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

type : string

The type of the script (e.g Container)

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list

```

```
Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

remote_host_credential_id : integer

The id of the database credentials to pass into the environment of the container.

name : string

The name of the container.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

target_project_id : integer

Target project to which script outputs will be added.

repo_ref : string

The tag or branch of the github repo to clone into the container.

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

repo_http_uri : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_containers_archive (*id, status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template script.

docker_image_tag : string

The tag of the docker image to pull from DockerHub (default: latest).

type : string

The type of the script (e.g Container)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
```

```
    If the object is scheduled
-   scheduled_minutes : list
        Minutes of the day it is scheduled on
-   scheduled_hours : list
        Hours of the day it is scheduled on
-   scheduled_runs_per_hour : integer
        Alternative to scheduled minutes, number of times to run per
    ↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
-   username : string
        This user's username.
-   online : boolean
        Whether this user is online.
-   name : string
        This user's name.
-   initials : string
        This user's initials.
-   id : integer
        The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments
    ↪field.
-   label : string
        The label to present to users when asking them for the value.
-   description : string
        A short sentence or fragment describing this parameter to the
    ↪end user.
-   default : string
        If an argument for this parameter is not defined, it will use
    ↪this
        default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
        false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
        parameters that are required or a credential type.
-   required : boolean
        Whether this param is required.
-   value : string
        The value you would like to set this param to. Setting this
    ↪value makes
        this parameter a fixed param.
-   type : string
        The type of parameter. Valid options: string, integer, float,
    ↪bool,
        file, database, credential_aws, credential_redshift, or
        credential_custom
-   name : string
        The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

git_credential_id : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

archived : string

The archival status of the requested object(s).

remote_host_credential_id : integer

The id of the database credentials to pass into the environment of the container.

name : string

The name of the container.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
```

```
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

target_project_id : integer

Target project to which script outputs will be added.

repo_ref : string

The tag or branch of the github repo to clone into the container.

docker_image_name : string

The name of the docker image to pull from DockerHub.

required_resources : dict:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪ This
    space will be used to hold the git repo configured for the
↪ container
    and anything your container writes to /tmp or /data. Fractional
↪ values
    (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪ core has
    1024 shares.
```

docker_command : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

repo_http_uri : string

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_containers_projects (*id*, *project_id*)

Add a container docker to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_containers_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: "read", "write", or "manage"

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_containers_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```

- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer

```

put_custom(*id*, ****kwargs**)

Replace all attributes of this CustomScript

Parameters *id* : integer

The ID for the script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

notifications : dict, optional:

```

- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳successfully.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.

```

credential_id : integer, optional

The credential that this script will use.

parent_id : integer, optional

The ID of the parent job that will trigger this script

remote_host_id : integer, optional

The remote host ID that this script will connect to.

time_zone : string, optional

The time zone of this script.

schedule : dict, optional:

```

- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
  If the object is scheduled
- scheduled_minutes : list

```

```
Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
```

target_project_id : integer, optional

Target project to which script outputs will be added.

name : string, optional

The name of the script.

Returns **parent_id** : integer

The ID of the parent job that will trigger this script

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g Custom)

remote_host_id : integer

The remote host ID that this script will connect to.

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
  The label to present to users when asking them for the value.
- description : string
  A short sentence or fragment describing this parameter to the_
↪end user.
```

```

- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour

```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

A `list` of projects containing the script.

```
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

target_project_id : integer

Target project to which script outputs will be added.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

archived : string

The archival status of the requested object(s).

code_preview : string

The code that this script will run with arguments inserted.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
```



```
- error : string
    The error message for this run, if present.
- id : integer
```

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_custom_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **parent_id** : integer

The ID of the parent job that will trigger this script

time_zone : string

The time zone of this script.

from_template_id : integer

The ID of the template script.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g Custom)

remote_host_id : integer

The remote host ID that this script will connect to.

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
```

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

target_project_id : integer

Target project to which script outputs will be added.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

archived : string

The archival status of the requested object(s).

code_preview : string

The code that this script will run with arguments inserted.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_custom_projects (*id*, *project_id*)

Add a Job to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_custom_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: "read", "write", or "manage"

Returns **writers** : dict:

```
- users : list::
    - name : string
    - id : integer
- groups : list::
    - name : string
    - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_custom_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_javascript (*id*, *remote_host_id*, *credential_id*, *source*, *name*, ****kwargs**)
Replace all attributes of this JavaScript Script

Parameters *id* : integer

The ID for the script.

remote_host_id : integer

The remote host ID that this script will connect to.

credential_id : integer

The credential that this script will use.

source : string

The body/text of the script.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
  The label to present to users when asking them for the value.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- required : boolean
  Whether this param is required.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
  If the object is scheduled
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- scheduled_hours : list
  Hours of the day it is scheduled on
```

```
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns `user_context` : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:


```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : string

The body/text of the script.

params : list:

A definition of the parameters this script accepts `in` the arguments.

```

↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
```

```

- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_javascript_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
```

```

    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_javascript_projects (*id, project_id*)

Add a scripted sql to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_javascript_shares_groups (*id, group_ids, permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: “read”, “write”, or “manage”

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_javascript_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_python3 (*id*, *source*, *name*, ***kwargs*)

Replace all attributes of this Python Script

Parameters `id` : integer

The ID for the script.

source : string

The body/text of the script.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

next_run_at : string/time, optional

The time of the next scheduled run.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

required_resources : dict, optional:

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must_
↪be at
    least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↪This
    space will be used to hold the git repo configured for the_
↪container
```

```
    and anything your container writes to /tmp or /data. Fractional_
    ↪ values
      (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
    ↪ core has
      1024 shares. Must be at least 2 shares.
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments_
    ↪ field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
    ↪ end user.
- default : string
    If an argument for this parameter is not defined, it will use_
    ↪ this
      default value. Use true, True, t, y, yes, or 1 for true bool's_
    ↪ or
      false, False, f, n, no, or 0 for false bool's. Cannot be used_
    ↪ for
      parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
    ↪ value makes
      this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
    ↪ bool,
      file, database, credential_aws, credential_redshift, or
      credential_custom
- name : string
    The variable's name as used within your code.
```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    ↪ hour
```

Returns `user_context` : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- label : string
  The label to present to users when asking them for the value.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
- required : boolean
  Whether this param is required.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
↳be at
  least 4 MiB.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↳This
  space will be used to hold the git repo configured for the
↳container
  and anything your container writes to /tmp or /data. Fractional
↳values
  (e.g. 0.25) are supported.
- cpu : integer
```

```

    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares. Must be at least 2 shares.

```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

author : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

projects : list:

```

A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.

```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean

```

```
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_python3_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

schedule : dict:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

created_at : string/time

The time this script was created.

running_as : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : string

The body/text of the script.

params : list:

```

A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or

```

```
false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
parameters that are required or a credential type.
- required : boolean
  Whether this param is required.
- value : string
  The value you would like to set this param to. Setting this_
↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,_
↪bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must_
↪be at
  least 4 MiB.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container._
↪This
  space will be used to hold the git repo configured for the_
↪container
  and anything your container writes to /tmp or /data. Fractional_
↪values
  (e.g. 0.25) are supported.
- cpu : integer
  The number of CPU shares to allocate for the container. Each_
↪core has
  1024 shares. Must be at least 2 shares.
```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    ↪ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_python3_projects (*id*, *project_id*)

Add a python docker to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_python3_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: "read", "write", or "manage"

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_python3_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters *id* : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_r (*id*, *source*, *name*, ***kwargs*)

Replace all attributes of this R Script

Parameters *id* : integer

The ID for the script.

source : string

The body/text of the script.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes.
↳ successfully.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

next_run_at : string/time, optional

The time of the next scheduled run.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

required_resources : dict, optional:

```

- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
        least 4 MiB.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
        space will be used to hold the git repo configured for the
    ↪container
        and anything your container writes to /tmp or /data. Fractional
    ↪values
        (e.g. 0.25) are supported.
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
        1024 shares. Must be at least 2 shares.

```

params : list, optional:

```

A definition of the parameters this script accepts in the arguments
    ↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
        default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
        false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
        parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
        this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
        file, database, credential_aws, credential_redshift, or
        credential_custom
- name : string
    The variable's name as used within your code.

```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list

```

```
Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

Returns `user_context` : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
```

```

- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

source : string

The body/text of the script.

params : list:

```

A definition of the parameters this script accepts in the arguments,
↳field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the,
↳end user.
- default : string
    If an argument for this parameter is not defined, it will use,
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's,
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used,
↳for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this,
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

required_resources : dict:

```

- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must,
↳be at

```

```
least 4 MiB.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↳ This
    space will be used to hold the git repo configured for the
  ↳ container
    and anything your container writes to /tmp or /data. Fractional
  ↳ values
    (e.g. 0.25) are supported.
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↳ core has
    1024 shares. Must be at least 2 shares.
```

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

author : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- name : string
  This user's name.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
  The name of the project.
- id : integer
  The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_r_archive (*id, status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

source : string

The body/text of the script.

params : list:

A definition of the parameters this script accepts **in** the arguments_
 ↪field.

- label : string
 The label to present to users when asking them **for** the value.
- description : string
 A short sentence **or** fragment describing this parameter to the_
 ↪end user.
- default : string
 If an argument **for** this parameter **is not** defined, it will use_
 ↪this
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's_
 ↪or
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used_
 ↪for
 parameters that are required **or** a credential type.
- required : boolean
 Whether this param **is** required.
- value : string
 The value you would like to **set** this param to. Setting this_
 ↪value makes
 this parameter a fixed param.
- type : string
 The type of parameter. Valid options: string, integer, float,_
 ↪bool,
 file, database, credential_aws, credential_redshift, **or**
 credential_custom
- name : string
 The variable's name as used within your code.

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
 The object can still be queried directly by ID

required_resources : dict:

- memory : integer
 The amount of RAM to allocate **for** the container (**in** MiB). Must_
 ↪be at
 least 4 MiB.
- disk_space : number/float
 The amount of disk space, **in** GB, to allocate **for** the container._
 ↪This
 space will be used to hold the git repo configured **for** the_
 ↪container
and anything your container writes to /tmp **or** /data. Fractional_
 ↪values
 (e.g. 0.25) are supported.
- cpu : integer
 The number of CPU shares to allocate **for** the container. Each_
 ↪core has
 1024 shares. Must be at least 2 shares.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

author : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes successfully.
```

```

- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

target_project_id : integer

Target project to which script outputs will be added.

template_dependents_count : integer

How many other scripts use this one as a template.

state : string

The status of the script's last run.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_r_projects (*id*, *project_id*)

Add a r docker to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_r_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: "read", "write", or "manage"

Returns **writers** : dict:

```

- users : list::
    - name : string
    - id : integer
- groups : list::

```

```
- name : string
- id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_r_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_sql (*id*, *remote_host_id*, *sql*, *credential_id*, *name*, ***kwargs*)

Replace all attributes of this SQL script

Parameters *id* : integer

The ID for the script.

remote_host_id : integer

The remote host ID that this script will connect to.

sql : string

The raw SQL query for the script.

credential_id : integer

The credential that this script will use.

name : string

The name of the script.

notifications : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes,
  ↳ successfully.
- success_on : boolean
  If success email notifications are on
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- urls : list
  URLs to receive a POST request at job completion
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

user_context : string, optional

“runner” or “author”, who to execute the script as when run as a template.

time_zone : string, optional

The time zone of this script.

arguments : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

target_project_id : integer, optional

Target project to which script outputs will be added.

next_run_at : string/time, optional

The time of the next scheduled run.

csv_settings : dict, optional:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
```

params : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
- required : boolean
```



```

    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

parent_id : integer, optional

The ID of the parent job that will trigger this script

schedule : dict, optional:

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour

```

Returns user_context : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time

```

```
The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
```

```

- type : string
    The type of parameter. Valid options: string, integer, float, bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

author : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↳ successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

code_preview : string

The code that this script will run with arguments inserted.

template_dependents_count : integer

How many other scripts use this one as a template.

csv_settings : dict:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↳ Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↳ Default:
    comma
```

```

- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false

```

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_sql_archive (*id*, *status*)

Update the archive status of this object

Parameters **id** : integer

The ID of the object.

status : boolean

The desired archived status of the object.

Returns **user_context** : string

“runner” or “author”, who to execute the script as when run as a template.

published_as_template_id : integer

The ID of the template that this script is backing.

is_template : boolean

Whether others scripts use this one as a template.

from_template_id : integer

The ID of the template this script uses, if any.

credential_id : integer

The credential that this script will use.

type : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

schedule : dict:

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled : boolean
    If the object is scheduled
- scheduled_minutes : list
    Minutes of the day it is scheduled on
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
```

created_at : string/time

The time this script was created.

running_as : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

params : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- label : string
    The label to present to users when asking them for the value.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
- default : string
    If an argument for this parameter is not defined, it will use_
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's_
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used_
↪for
    parameters that are required or a credential type.
```

```

- required : boolean
    Whether this param is required.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.

```

template_script_name : string

The name of the template script.

parent_id : integer

The ID of the parent job that will trigger this script

hidden : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.
The object can still be queried directly by ID

remote_host_id : integer

The remote host ID that this script will connect to.

archived : string

The archival status of the requested object(s).

name : string

The name of the script.

arguments : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

finished_at : string/time

The time that the script's last run finished.

links : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

author : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- name : string
    This user's name.

```

```
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
```

projects : list:

```
A list of projects containing the script.
- name : string
    The name of the project.
- id : integer
    The ID for the project.
```

sql : string

The raw SQL query for the script.

time_zone : string

The time zone of this script.

next_run_at : string/time

The time of the next scheduled run.

notifications : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
    successfully.
- success_on : boolean
    If success email notifications are on
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- urls : list
    URLs to receive a POST request at job completion
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

target_project_id : integer

Target project to which script outputs will be added.

code_preview : string

The code that this script will run with arguments inserted.

template_dependents_count : integer

How many other scripts use this one as a template.

csv_settings : dict:

```
- unquoted : boolean
    Whether or not to quote fields. Default: false
- filename_prefix : string
```



```

    A user specified filename prefix for the output file to have.
↪Default:
    null
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false

```

state : string

The status of the script's last run.

expanded_arguments : dict

Expanded arguments for use in injecting into different environments.

updated_at : string/time

The time the script was last updated.

id : integer

The ID for the script.

put_sql_projects (*id*, *project_id*)

Add a scripts to a project

Parameters **id** : integer

ID of the resource

project_id : integer

The ID of the project

Returns None

Response code 204: success

put_sql_shares_groups (*id*, *group_ids*, *permission_level*)

Set the permissions groups has on this object

Parameters **id** : integer

ID of the resource to be shared

group_ids : list

An array of one or more group IDs

permission_level : string

Options are: "read", "write", or "manage"

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

put_sql_shares_users (*id*, *permission_level*, *user_ids*)

Set the permissions users have on this object

Parameters **id** : integer

ID of the resource to be shared

permission_level : string

Options are: “read”, “write”, or “manage”

user_ids : list

An array of one or more user IDs

Returns **writers** : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

total_group_shares : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

total_user_shares : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

readers : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

owners : dict:

```
- users : list::
  - name : string
  - id : integer
- groups : list::
  - name : string
  - id : integer
```

Tables

class Tables (*session, return_type='civis'*)

Methods

<code>get(id)</code>	Show basic table info
<code>get_enhancements_cass_ncoa(id, source_table_id)</code>	View the status of a CASS / NCOA table enhancement
<code>get_enhancements_geocodings(id, source_table_id)</code>	View the status of a geocoding table enhancement
<code>get_enhancements_prepared_matchings(id, ...)</code>	View a prepared matching enhancement
<code>get_enhancements_table_matchings(id, ...)</code>	View a table matching enhancement
<code>list(**kwargs)</code>	List tables
<code>list_columns(id, **kwargs)</code>	List columns in the specified table
<code>patch(id, **kwargs)</code>	Update a table
<code>post(data, database_id, schema, name)</code>	Import a file into a table
<code>post_enhancements_cass_ncoa(source_table_id, ...)</code>	Standardize addresses in a table
<code>post_enhancements_geocodings(source_table_id, ...)</code>	Geocode a table
<code>post_enhancements_prepared_matchings(...)</code>	Match person records against a dynamo table prepared by Civis
<code>post_enhancements_table_matchings(...)</code>	Match person records against an arbitrary Redshift table
<code>post_refresh(id)</code>	Request a refresh for column and table statistics

get (*id*)

Show basic table info

Parameters *id* : integer

Returns *row_count* : integer

The number of rows in the table.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

database_id : integer

The ID of the database.

view_def : string

description : string

The description of the table, as specified by the table owner

columns : list:

```
- min_value : string
    Smallest value in the column.
- distinct_count : integer
    Number of distinct values in the column.
- max_value : string
    Largest value in the column.
- null_count : integer
    Number of null values in the column.
- sample_values : list
    A sample of values from the column.
- useable_as_independent_variable : boolean
    Whether the column may be used as an independent variable to
↳train a
    model.
- description : string
    The description of the column, as specified by the table owner
- coverage_count : integer
    Number of non-null values in the column.
- order : integer
    Relative position of the column in the table.
- stddev : number/float
    Stddev of the column, where applicable.
- possible_dependent_variable_types : list
    Possible dependent variable types the column may be used to
↳model.
    Null if it may not be used as a dependent variable.
- useable_as_primary_key : boolean
    Whether the column may be used as an primary key to identify
↳table
    rows.
- sql_type : string
    SQL type of the column.
- value_distribution_percent : dict
    A mapping between each value in the column and the percentage
↳of rows
    with that value. Only present for tables with fewer than
↳approximately
```

```

    25,000,000 rows and for columns with fewer than twenty distinct
    ↪ values.
- avg_value : number/float
    Average value of the column, where applicable.
- encoding : string
    The compression encoding for this column See: http://docs.aws.amazon.com/redshift/latest/dg/c\_Compression\_encodings.html
- value_distribution : dict
    An object mapping distinct values in the column to the number
    ↪ of times they appear in the column
- name : string
    Name of the column.

```

column_count : integer

The number of columns in the table.

ontology_mapping : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

size_mb : number/float

The size of the table in megabytes.

enhancements : list:

```

- created_at : string/time
- join_id : integer
- updated_at : string/time
- type : string

```

is_view : boolean

True if this table represents a view. False if it represents a regular table.

multipart_key : list

joins : list:

```

- right_table_id : integer
- created_at : string/time
- left_join : boolean
- right_identifier : string
- on : string

```

```
- left_identifier : string
- id : integer
- updated_at : string/time
- left_table_id : integer
```

sortkeys : string

The column used as the Amazon Redshift sortkey.

distkey : string

The column used as the Amazon Redshift distkey.

outgoing_table_matches : list:

```
- target_id : integer
    Target ID
- source_table_id : integer
    Source table
- job : dict::
    - last_run : dict::
        - created_at : string/time
            The time that the run was queued.
        - started_at : string/time
            The time that the run started.
        - state : string
        - finished_at : string/time
            The time that the run completed.
        - error : string
            The error message for this run, if present.
        - id : integer
    - created_at : string/date-time
    - updated_at : string/date-time
    - match_options : dict::
        - max_matches : integer
        - threshold : string
    - hidden : boolean
        The hidden status of the object. Setting this to true hides_
↳it from
    most API endpoints. The object can still be queried_
↳directly by ID
    - state : string
        Whether the job is idle, queued, running, cancelled, or_
↳failed.
    - runs : list::
        Information about the most recent runs of the job.
        - created_at : string/time
            The time that the run was queued.
        - started_at : string/time
            The time that the run started.
        - state : string
        - finished_at : string/time
            The time that the run completed.
        - error : string
            The error message for this run, if present.
        - id : integer
    - id : integer
    - type : string
    - name : string
```

```

- target : dict::
  - name : string
- target_type : string
  Target type

```

refresh_id : string

The ID of the most recent statistics refresh.

owner : string

The database username of the table's owner.

last_refresh : string/date-time

The time of the last statistics refresh.

name : string

Name of the table.

schema : string

The name of the schema containing the table.

id : integer

The ID of the table.

get_enhancements_cass_ncoa (*id*, *source_table_id*)

View the status of a CASS / NCOA table enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **enhanced_table_name** : string

The name of the table created by the enhancement.

perform_ncoa : boolean

Whether to update addresses for records matching the National Change of Address (NCOA) database.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

ncoa_credential_id : integer

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

output_level : string

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

id : integer

The ID of the enhancement.

get_enhancements_geocodings (*id*, *source_table_id*)

View the status of a geocoding table enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **enhanced_table_schema** : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

enhanced_table_name : string

The name of the table created by the enhancement.

id : integer

The ID of the enhancement.

get_enhancements_prepared_matchings (*id*, *source_table_id*)

View a prepared matching enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **enhanced_table_name** : string

The name of the table created by the enhancement.

max_matches : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

match_table_id : integer

The ID of the Dynamo table to match against.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match.
Must be less than or equal to 1 and greater than or equal to 0.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

id : integer

The ID of the enhancement.

get_enhancements_table_matchings (*id*, *source_table_id*)

View a table matching enhancement

Parameters **id** : integer

The ID of the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

Returns **enhanced_table_name** : string

The name of the table created by the enhancement.

max_matches : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

match_table_id : integer

The ID of the Redshift table to match against.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match.
Must be less than or equal to 1 and greater than or equal to 0.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

id : integer

The ID of the enhancement.

list (***kwargs*)

List tables

Parameters **database_id** : integer, optional

The ID of the database.

schema : string, optional

If specified, will be used to filter the tables returned. Substring matching is supported with “%” and “*” wildcards (e.g., “schema=%census%” will return both “client_census.table” and “census_2010.table”).

name : string, optional

If specified, will be used to filter the tables returned. Substring matching is supported with “%” and “*” wildcards (e.g., “name=%table%” will return both “table1” and “my table”).

search : string, optional

If specified, will be used to filter the tables returned. Will search across schema and name (in the full form schema.name) and will return any full name containing the search string.

limit : integer, optional

Number of results to return. Defaults to 50. Maximum allowed is 1000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to schema. Must be one of: schema, name, search.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns row_count : integer

The number of rows in the table.

name : string

Name of the table.

database_id : integer

The ID of the database.

description : string

The description of the table, as specified by the table owner

distkey : string

The column used as the Amazon Redshift distkey.

column_count : integer

The number of columns in the table.

refresh_id : string

The ID of the most recent statistics refresh.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

size_mb : number/float

The size of the table in megabytes.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

owner : string

The database username of the table's owner.

last_refresh : string/date-time

The time of the last statistics refresh.

is_view : boolean

True if this table represents a view. False if it represents a regular table.

sortkeys : string

The column used as the Amazon Redshift sortkey.

schema : string

The name of the schema containing the table.

id : integer

The ID of the table.

list_columns (*id*, ***kwargs*)

List columns in the specified table

Parameters *id* : integer

name : string, optional

Search for columns with the given name, within the specified table.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to name. Must be one of: name, order.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns min_value : string

Smallest value in the column.

distinct_count : integer

Number of distinct values in the column.

max_value : string

Largest value in the column.

null_count : integer

Number of null values in the column.

sample_values : list

A sample of values from the column.

useable_as_independent_variable : boolean

Whether the column may be used as an independent variable to train a model.

description : string

The description of the column, as specified by the table owner

coverage_count : integer

Number of non-null values in the column.

order : integer

Relative position of the column in the table.

stddev : number/float

Stddev of the column, where applicable.

possible_dependent_variable_types : list

Possible dependent variable types the column may be used to model. Null if it may not be used as a dependent variable.

useable_as_primary_key : boolean

Whether the column may be used as an primary key to identify table rows.

sql_type : string

SQL type of the column.

value_distribution_percent : dict

A mapping between each value in the column and the percentage of rows with that value. Only present for tables with fewer than approximately 25,000,000 rows and for columns with fewer than twenty distinct values.

avg_value : number/float

Average value of the column, where applicable.

encoding : string

The compression encoding for this columnSee: http://docs.aws.amazon.com/redshift/latest/dg/c_Compression_encodings.html

value_distribution : dict

An object mapping distinct values in the column to the number of times they appear in the column

name : string

Name of the column.

patch (*id*, ***kwargs*)

Update a table

Parameters **id** : integer

The ID of the table.

description : string, optional

The user-defined description of the table.

ontology_mapping : dict, optional

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

Returns **row_count** : integer

The number of rows in the table.

name : string

Name of the table.

database_id : integer

The ID of the database.

description : string

The description of the table, as specified by the table owner

distkey : string

The column used as the Amazon Redshift distkey.

column_count : integer

The number of columns in the table.

refresh_id : string

The ID of the most recent statistics refresh.

ontology_mapping : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

last_run : dict:

```
- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
```

size_mb : number/float

The size of the table in megabytes.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

owner : string

The database username of the table's owner.

last_refresh : string/date-time

The time of the last statistics refresh.

is_view : boolean

True if this table represents a view. False if it represents a regular table.

sortkeys : string

The column used as the Amazon Redshift sortkey.

schema : string

The name of the schema containing the table.

id : integer

The ID of the table.

post (*data*, *database_id*, *schema*, *name*)

Import a file into a table

Parameters **data** : string

The file to import, uploaded using HTTP multipart.

database_id : integer

The ID of the destination database.

schema : string

The destination schema name.

name : string

The destination table name, without the schema prefix.

Returns **finished_at** : string/date-time

The end time of the last run.

database_id : integer

The ID of the destination database.

started_at : string/date-time

The start time of the last run.

state : string

The state of the last run.

schema : string

The destination schema name.

name : string

The destination table name, without the schema prefix.

post_enhancements_cass_ncoa (*source_table_id*, ***kwargs*)

Standardize addresses in a table

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

perform_ncoa : boolean, optional

Whether to update addresses for records matching the National Change of Address (NCOA) database.

ncoa_credential_id : integer, optional

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

output_level : string, optional

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

Returns **enhanced_table_name** : string

The name of the table created by the enhancement.

perform_ncoa : boolean

Whether to update addresses for records matching the National Change of Address (NCOA) database.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

ncoa_credential_id : integer

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

output_level : string

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

id : integer

The ID of the enhancement.

post_enhancements_geocodings (*source_table_id*)

Geocode a table

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

Returns **enhanced_table_schema** : string

The schema name of the table created by the enhancement.

source_table_id : integer

The ID of the table that was enhanced.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

enhanced_table_name : string

The name of the table created by the enhancement.

id : integer

The ID of the enhancement.

post_enhancements_prepared_matchings (*source_table_id*, *match_table_id*, *threshold*,
***kwargs*)

Match person records against a dynamo table prepared by Civis

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

match_table_id : integer

The ID of the Dynamo table to match against.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

max_matches : integer, optional

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

Returns **enhanced_table_name** : string

The name of the table created by the enhancement.

max_matches : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

match_table_id : integer

The ID of the Dynamo table to match against.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

id : integer

The ID of the enhancement.

post_enhancements_table_matchings (*source_table_id*, *match_table_id*, *threshold*,
***kwargs*)

Match person records against an arbitrary Redshift table

Parameters **source_table_id** : integer

The ID of the table to be enhanced.

match_table_id : integer

The ID of the Redshift table to match against.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

max_matches : integer, optional

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

Returns **enhanced_table_name** : string

The name of the table created by the enhancement.

max_matches : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

match_table_id : integer

The ID of the Redshift table to match against.

state : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

threshold : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

source_table_id : integer

The ID of the table that was enhanced.

enhanced_table_schema : string

The schema name of the table created by the enhancement.

id : integer

The ID of the enhancement.

post_refresh (*id*)

Request a refresh for column and table statistics

Parameters **id** : integer

Returns **row_count** : integer

The number of rows in the table.

refresh_status : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

database_id : integer

The ID of the database.

view_def : string

description : string

The description of the table, as specified by the table owner

columns : list:

```
- min_value : string
    Smallest value in the column.
- distinct_count : integer
    Number of distinct values in the column.
- max_value : string
    Largest value in the column.
- null_count : integer
    Number of null values in the column.
- sample_values : list
    A sample of values from the column.
- useable_as_independent_variable : boolean
    Whether the column may be used as an independent variable to
↳train a
    model.
- description : string
    The description of the column, as specified by the table owner
- coverage_count : integer
    Number of non-null values in the column.
- order : integer
    Relative position of the column in the table.
- stddev : number/float
    Stddev of the column, where applicable.
- possible_dependent_variable_types : list
    Possible dependent variable types the column may be used to
↳model.
    Null if it may not be used as a dependent variable.
- useable_as_primary_key : boolean
```

```

    Whether the column may be used as an primary key to identify
    ↪table
    rows.
- sql_type : string
    SQL type of the column.
- value_distribution_percent : dict
    A mapping between each value in the column and the percentage
    ↪of rows
    with that value. Only present for tables with fewer than
    ↪approximately
    25,000,000 rows and for columns with fewer than twenty distinct
    ↪values.
- avg_value : number/float
    Average value of the column, where applicable.
- encoding : string
    The compression encoding for this column See: http://docs.aws.amazon.com/redshift/latest/dg/c\_Compression\_encodings.html
- value_distribution : dict
    An object mapping distinct values in the column to the number
    ↪of times
    they appear in the column
- name : string
    Name of the column.

```

column_count : integer

The number of columns in the table.

ontology_mapping : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

last_run : dict:

```

- created_at : string/time
    The time that the run was queued.
- started_at : string/time
    The time that the run started.
- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer

```

size_mb : number/float

The size of the table in megabytes.

enhancements : list:

```

- created_at : string/time
- join_id : integer
- updated_at : string/time
- type : string

```

is_view : boolean

True if this table represents a view. False if it represents a regular table.

multipart_key : list

joins : list:

```
- right_table_id : integer
- created_at : string/time
- left_join : boolean
- right_identifier : string
- on : string
- left_identifier : string
- id : integer
- updated_at : string/time
- left_table_id : integer
```

sortkeys : string

The column used as the Amazon Redshift sortkey.

distkey : string

The column used as the Amazon Redshift distkey.

outgoing_table_matches : list:

```
- target_id : integer
  Target ID
- source_table_id : integer
  Source table
- job : dict::
  - last_run : dict::
    - created_at : string/time
      The time that the run was queued.
    - started_at : string/time
      The time that the run started.
    - state : string
    - finished_at : string/time
      The time that the run completed.
    - error : string
      The error message for this run, if present.
    - id : integer
  - created_at : string/date-time
  - updated_at : string/date-time
  - match_options : dict::
    - max_matches : integer
    - threshold : string
  - hidden : boolean
    The hidden status of the object. Setting this to true hides_
↳it from
  most API endpoints. The object can still be queried_
↳directly by ID
  - state : string
    Whether the job is idle, queued, running, cancelled, or_
↳failed.
  - runs : list::
    Information about the most recent runs of the job.
    - created_at : string/time
      The time that the run was queued.
    - started_at : string/time
      The time that the run started.
```

```

- state : string
- finished_at : string/time
    The time that the run completed.
- error : string
    The error message for this run, if present.
- id : integer
- id : integer
- type : string
- name : string
- target : dict::
    - name : string
- target_type : string
    Target type

```

refresh_id : string

The ID of the most recent statistics refresh.

owner : string

The database username of the table's owner.

last_refresh : string/date-time

The time of the last statistics refresh.

name : string

Name of the table.

schema : string

The name of the schema containing the table.

id : integer

The ID of the table.

Users

class Users (*session*, *return_type*='civis')

Methods

<code>delete_api_keys(id, key_id)</code>	Revoke the specified API key
<code>get(id)</code>	Show info about a user
<code>get_api_keys(id, key_id)</code>	Show the specified API key
<code>list(**kwargs)</code>	List users
<code>list_api_keys(id, **kwargs)</code>	Show API keys belonging to the specified user
<code>list_me()</code>	Show info about the logged-in user
<code>patch_me(**kwargs)</code>	Update info about the logged-in user
<code>post_api_keys(id, expires_in, name, **kwargs)</code>	Create a new API key belonging to the logged-in user

delete_api_keys (*id*, *key_id*)

Revoke the specified API key

Parameters *id* : string

The ID of the user or 'me'.

key_id : integer

The ID of the API key.

Returns expires_at : string/date-time

The date and time when the key expired.

created_at : string/date-time

The date and time when the key was created.

last_used_at : string/date-time

The date and time when the key was last used.

expired : boolean

True if the key has expired.

scopes : list

The scopes which the key is permissioned on.

use_count : integer

The number of times the key has been used.

id : integer

The ID of the API key.

constraints : list:

Constraints on the abilities of the created key

- **get_allowed** : boolean
Whether the constraint allows GET requests.
- **put_allowed** : boolean
Whether the constraint allows PUT requests.
- **post_allowed** : boolean
Whether the constraint allows POST requests.
- **constraint_type** : string
The **type** of constraint (exact/prefix/regex/verb).
- **constraint** : string
The path matcher of the constraint.
- **delete_allowed** : boolean
Whether the constraint allows DELETE requests.
- **head_allowed** : boolean
Whether the constraint allows HEAD requests.
- **patch_allowed** : boolean
Whether the constraint allows PATCH requests.

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

name : string

The name of the API key.

get (*id*)

Show info about a user

Parameters *id* : integer

The ID of this user.

Returns *city* : string

The city of this user.

name : string

The name of this user.

github_username : string

The GitHub username of this user.

time_zone : string

The time zone of this user.

otp_required_for_login : string

The two factor authorization requirement for this user.

department : string

The deartment of this user.

vpn_enabled : string

The availability of vpn for this user.

primary_group_id : integer

The ID of the primary group of this user.

groups : list:

An array of **all** the groups this user **is in**.

- **organization_id** : integer
The organization associated **with** this group.
- **name** : string
The name of this group.
- **id** : integer
The ID of this group.

active : string

The account status of this user.

initials : string

The initials of this user.

title : string

The title of this user.

phone : string

The phone number of this user.

prefers_sms_otp : string

The preference for phone authorization of this user

user : string

The username of this user.

email : string

The email of this user.

state : string

The state of this user.

id : integer

The ID of this user.

get_api_keys (*id*, *key_id*)

Show the specified API key

Parameters **id** : string

The ID of the user or 'me'.

key_id : integer

The ID of the API key.

Returns **expires_at** : string/date-time

The date and time when the key expired.

created_at : string/date-time

The date and time when the key was created.

last_used_at : string/date-time

The date and time when the key was last used.

expired : boolean

True if the key has expired.

scopes : list

The scopes which the key is permissioned on.

use_count : integer

The number of times the key has been used.

id : integer

The ID of the API key.

constraints : list:

Constraints on the abilities of the created key

- **get_allowed** : boolean
Whether the constraint allows GET requests.
- **put_allowed** : boolean
Whether the constraint allows PUT requests.
- **post_allowed** : boolean
Whether the constraint allows POST requests.
- **constraint_type** : string
The **type** of constraint (exact/prefix/regex/verb).
- **constraint** : string
The path matcher of the constraint.


```

- delete_allowed : boolean
    Whether the constraint allows DELETE requests.
- head_allowed : boolean
    Whether the constraint allows HEAD requests.
- patch_allowed : boolean
    Whether the constraint allows PATCH requests.

```

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

name : string

The name of the API key.

list (***kwargs*)
List users

Parameters **feature_flag** : string, optional

Return users that have a feature flag enabled.

account_status : string, optional

The account status by which to filter users. May be one of “active”, “inactive”, or “all”.

query : string, optional

Return users who match the given query, based on name, user, and email.

group_id : integer, optional

The ID of the group by which to filter users. Cannot be present if organization_id is.

organization_id : integer, optional

The ID of the organization by which to filter users. Cannot be present if group_id is.

limit : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 10000.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to name. Must be one of: name, user.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns **current_sign_in_at** : string/date-time

The date and time when the user’s current session began.

created_at : string/date-time

The date and time when the user was created.

user : string

The username of this user.

email : string

The email of this user.

primary_group_id : integer

The ID of the primary group of this user.

id : integer

The ID of this user.

groups : list:

An array of **all** the groups this user **is in**.

- **organization_id** : integer
The organization associated **with** this group.
- **name** : string
The name of this group.
- **id** : integer
The ID of this group.

active : string

The account status of this user.

name : string

The name of this user.

list_api_keys (*id*, ***kwargs*)

Show API keys belonging to the specified user

Parameters **id** : string

The ID of the user or 'me'.

limit : integer, optional

Number of results to return. Defaults to its maximum of 50.

page_num : integer, optional

Page number of the results to return. Defaults to the first page, 1.

order : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

order_dir : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

iterator : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page_num are ignored. Defaults to False.

Returns expires_at : string/date-time

The date and time when the key expired.

constraint_count : integer

The number of constraints on the created key

created_at : string/date-time

The date and time when the key was created.

last_used_at : string/date-time

The date and time when the key was last used.

expired : boolean

True if the key has expired.

scopes : list

The scopes which the key is permissioned on.

use_count : integer

The number of times the key has been used.

id : integer

The ID of the API key.

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

name : string

The name of the API key.

list_me()

Show info about the logged-in user

Returns roles : list

The roles this user has, listed by slug.

groups : list:

```
An array of all the groups this user is in.
- organization_id : integer
  The organization associated with this group.
- name : string
  The name of this group.
- id : integer
  The ID of this group.
```

custom_branding : string

The branding of Platform for this user.

initials : string

This user's initials.

preferences : dict

This user's preferences.

email : string

This user's email address.

last_checked_announcements : string/date-time

The date and time at which the user last checked their announcements.

username : string

This user's username.

organization_name : string

The name of the organization the user belongs to.

feature_flags : dict

The feature flag settings for this user.

name : string

This user's name.

id : integer

The ID of this user.

patch_me (**kwargs)

Update info about the logged-in user

Parameters **last_checked_announcements** : string/date-time, optional

The date and time at which the user last checked their announcements.

preferences : dict, optional:

```
- model_index_author_filter : string
  Author filter for the models index page.
- import_index_archived_filter : string
  Archived filter for the imports index page.
- script_index_order_dir : string
  Order direction for the scripts index page.
- result_index_order_field : string
  Order field for the results index page.
- model_index_archived_filter : string
  Archived filter for the models index page.
- project_detail_author_filter : string
  Author filter for projects detail pages.
- export_index_order_dir : string
  Order direction for the exports index page.
- project_index_author_filter : string
  Author filter for the projects index page.
- civis_explore_skip_intro : boolean
  Whether the user is shown steps for each exploration.
- import_index_order_dir : string
  Order direction for the imports index page.
- script_index_author_filter : string
  Author filter for the scripts index page.
- script_index_archived_filter : string
  Archived filter for the scripts index page.
```

```

- project_detail_type_filter : string
  Type filter for projects detail pages.
- enhancement_index_author_filter : string
  Author filter for the enhancements index page.
- import_index_dest_filter : string
  Destination filter for the imports index page.
- project_index_order_field : string
  Order field for the projects index page.
- export_index_status_filter : string
  Status filter for the exports index page.
- import_index_order_field : string
  Order field for the imports index page.
- preferred_server_id : integer
  ID of preferred server.
- app_index_order_field : string
  Order field for the apps index pages.
- project_detail_archived_filter : string
  Archived filter for the projects detail pages.
- result_index_type_filter : string
  Type filter for the results index page.
- project_detail_order_field : string
  Order field for projects detail pages.
- result_index_order_dir : string
  Order direction for the results index page.
- import_index_status_filter : string
  Status filter for the imports index page.
- model_index_order_field : string
  Order field for the models index page.
- script_index_type_filter : string
  Type filter for the scripts index page.
- export_index_type_filter : string
  Type filter for the exports index page.
- result_index_author_filter : string
  Author filter for the results index page.
- project_index_order_dir : string
  Order direction for the projects index page.
- app_index_order_dir : string
  Order direction for the apps index pages.
- enhancement_index_archived_filter : string
  Archived filter for the enhancements index page.
- export_index_order_field : string
  Order field for the exports index page.
- script_index_status_filter : string
  Status filter for the scripts index page.
- import_index_author_filter : string
  Author filter for the imports index page.
- result_index_archived_filter : string
  Archived filter for the results index page.
- report_index_thumbnail_view : string
  Thumbnail view for the reports index page.
- enhancement_index_order_field : string
  Order field for the enhancements index page.
- project_detail_order_dir : string
  Order direction for projects detail pages.
- project_index_archived_filter : string
  Archived filter for the projects index page.
- enhancement_index_order_dir : string
  Order direction for the enhancements index page.

```

```
- model_index_order_dir : string
    Order direction for the models index page.
- import_index_type_filter : string
    Type filter for the imports index page.
- script_index_order_field : string
    Order field for the scripts index page.
- export_index_author_filter : string
    Author filter for the exports index page.
- model_index_thumbnail_view : string
    Thumbnail view for the models index page.
- model_index_status_filter : string
    Status filter for the models index page.
```

Returns `roles` : list

The roles this user has, listed by slug.

groups : list:

```
An array of all the groups this user is in.
- organization_id : integer
    The organization associated with this group.
- name : string
    The name of this group.
- id : integer
    The ID of this group.
```

custom_branding : string

The branding of Platform for this user.

initials : string

This user's initials.

preferences : dict

This user's preferences.

email : string

This user's email address.

last_checked_announcements : string/date-time

The date and time at which the user last checked their announcements.

username : string

This user's username.

organization_name : string

The name of the organization the user belongs to.

feature_flags : dict

The feature flag settings for this user.

name : string

This user's name.

id : integer

The ID of this user.

post_api_keys (*id, expires_in, name, **kwargs*)

Create a new API key belonging to the logged-in user

Parameters *id* : string

The ID of the user or 'me'.

expires_in : integer

The number of seconds the key should last for.

name : string

The name of the API key.

constraints : list, optional:

```
Constraints on the abilities of the created key.
- get_allowed : boolean
    Whether the constraint allows GET requests.
- put_allowed : boolean
    Whether the constraint allows PUT requests.
- post_allowed : boolean
    Whether the constraint allows POST requests.
- constraint_type : string
    The type of constraint (exact/prefix/regex/verb).
- constraint : string
    The path matcher of the constraint.
- delete_allowed : boolean
    Whether the constraint allows DELETE requests.
- head_allowed : boolean
    Whether the constraint allows HEAD requests.
- patch_allowed : boolean
    Whether the constraint allows PATCH requests.
```

Returns *expires_at* : string/date-time

The date and time when the key expired.

name : string

The name of the API key.

token : string

The API key.

constraints : list:

```
Constraints on the abilities of the created key
- get_allowed : boolean
    Whether the constraint allows GET requests.
- put_allowed : boolean
    Whether the constraint allows PUT requests.
- post_allowed : boolean
    Whether the constraint allows POST requests.
- constraint_type : string
    The type of constraint (exact/prefix/regex/verb).
- constraint : string
    The path matcher of the constraint.
- delete_allowed : boolean
    Whether the constraint allows DELETE requests.
- head_allowed : boolean
```

```
Whether the constraint allows HEAD requests.  
- patch_allowed : boolean  
Whether the constraint allows PATCH requests.
```

revoked_at : string/date-time

The date and time when the key was revoked.

active : boolean

True if the key has neither expired nor been revoked.

created_at : string/date-time

The date and time when the key was created.

expired : boolean

True if the key has expired.

use_count : integer

The number of times the key has been used.

id : integer

The ID of the API key.

last_used_at : string/date-time

The date and time when the key was last used.

scopes : list

The scopes which the key is permissioned on.

Command Line Interface

A command line interface (CLI) to Civis is provided. This can be invoked by typing the command `civis` in the shell (sh, bash, zsh, etc.). It can also be used in Civis container scripts where the Docker image has this client installed. Here's a simple example of printing the types of scripts.

```
> civis scripts list-types  
- name: sql  
- name: python3  
- name: javascript  
- name: r  
- name: containers
```

Not all API endpoints are available through the CLI since some take complex data types (e.g., arrays, objects/dictionaries) as input. However, functionality is available for getting information about scripts, logs, etc., as well as executing already created scripts.

There are a few extra, CLI-only commands that wrap the Files API endpoints to make uploading and downloading files easier: `civis files upload $PATH` and `civis files download $FILEID $PATH`.

The default output format is YAML, but the `--json-output` allows you to get output in JSON.

CHAPTER 6

Indices and tables

- `genindex`
- `modindex`
- `search`

A

`add_done_callback()` (`civis.ml.ModelFuture` method), 33
`APIClient` (class in `civis`), 35

C

`cancel()` (`civis.ml.ModelFuture` method), 33
`cancelled()` (`civis.ml.ModelFuture` method), 33
`CIVIS_API_KEY`, 14–16, 18, 19, 21–23, 27, 29, 32, 35, 39
`civis_to_csv()` (in module `civis.io`), 13
`civis_to_file()` (in module `civis.io`), 20
`CivisFuture` (class in `civis.futures`), 39
`Credentials` (class in `civis.resources._resources`), 40
`csv_to_civis()` (in module `civis.io`), 15

D

`Databases` (class in `civis.resources._resources`), 45
`dataframe_to_civis()` (in module `civis.io`), 16
`default_credential` (`civis.APIClient` attribute), 36
`delete_api_keys()` (`civis.resources._resources.Users` method), 409
`delete_builds()` (`civis.resources._resources.Models` method), 96
`delete_containers_projects()` (`civis.resources._resources.Scripts` method), 181
`delete_containers_runs()` (`civis.resources._resources.Scripts` method), 182
`delete_containers_shares_groups()` (`civis.resources._resources.Scripts` method), 182
`delete_containers_shares_users()` (`civis.resources._resources.Scripts` method), 182
`delete_custom_projects()` (`civis.resources._resources.Scripts` method), 182
`delete_custom_runs()` (`civis.resources._resources.Scripts` method), 182

`delete_custom_shares_groups()` (`civis.resources._resources.Scripts` method), 183
`delete_custom_shares_users()` (`civis.resources._resources.Scripts` method), 183
`delete_files_runs()` (`civis.resources._resources.Imports` method), 55
`delete_grants()` (`civis.resources._resources.Reports` method), 157
`delete_javascript_projects()` (`civis.resources._resources.Scripts` method), 183
`delete_javascript_runs()` (`civis.resources._resources.Scripts` method), 183
`delete_javascript_shares_groups()` (`civis.resources._resources.Scripts` method), 183
`delete_javascript_shares_users()` (`civis.resources._resources.Scripts` method), 184
`delete_projects()` (`civis.resources._resources.Files` method), 49
`delete_projects()` (`civis.resources._resources.Imports` method), 55
`delete_projects()` (`civis.resources._resources.Jobs` method), 87
`delete_projects()` (`civis.resources._resources.Models` method), 96
`delete_projects()` (`civis.resources._resources.Reports` method), 157
`delete_python3_projects()` (`civis.resources._resources.Scripts` method), 184
`delete_python3_runs()` (`civis.resources._resources.Scripts` method), 184
`delete_python3_shares_groups()` (`civis.resources._resources.Scripts` method), 184
`delete_python3_shares_users()`

(civis.resources._resources.Scripts method), 185

delete_r_projects() (civis.resources._resources.Scripts method), 185

delete_r_runs() (civis.resources._resources.Scripts method), 185

delete_r_shares_groups() (civis.resources._resources.Scripts method), 185

delete_r_shares_users() (civis.resources._resources.Scripts method), 185

delete_runs() (civis.resources._resources.Predictions method), 125

delete_runs() (civis.resources._resources.Queries method), 149

delete_shares_groups() (civis.resources._resources.Files method), 49

delete_shares_groups() (civis.resources._resources.Imports method), 56

delete_shares_groups() (civis.resources._resources.Jobs method), 87

delete_shares_groups() (civis.resources._resources.Models method), 96

delete_shares_groups() (civis.resources._resources.Projects method), 133

delete_shares_groups() (civis.resources._resources.Reports method), 158

delete_shares_users() (civis.resources._resources.Files method), 50

delete_shares_users() (civis.resources._resources.Imports method), 56

delete_shares_users() (civis.resources._resources.Jobs method), 87

delete_shares_users() (civis.resources._resources.Models method), 97

delete_shares_users() (civis.resources._resources.Projects method), 133

delete_shares_users() (civis.resources._resources.Reports method), 158

delete_sql_projects() (civis.resources._resources.Scripts method), 186

delete_sql_runs() (civis.resources._resources.Scripts method), 186

delete_sql_shares_groups() (civis.resources._resources.Scripts method), 186

delete_sql_shares_users() (civis.resources._resources.Scripts method), 186

delete_syncs() (civis.resources._resources.Imports method), 56

delete_whitelist_ips() (civis.resources._resources.Databases method), 47

done() (civis.ml.ModelFuture method), 33

E

environment variable

CIVIS_API_KEY, 14–16, 18, 19, 21–23, 27, 29, 32, 35, 39

exception() (civis.ml.ModelFuture method), 34

F

failed() (civis.ml.ModelFuture method), 34

file_to_civis() (in module civis.io), 21

Files (class in civis.resources._resources), 49

from_existing() (civis.ml.ModelPipeline class method), 29

G

get() (civis.resources._resources.Credentials method), 40

get() (civis.resources._resources.Files method), 50

get() (civis.resources._resources.Imports method), 56

get() (civis.resources._resources.Jobs method), 87

get() (civis.resources._resources.Models method), 97

get() (civis.resources._resources.Predictions method), 125

get() (civis.resources._resources.Projects method), 134

get() (civis.resources._resources.Queries method), 149

get() (civis.resources._resources.Reports method), 158

get() (civis.resources._resources.Scripts method), 186

get() (civis.resources._resources.Tables method), 392

get() (civis.resources._resources.Users method), 410

get_api_keys() (civis.resources._resources.Users method), 412

get_aws_credential_id() (civis.APIClient method), 36

get_batches() (civis.resources._resources.Imports method), 59

get_builds() (civis.resources._resources.Models method), 101

get_containers() (civis.resources._resources.Scripts method), 190

get_containers_runs() (civis.resources._resources.Scripts method), 194

get_custom() (civis.resources._resources.Scripts method), 194

get_custom_runs() (civis.resources._resources.Scripts method), 198

get_database_credential_id() (civis.APIClient method), 37

get_database_id() (civis.APIClient method), 37

get_enhancements_cass_ncoa() (civis.resources._resources.Tables method), 395

get_enhancements_geocodings() (civis.resources._resources.Tables method), 396

get_enhancements_prepared_matchings() (civis.resources._resources.Tables method), 396

- get_enhancements_table_matchings()
(civis.resources._resources.Tables method),
397
- get_files_runs() (civis.resources._resources.Imports
method), 60
- get_javascript() (civis.resources._resources.Scripts
method), 198
- get_javascript_runs() (civis.resources._resources.Scripts
method), 202
- get_python3() (civis.resources._resources.Scripts
method), 202
- get_python3_runs() (civis.resources._resources.Scripts
method), 206
- get_r() (civis.resources._resources.Scripts method), 206
- get_r_runs() (civis.resources._resources.Scripts method),
210
- get_runs() (civis.resources._resources.Jobs method), 88
- get_runs() (civis.resources._resources.Predictions
method), 127
- get_runs() (civis.resources._resources.Queries method),
150
- get_sql() (civis.resources._resources.Scripts method),
210
- get_sql_runs() (civis.resources._resources.Scripts
method), 214
- get_table_id() (civis.APIClient method), 38
- get_whitelist_ips() (civis.resources._resources.Databases
method), 47
- I**
- Imports (class in civis.resources._resources), 55
- J**
- Jobs (class in civis.resources._resources), 86
- L**
- list() (civis.resources._resources.Credentials method), 41
- list() (civis.resources._resources.Databases method), 47
- list() (civis.resources._resources.Imports method), 60
- list() (civis.resources._resources.Jobs method), 89
- list() (civis.resources._resources.Models method), 101
- list() (civis.resources._resources.Predictions method),
127
- list() (civis.resources._resources.Projects method), 136
- list() (civis.resources._resources.Queries method), 151
- list() (civis.resources._resources.Reports method), 160
- list() (civis.resources._resources.Scripts method), 215
- list() (civis.resources._resources.Tables method), 397
- list() (civis.resources._resources.Users method), 413
- list_api_keys() (civis.resources._resources.Users
method), 414
- list_batches() (civis.resources._resources.Imports
method), 63
- list_builds() (civis.resources._resources.Models method),
105
- list_children() (civis.resources._resources.Jobs method),
90
- list_columns() (civis.resources._resources.Tables
method), 399
- list_containers_projects()
(civis.resources._resources.Scripts method),
217
- list_containers_runs() (civis.resources._resources.Scripts
method), 218
- list_containers_runs_logs()
(civis.resources._resources.Scripts method),
219
- list_containers_runs_outputs()
(civis.resources._resources.Scripts method),
219
- list_containers_shares() (civis.resources._resources.Scripts
method), 220
- list_custom() (civis.resources._resources.Scripts
method), 221
- list_custom_projects() (civis.resources._resources.Scripts
method), 223
- list_custom_runs() (civis.resources._resources.Scripts
method), 224
- list_custom_runs_logs() (civis.resources._resources.Scripts
method), 224
- list_custom_runs_outputs()
(civis.resources._resources.Scripts method),
225
- list_custom_shares() (civis.resources._resources.Scripts
method), 226
- list_files_runs() (civis.resources._resources.Imports
method), 64
- list_history() (civis.resources._resources.Scripts method),
226
- list_javascript_projects() (civis.resources._resources.Scripts
method), 227
- list_javascript_runs() (civis.resources._resources.Scripts
method), 228
- list_javascript_runs_logs()
(civis.resources._resources.Scripts method),
229
- list_javascript_runs_outputs()
(civis.resources._resources.Scripts method),
229
- list_javascript_shares() (civis.resources._resources.Scripts
method), 230
- list_me() (civis.resources._resources.Users method), 415
- list_parents() (civis.resources._resources.Jobs method),
90
- list_projects() (civis.resources._resources.Files method),
50
- list_projects() (civis.resources._resources.Imports

method), 64
list_projects() (civis.resources._resources.Jobs method), 91
list_projects() (civis.resources._resources.Models method), 106
list_projects() (civis.resources._resources.Reports method), 162
list_python3_projects() (civis.resources._resources.Scripts method), 231
list_python3_runs() (civis.resources._resources.Scripts method), 232
list_python3_runs_logs() (civis.resources._resources.Scripts method), 232
list_python3_runs_outputs() (civis.resources._resources.Scripts method), 233
list_python3_shares() (civis.resources._resources.Scripts method), 234
list_r_projects() (civis.resources._resources.Scripts method), 234
list_r_runs() (civis.resources._resources.Scripts method), 235
list_r_runs_logs() (civis.resources._resources.Scripts method), 236
list_r_runs_outputs() (civis.resources._resources.Scripts method), 237
list_r_shares() (civis.resources._resources.Scripts method), 237
list_runs() (civis.resources._resources.Imports method), 65
list_runs() (civis.resources._resources.Predictions method), 128
list_runs() (civis.resources._resources.Queries method), 152
list_schedules() (civis.resources._resources.Models method), 107
list_schedules() (civis.resources._resources.Predictions method), 129
list_schemas() (civis.resources._resources.Databases method), 48
list_shares() (civis.resources._resources.Files method), 51
list_shares() (civis.resources._resources.Imports method), 66
list_shares() (civis.resources._resources.Jobs method), 92
list_shares() (civis.resources._resources.Models method), 108
list_shares() (civis.resources._resources.Projects method), 138
list_shares() (civis.resources._resources.Reports method), 163
list_snapshots() (civis.resources._resources.Reports method), 163

list_sql_projects() (civis.resources._resources.Scripts method), 238
list_sql_runs() (civis.resources._resources.Scripts method), 239
list_sql_runs_logs() (civis.resources._resources.Scripts method), 240
list_sql_runs_outputs() (civis.resources._resources.Scripts method), 240
list_sql_shares() (civis.resources._resources.Scripts method), 241
list_types() (civis.resources._resources.Models method), 108
list_types() (civis.resources._resources.Scripts method), 242
list_whitelist_ips() (civis.resources._resources.Databases method), 48

M

ModelFuture (class in civis.ml), 31
ModelPipeline (class in civis.ml), 27
Models (class in civis.resources._resources), 95

P

PaginatedResponse (class in civis.response), 38
patch() (civis.resources._resources.Models method), 109
patch() (civis.resources._resources.Predictions method), 130
patch() (civis.resources._resources.Reports method), 164
patch() (civis.resources._resources.Scripts method), 242
patch() (civis.resources._resources.Tables method), 401
patch_containers() (civis.resources._resources.Scripts method), 247
patch_containers_runs() (civis.resources._resources.Scripts method), 253
patch_custom() (civis.resources._resources.Scripts method), 253
patch_javascript() (civis.resources._resources.Scripts method), 258
patch_me() (civis.resources._resources.Users method), 416
patch_python3() (civis.resources._resources.Scripts method), 263
patch_r() (civis.resources._resources.Scripts method), 268
patch_snapshots() (civis.resources._resources.Reports method), 167
patch_sql() (civis.resources._resources.Scripts method), 274
post() (civis.resources._resources.Credentials method), 42
post() (civis.resources._resources.Files method), 52
post() (civis.resources._resources.Imports method), 66
post() (civis.resources._resources.Models method), 110
post() (civis.resources._resources.Projects method), 138

- [post\(\) \(civis.resources._resources.Queries method\), 153](#)
[post\(\) \(civis.resources._resources.Reports method\), 168](#)
[post\(\) \(civis.resources._resources.Scripts method\), 280](#)
[post\(\) \(civis.resources._resources.Tables method\), 402](#)
[post_api_keys\(\) \(civis.resources._resources.Users method\), 418](#)
[post_authenticate\(\) \(civis.resources._resources.Credentials method\), 43](#)
[post_batches\(\) \(civis.resources._resources.Imports method\), 71](#)
[post_builds\(\) \(civis.resources._resources.Models method\), 116](#)
[post_cancel\(\) \(civis.resources._resources.Imports method\), 72](#)
[post_cancel\(\) \(civis.resources._resources.Scripts method\), 285](#)
[post_containers\(\) \(civis.resources._resources.Scripts method\), 285](#)
[post_containers_runs\(\) \(civis.resources._resources.Scripts method\), 291](#)
[post_containers_runs_heartbeats\(\) \(civis.resources._resources.Scripts method\), 292](#)
[post_containers_runs_logs\(\) \(civis.resources._resources.Scripts method\), 292](#)
[post_containers_runs_outputs\(\) \(civis.resources._resources.Scripts method\), 292](#)
[post_custom\(\) \(civis.resources._resources.Scripts method\), 293](#)
[post_custom_runs\(\) \(civis.resources._resources.Scripts method\), 297](#)
[post_custom_runs_outputs\(\) \(civis.resources._resources.Scripts method\), 298](#)
[post_enhancements_cass_ncoa\(\) \(civis.resources._resources.Tables method\), 403](#)
[post_enhancements_geocodings\(\) \(civis.resources._resources.Tables method\), 404](#)
[post_enhancements_prepared_matchings\(\) \(civis.resources._resources.Tables method\), 404](#)
[post_enhancements_table_matchings\(\) \(civis.resources._resources.Tables method\), 405](#)
[post_files\(\) \(civis.resources._resources.Imports method\), 72](#)
[post_files_runs\(\) \(civis.resources._resources.Imports method\), 73](#)
[post_grants\(\) \(civis.resources._resources.Reports method\), 171](#)
[post_javascript\(\) \(civis.resources._resources.Scripts method\), 298](#)
[post_javascript_runs\(\) \(civis.resources._resources.Scripts method\), 303](#)
[post_javascript_runs_outputs\(\) \(civis.resources._resources.Scripts method\), 304](#)
[post_python3\(\) \(civis.resources._resources.Scripts method\), 304](#)
[post_python3_runs\(\) \(civis.resources._resources.Scripts method\), 310](#)
[post_python3_runs_outputs\(\) \(civis.resources._resources.Scripts method\), 310](#)
[post_r\(\) \(civis.resources._resources.Scripts method\), 311](#)
[post_r_runs\(\) \(civis.resources._resources.Scripts method\), 317](#)
[post_r_runs_outputs\(\) \(civis.resources._resources.Scripts method\), 317](#)
[post_refresh\(\) \(civis.resources._resources.Tables method\), 406](#)
[post_run\(\) \(civis.resources._resources.Scripts method\), 318](#)
[post_runs\(\) \(civis.resources._resources.Imports method\), 74](#)
[post_runs\(\) \(civis.resources._resources.Jobs method\), 93](#)
[post_runs\(\) \(civis.resources._resources.Predictions method\), 131](#)
[post_runs\(\) \(civis.resources._resources.Queries method\), 155](#)
[post_snapshots\(\) \(civis.resources._resources.Reports method\), 173](#)
[post_sql\(\) \(civis.resources._resources.Scripts method\), 318](#)
[post_sql_runs\(\) \(civis.resources._resources.Scripts method\), 324](#)
[post_syncs\(\) \(civis.resources._resources.Imports method\), 74](#)
[post_temporary\(\) \(civis.resources._resources.Credentials method\), 44](#)
[post_trigger_email\(\) \(civis.resources._resources.Jobs method\), 93](#)
[post_whitelist_ips\(\) \(civis.resources._resources.Databases method\), 48](#)
[predict\(\) \(civis.ml.ModelPipeline method\), 29](#)
[Predictions \(class in civis.resources._resources\), 125](#)
[Projects \(class in civis.resources._resources\), 133](#)
[put\(\) \(civis.resources._resources.Credentials method\), 44](#)
[put\(\) \(civis.resources._resources.Imports method\), 75](#)
[put\(\) \(civis.resources._resources.Projects method\), 141](#)
[put_archive\(\) \(civis.resources._resources.Imports method\), 80](#)
[put_archive\(\) \(civis.resources._resources.Models method\), 117](#)

`put_archive()` (civis.resources._resources.Projects method), 144

`put_archive()` (civis.resources._resources.Reports method), 174

`put_containers()` (civis.resources._resources.Scripts method), 324

`put_containers_archive()` (civis.resources._resources.Scripts method), 331

`put_containers_projects()` (civis.resources._resources.Scripts method), 335

`put_containers_shares_groups()` (civis.resources._resources.Scripts method), 335

`put_containers_shares_users()` (civis.resources._resources.Scripts method), 336

`put_custom()` (civis.resources._resources.Scripts method), 337

`put_custom_archive()` (civis.resources._resources.Scripts method), 341

`put_custom_projects()` (civis.resources._resources.Scripts method), 344

`put_custom_shares_groups()` (civis.resources._resources.Scripts method), 344

`put_custom_shares_users()` (civis.resources._resources.Scripts method), 345

`put_javascript()` (civis.resources._resources.Scripts method), 346

`put_javascript_archive()` (civis.resources._resources.Scripts method), 351

`put_javascript_projects()` (civis.resources._resources.Scripts method), 355

`put_javascript_shares_groups()` (civis.resources._resources.Scripts method), 355

`put_javascript_shares_users()` (civis.resources._resources.Scripts method), 356

`put_predictions()` (civis.resources._resources.Models method), 121

`put_projects()` (civis.resources._resources.Files method), 53

`put_projects()` (civis.resources._resources.Imports method), 83

`put_projects()` (civis.resources._resources.Jobs method), 93

`put_projects()` (civis.resources._resources.Models method), 122

`put_projects()` (civis.resources._resources.Reports method), 176

`put_python3()` (civis.resources._resources.Scripts method), 356

`put_python3_archive()` (civis.resources._resources.Scripts method), 362

`put_python3_projects()` (civis.resources._resources.Scripts method), 366

`put_python3_shares_groups()` (civis.resources._resources.Scripts method), 366

`put_python3_shares_users()` (civis.resources._resources.Scripts method), 367

`put_r()` (civis.resources._resources.Scripts method), 368

`put_r_archive()` (civis.resources._resources.Scripts method), 373

`put_r_projects()` (civis.resources._resources.Scripts method), 377

`put_r_shares_groups()` (civis.resources._resources.Scripts method), 377

`put_r_shares_users()` (civis.resources._resources.Scripts method), 378

`put_schedules()` (civis.resources._resources.Models method), 122

`put_schedules()` (civis.resources._resources.Predictions method), 132

`put_scripts()` (civis.resources._resources.Queries method), 155

`put_shares_groups()` (civis.resources._resources.Files method), 53

`put_shares_groups()` (civis.resources._resources.Imports method), 83

`put_shares_groups()` (civis.resources._resources.Jobs method), 94

`put_shares_groups()` (civis.resources._resources.Models method), 123

`put_shares_groups()` (civis.resources._resources.Projects method), 147

`put_shares_groups()` (civis.resources._resources.Reports method), 177

`put_shares_users()` (civis.resources._resources.Files method), 54

`put_shares_users()` (civis.resources._resources.Imports method), 84

`put_shares_users()` (civis.resources._resources.Jobs method), 94

`put_shares_users()` (civis.resources._resources.Models method), 124

`put_shares_users()` (civis.resources._resources.Projects method), 147

`put_shares_users()` (civis.resources._resources.Reports method), 177

`put_sql()` (civis.resources._resources.Scripts method), 379

`put_sql_archive()` (civis.resources._resources.Scripts method), 385
`put_sql_projects()` (civis.resources._resources.Scripts method), 389
`put_sql_shares_groups()` (civis.resources._resources.Scripts method), 389
`put_sql_shares_users()` (civis.resources._resources.Scripts method), 390
`put_syncs()` (civis.resources._resources.Imports method), 85

Q

`Queries` (class in `civis.resources._resources`), 148
`query_civis()` (in module `civis.io`), 23

R

`read_civis()` (in module `civis.io`), 17
`read_civis_sql()` (in module `civis.io`), 19
`Reports` (class in `civis.resources._resources`), 157
`Response` (class in `civis.response`), 38
`result()` (`civis.ml.ModelFuture` method), 34
`running()` (`civis.ml.ModelFuture` method), 34

S

`Scripts` (class in `civis.resources._resources`), 178
`set_exception()` (`civis.ml.ModelFuture` method), 34
`set_result()` (`civis.ml.ModelFuture` method), 34
`set_running_or_notify_cancel()` (`civis.ml.ModelFuture` method), 34
`succeeded()` (`civis.ml.ModelFuture` method), 35

T

`Tables` (class in `civis.resources._resources`), 391
`train()` (`civis.ml.ModelPipeline` method), 30
`transfer_table()` (in module `civis.io`), 22

U

`username` (`civis.APIClient` attribute), 38
`Users` (class in `civis.resources._resources`), 409