

---

# **Civis Client Documentation**

*Release 1.0.0*

**Civis Analytics**

**May 17, 2017**



---

## Contents

---

<b>1</b>	<b>Installation</b>	<b>3</b>
<b>2</b>	<b>Python version support</b>	<b>5</b>
<b>3</b>	<b>Authentication</b>	<b>7</b>
<b>4</b>	<b>User Guide</b>	<b>9</b>
<b>5</b>	<b>Client API Reference</b>	<b>11</b>
<b>6</b>	<b>Indices and tables</b>	<b>421</b>



The Civis API Python client is a Python package that helps analysts and developers interact with the Civis Platform. The package includes a set of tools around common workflows as well as a convenient interface to make requests directly to the Civis API.



# CHAPTER 1

---

## Installation

---

The recommended install method is pip:

```
pip install civis
```

Alternatively, you may clone the code from github and build from source:

```
git clone https://github.com/civisanalytics/civis-python.git
cd civis-python
python setup.py install
```

The client has a soft dependency on `pandas` to support features such as data type parsing. If you are using the `io` namespace to read or write data from Civis, it is highly recommended that you install `pandas` and set `use_pandas=True` in functions that accept that parameter. To install `pandas`:

```
pip install pandas
```

Machine learning features in the `ml` namespace have a soft dependency on `scikit-learn`, `joblib`, and `pandas`. Install `scikit-learn` and `joblib` to export your trained models from the Civis Platform or to provide your own custom models. Use `pandas` to download model predictions from the Civis Platform. Install these dependencies with

```
pip install scikit-learn
pip install joblib
pip install pandas
```



## CHAPTER 2

---

### Python version support

---

Python 2.7, 3.4, 3.5, and 3.6



## CHAPTER 3

---

### Authentication

---

In order to make requests to the Civis API, you will need an API key that is unique to you. Instructions for creating a new key are found here: <https://civis.zendesk.com/hc/en-us/articles/216341583-Generating-an-API-Key>. By default, the Python client will look for your key in the environment variable `CIVIS_API_KEY`. To add the API key to your environment, copy the key you generated to your clipboard and follow the instructions below for your operating system.

#### Mac

Open `.bash_profile` in TextEdit:

```
cd ~/
touch .bash_profile
open -e .bash_profile
```

Then add the following line, replacing `api_key_here` with your key:

```
export CIVIS_API_KEY="api_key_here"
```

#### Linux

Open `.bash_profile` in your favorite editor (nano is used here):

```
cd ~/
nano .bash_profile
```

Then add the following line, replacing `api_key_here` with your key:

```
export CIVIS_API_KEY="api_key_here"
```



## CHAPTER 4

---

### User Guide

---

For a more detailed walkthrough, see the *User Guide*.



## User Guide

### Getting Started

After installing the Civis API Python client and setting up your API key, you can now import the package `civis`:

```
>>> import civis
```

There are two entrypoints for working with the Civis API. The first is the `civis` namespace, which contains tools for typical workflows in a user friendly manner. For example, you may want to perform some transformation on your data in Python that might be tricky to code in SQL. This code downloads data from Civis, calculates the correlation between all the columns and then uploads the data back into Civis:

```
>>> df = civis.io.read_civis(table="my_schema.my_table",
...                         database="database",
...                         use_pandas=True)
>>> correlation_matrix = df.corr()
>>> correlation_matrix["corr_var"] = correlation_matrix.index
>>> fut = civis.io.dataframe_to_civis(df=correlation_matrix,
...                                  database="database",
...                                  table="my_schema.my_correlations")
>>> fut.result()
```

### Civis Futures

In the code above, `dataframe_to_civis()` returns a special `CivisFuture` object. Making a request to the Civis API usually results in a long running job. To account for this, various functions in the `civis` namespace return a `CivisFuture` to allow you to process multiple long running jobs simultaneously. For instance, you may want to start many jobs in parallel and wait for them all to finish rather than wait for each job to finish before starting the next one.

The `CivisFuture` follows the `concurrent.futures.Future` API fairly closely. For example, calling `result()` on `fut` above forces the program to wait for the job started with `dataframe_to_civis()` to finish and returns the result.

## Working Directly with the Client

Although many common workflows are included in the Civis API Python client, projects often require direct calls to the Civis API. For convenience, the Civis API Python client implements an `APIClient` object to make these API calls with Python syntax rather than a manually crafted HTTP request. To make a call, first instantiate an `APIClient` object:

```
>>> client = civis.APIClient()
```

**Note:** Creating an instance of `APIClient` makes an HTTP request to determine the functions to attach to the object. You must have an API key and internet connection to create an `APIClient` object. By default, the functions attached to the object come from a base set of Civis API endpoints. Based on your user profile, you may have access to a set of developmental endpoints. To access these, instantiate the client with `client = civis.APIClient(resources='all')`.

With the client object instantiated, you can now make API requests like listing your user information:

```
>>> client.users.list_me()
{'email': 'user@email.com',
 'feature_flags': {'left_nav_basic': True,
                  'results': True,
                  'scripts_notify': True,
                  'table_person_matching': True},
 'id': 1,
 'initials': 'UN',
 'name': 'User Name',
 'username': 'uname'}
```

Suppose we did not have the `civis.io` namespace. This is how we might export a CSV file from Civis. As you will see, this can be quite involved and the `civis` namespace entrypoint should be preferred whenever possible.

First, we get the ID for our database then we get the default credential for the current user.

```
>>> db_id = client.get_database_id('cluster-name')
>>> cred_id = client.default_credential
```

In order to export a table, we need to write some SQL that will generate the data to export. Then we create the export job and run it.

```
>>> generate_table = "select * from schema.tablename"
>>> export_job = client.scripts.post_sql(name="our export job",
                                       remote_host_id=db_id,
                                       credential_id=cred_id,
                                       sql=generate_table)
>>> export_run = client.scripts.post_sql_runs(export_job.id)
```

We can then poll and wait for the export to be completed.

```
>>> import time
>>> export_state = client.scripts.get_sql_runs(export_job.id,
...                                           export_run.id)
```

```
>>> while export_state.state in ['queued', 'running']:
...     time.sleep(60)
...     export_state = client.scripts.get_sql_runs(export_job.id,
...                                               export_run.id)
```

Now, we can get the URL of the exported csv. First, we grab the result of our export job.

```
>>> export_result = client.scripts.get_sql_runs(export_job.id,
...                                             export_run.id)
```

In the future, a script may export multiple jobs, so the output of this is a list.

The path returned will have a gzipped csv file, which we could load, for example, with pandas.

```
>>> url = export_result.output[0].path
```

## Data Import and Export

The `civis.io` namespace provides several functions for moving data in and out of Civis.

### Tables

Often, your data will be in structured format like a table in a relational database, a CSV or a dataframe. The following functions handle moving structured data to and from Civis. When using these functions, it is recommended to have *pandas* installed and to pass `use_pandas=True` in the appropriate functions. If *pandas* is not installed, data returned from Civis will all be treated as strings.

<code>civis_to_csv(filename, sql, database[, ...])</code>	Export data from Civis to a local CSV file.
<code>csv_to_civis(filename, database, table[, ...])</code>	Upload the contents of a local CSV file to Civis.
<code>dataframe_to_civis(df, database, table[, ...])</code>	Upload a <i>pandas DataFrame</i> into a Civis table.
<code>read_civis(table, database[, columns, ...])</code>	Read data from a Civis table.
<code>read_civis_sql(sql, database[, use_pandas, ...])</code>	Read data from Civis using a custom SQL string.

### `civis.io.civis_to_csv`

`civis.io.civis_to_csv(filename, sql, database, job_name=None, api_key=None, client=None, credential_id=None, include_header=True, compression='none', delimiter=',', unquoted=False, archive=False, hidden=True, polling_interval=None)`

Export data from Civis to a local CSV file.

**Parameters filename** : str

Download exported data into this file.

**sql** : str, optional

The SQL select string to be executed.

**database** : str or int

Export data from this database. Can be the database name or ID.

**job\_name** : str, optional

A name to give the job. If omitted, a random job name will be used.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**credential\_id** : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

**include\_header**: bool, optional

If `True`, the first line of the CSV will be headers. Default: `True`.

**compression**: str, optional

Type of compression to use, if any. One of `'none'`, `'zip'`, or `'gzip'`. Default `'none'`.

**delimiter**, str: optional

Which delimiter to use, if any. One of `'`, `' '`, or `'|'`. Default: `'`.

**unquoted**: bool, optional

Whether or not to quote fields. Default: `False`.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for query completion.

**archive** : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

**hidden** : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

**Returns results** : `CivisFuture`

A `CivisFuture` object.

**See also:**

`civis.io.read_civis` Read table contents into memory.

`civis.io.read_civis_sql` Read results of a SQL query into memory.

## Examples

```
>>> sql = "SELECT * FROM schema.table"
>>> fut = civis_to_csv("file.csv", sql, "my_database")
>>> fut.result() # Wait for job to complete
```

**civis.io.csv\_to\_civis**

`civis.io.csv_to_civis` (*filename*, *database*, *table*, *api\_key=None*, *client=None*, *max\_errors=None*, *existing\_table\_rows='fail'*, *distkey=None*, *sortkey1=None*, *sortkey2=None*, *delimiter=', '*, *headers=None*, *credential\_id=None*, *polling\_interval=None*, *archive=False*, *hidden=True*)

Upload the contents of a local CSV file to Civis.

**Parameters filename** : str

Upload the contents of this file.

**database** : str or int

Upload data into this database. Can be the database name or ID.

**table** : str

The schema and table you want to upload to. E.g., 'scratch.table'.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**max\_errors** : int, optional

The maximum number of rows with errors to remove from the import before failing.

**existing\_table\_rows** : str, optional

The behaviour if a table with the requested name already exists. One of 'fail', 'truncate', 'append' or 'drop'. Defaults to 'fail'.

**distkey** : str, optional

The column to use as the distkey for the table.

**sortkey1** : str, optional

The column to use as the sortkey for the table.

**sortkey2** : str, optional

The second column in a compound sortkey for the table.

**delimiter** : string, optional

The column delimiter. One of ', ', '\t' or '|'.

**headers** : bool, optional

Whether or not the first row of the file should be treated as headers. The default, `None`, attempts to autodetect whether or not the first row contains headers.

**credential\_id** : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for job completion.

**archive** : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

**hidden** : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

**Returns results** : `CivisFuture`

A `CivisFuture` object.

## Notes

This reads the contents of `filename` into memory.

## Examples

```
>>> with open('input_file.csv', 'w') as _input:
...     _input.write('a,b,c\n1,2,3')
>>> fut = civis.io.csv_to_civis('input_file.csv',
...                             'my-database',
...                             'scratch.my_data')
>>> fut.result()
```

## `civis.io.dataframe_to_civis`

`civis.io.dataframe_to_civis` (*df*, *database*, *table*, *api\_key=None*, *client=None*, *max\_errors=None*, *existing\_table\_rows='fail'*, *distkey=None*, *sortkey1=None*, *sortkey2=None*, *headers=None*, *credential\_id=None*, *polling\_interval=None*, *archive=False*, *hidden=True*, *\*\*kwargs*)

Upload a `pandas DataFrame` into a Civis table.

The `DataFrame`'s index will not be included. To store the index along with the other values, use `df.reset_index()` instead of `df` as the first argument to this function.

**Parameters** `df` : `pandas.DataFrame`

The `DataFrame` to upload to Civis.

**database** : str or int

Upload data into this database. Can be the database name or ID.

**table** : str

The schema and table you want to upload to. E.g., `'scratch.table'`.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**max\_errors** : int, optional

The maximum number of rows with errors to remove from the import before failing.

**existing\_table\_rows** : str, optional

The behaviour if a table with the requested name already exists. One of 'fail', 'truncate', 'append' or 'drop'. Defaults to 'fail'.

**distkey** : str, optional

The column to use as the distkey for the table.

**sortkey1** : str, optional

The column to use as the sortkey for the table.

**sortkey2** : str, optional

The second column in a compound sortkey for the table.

**headers** : bool, optional

Whether or not the first row of the file should be treated as headers. The default, None, attempts to autodetect whether or not the first row contains headers.

**credential\_id** : str or int, optional

The ID of the database credential. If None, the default credential will be used.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for job completion.

**archive** : bool, optional (deprecated)

If True, archive the import job as soon as it completes.

**hidden** : bool, optional

If True (the default), this job will not appear in the Civis UI.

**\*\*kwargs** : kwargs

Extra keyword arguments will be passed to `pandas.DataFrame.to_csv()`.

**Returns fut** : *CivisFuture*

A *CivisFuture* object.

## Examples

```
>>> import pandas as pd
>>> df = pd.DataFrame({'a': [1, 2, 3], 'b': [4, 5, 6]})
>>> fut = civis.io.dataframe_to_civis(df, 'my-database',
...                                 'scratch.df_table')
>>> fut.result()
```

## civis.io.read\_civis

`civis.io.read_civis`(*table*, *database*, *columns=None*, *use\_pandas=False*, *job\_name=None*, *api\_key=None*, *client=None*, *credential\_id=None*, *polling\_interval=None*, *archive=False*, *hidden=True*, *\*\*kwargs*)

Read data from a Civis table.

**Parameters table** : str

Name of table, including schema, in the database. I.e. 'my\_schema.my\_table'.

**database** : str or int

Read data from this database. Can be the database name or ID.

**columns** : list, optional

A list of column names. Column SQL transformations are possible. If omitted, all columns are exported.

**use\_pandas** : bool, optional

If `True`, return a `pandas.DataFrame`. Otherwise, return a list of results from `csv.reader()`.

**job\_name** : str, optional

A name to give the job. If omitted, a random job name will be used.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**credential\_id** : str or int, optional

The database credential ID. If `None`, the default credential will be used.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for query completion.

**archive** : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

**hidden** : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

**\*\*kwargs** : kwargs

Extra keyword arguments are passed into `pandas.read_csv()` if `use_pandas` is `True` or passed into `csv.reader()` if `use_pandas` is `False`.

**Returns data** : `pandas.DataFrame` or list

A list of rows (with header as first row) if `use_pandas` is `False`, otherwise a `pandas.DataFrame`. Note that if `use_pandas` is `False`, no parsing of types is performed and each row will be a list of strings.

**Raises ImportError**

If `use_pandas` is `True` and `pandas` is not installed.

**See also:**

`civis.io.read_civis_sql` Read directly into memory using SQL.

`civis.io.civis_to_csv` Write directly to csv.

## Examples

```
>>> table = "schema.table"
>>> database = "my_data"
>>> columns = ["column_a", "ROW_NUMBER() OVER(ORDER BY date) AS order"]
>>> data = read_civis(table, database, columns=columns)
>>> columns = data.pop(0)
>>> col_a_index = columns.index("column_a")
>>> col_a = [row[col_a_index] for row in data]
```

```
>>> df = read_civis("schema.table", "my_data", use_pandas=True)
>>> col_a = df["column_a"]
```

### civis.io.read\_civis\_sql

`civis.io.read_civis_sql`(*sql*, *database*, *use\_pandas=False*, *job\_name=None*, *api\_key=None*, *client=None*, *credential\_id=None*, *polling\_interval=None*, *archive=False*, *hidden=True*, *\*\*kwargs*)

Read data from Civis using a custom SQL string.

**Parameters** `sql` : str, optional

The SQL select string to be executed.

**database** : str or int

Execute the query against this database. Can be the database name or ID.

**use\_pandas** : bool, optional

If `True`, return a `pandas.DataFrame`. Otherwise, return a list of results from `csv.reader()`.

**job\_name** : str, optional

A name to give the job. If omitted, a random job name will be used.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**credential\_id** : str or int, optional

The database credential ID. If `None`, the default credential will be used.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for query completion.

**archive** : bool, optional (deprecated)

If `True`, archive the import job as soon as it completes.

**hidden** : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

**\*\*kwargs** : kwargs

Extra keyword arguments are passed into `pandas.read_csv()` if `use_pandas` is `True` or passed into `csv.reader()` if `use_pandas` is `False`.

**Returns data** : `pandas.DataFrame` or list

A list of rows (with header as first row) if `use_pandas` is `False`, otherwise a `pandas.DataFrame`. Note that if `use_pandas` is `False`, no parsing of types is performed and each row will be a list of strings.

**Raises ImportError**

If `use_pandas` is `True` and `pandas` is not installed.

**See also:**

`civis.io.read_civis` Read directly into memory without SQL.

`civis.io.civis_to_csv` Write directly to a CSV file.

### Notes

This reads the data into memory.

### Examples

```
>>> sql = "SELECT * FROM schema.table"
>>> df = read_civis_sql(sql, "my_database", use_pandas=True)
>>> col_a = df["column_a"]
```

```
>>> data = read_civis_sql(sql, "my_database")
>>> columns = data.pop(0)
>>> col_a_index = columns.index("column_a")
>>> col_a = [row[col_a_index] for row in data]
```

## Files

These functions will pass flat files to and from Civis. This is useful if you have data stored in binary or JSON format. Any type of file can be stored in platform via the files endpoint.

---

<code>civis_to_file(file_id, buf[, api_key, client])</code>	Download a file from Civis.
<code>file_to_civis(buf, name[, api_key, client])</code>	Upload a file to Civis.

---

### `civis.io.civis_to_file`

`civis.io.civis_to_file` (*file\_id*, *buf*, *api\_key=None*, *client=None*)

Download a file from Civis.

**Parameters** `file_id` : int

The Civis file ID.

`buf` : file-like object

The file or other buffer to write the contents of the Civis file into.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**Returns** None

## Examples

```
>>> file_id = 100
>>> with open("my_file.txt", "wb") as f:
...     civis_to_file(file_id, f)
```

## civis.io.file\_to\_civis

`civis.io.file_to_civis` (*buf*, *name*, *api\_key=None*, *client=None*, *\*\*kwargs*)

Upload a file to Civis.

**Parameters** **buf** : file-like object

The file or other buffer that you wish to upload.

**name** : str

The name you wish to give the file.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**\*\*kwargs** : kwargs

Extra keyword arguments will be passed to the file creation endpoint. See `post()`.

**Returns** **file\_id** : int

The new Civis file ID.

## Notes

If you are opening a binary file (e.g., a compressed archive) to pass to this function, do so using the `'rb'` (read binary) mode (e.g., `open('myfile.zip', 'rb')`).

If you have the `requests-toolbelt` package installed (`pip install requests-toolbelt`), then this function will stream from the open file pointer into Platform. If `requests-toolbelt` is not installed, then it will need to read the entire buffer into memory before writing.

## Examples

```
>>> # Upload file which expires in 30 days
>>> with open("my_data.csv", "r") as f:
...     file_id = file_to_civis(f, 'my_data')
>>> # Upload file which never expires
>>> with open("my_data.csv", "r") as f:
...     file_id = file_to_civis(f, 'my_data', expires_at=None)
```

## Databases

These functions move data from one database to another and expose an interface to run SQL in the database. Use `query_civis()` when you need to execute SQL that does not return data (for example, a GRANT or DROP TABLE statement).

<code>transfer_table(source_db, dest_db, ..., ...)</code>	Transfer a table from one location to another.
<code>query_civis(sql, database[, api_key, ...])</code>	Execute a SQL statement as a Civis query.

### civis.io.transfer\_table

```
civis.io.transfer_table(source_db, dest_db, source_table, dest_table, job_name=None,
                        api_key=None, client=None, source_credential_id=None,
                        dest_credential_id=None, polling_interval=None, **advanced_options)
```

Transfer a table from one location to another.

#### Parameters `source_db` : str or int

The name of the database where the source table is located. Optionally, could be the database ID.

#### `dest_db` : str or int

The name of the database where the table will be transferred. Optionally, could be the database ID.

#### `source_table` : str

Full name of the table to transfer, e.g., 'schema.table'.

#### `dest_table` : str

Full name of the table in the destination database, e.g., 'schema.table'.

#### `job_name` : str, optional

A name to give the job. If omitted, a random job name will be used.

#### `api_key` : DEPRECATED str, optional

Your Civis API key. If not given, the CIVIS\_API\_KEY environment variable will be used.

#### `client` : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the CIVIS\_API\_KEY.

#### `source_credential_id` : str or int, optional

Optional credential ID for the source database. If `None`, the default credential will be used.

**dest\_credential\_id** : str or int, optional

Optional credential ID for the destination database. If `None`, the default credential will be used.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for job completion.

**\*\*advanced\_options** : kwargs

Extra keyword arguments will be passed to the import sync job. See `post_syncs()`.

**Returns results** : `CivisFuture`

A `CivisFuture` object.

## Examples

```
>>> transfer_table(source_db='Cluster A', dest_db='Cluster B',
...                 source_table='schma.tbl', dest_table='schma.tbl')
```

## civis.io.query\_civis

`civis.io.query_civis(sql, database, api_key=None, client=None, credential_id=None, preview_rows=10, polling_interval=None, hidden=True)`

Execute a SQL statement as a Civis query.

Run a query that may return no results or where only a small preview is required. To execute a query that returns a large number of rows, see `read_civis_sql()`.

**Parameters sql** : str

The SQL statement to execute.

**database** : str or int

The name or ID of the database.

**api\_key** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**credential\_id** : str or int, optional

The ID of the database credential. If `None`, the default credential will be used.

**preview\_rows** : int, optional

The maximum number of rows to return. No more than 100 rows can be returned at once.

**polling\_interval** : int or float, optional

Number of seconds to wait between checks for query completion.

**hidden** : bool, optional

If `True` (the default), this job will not appear in the Civis UI.

**Returns results** : *CivisFuture*

A *CivisFuture* object.

### Examples

```
>>> run = query_civis(sql="DELETE schema.table", database='database')
>>> run.result() # Wait for query to complete
```

## Machine Learning

CivisML uses the Civis Platform to train machine learning models and parallelize their predictions over large datasets. It contains best-practice models for general-purpose classification and regression modeling as well as model quality evaluations and visualizations. All CivisML models use [scikit-learn](#) for interoperability with other platforms and to allow you to leverage resources in the open-source software community when creating machine learning models.

### Define Your Model

Start the modeling process by defining your model. Do this by creating an instance of the *ModelPipeline* class. Each *ModelPipeline* corresponds to a scikit-learn *Pipeline* which will run in Civis Platform. A *Pipeline* allows you to combine multiple modeling steps (such as missing value imputation and feature selection) into a single model. The *Pipeline* is treated as a unit – for example, cross-validation happens over all steps together.

You can define your model in two ways, either by selecting a pre-defined algorithm or by providing your own scikit-learn *Pipeline* or *BaseEstimator* object. Note that whichever option you chose, CivisML will pre-process your data to one-hot-encode categorical features (the non-numerical columns) to binary indicator columns before sending the features to the *Pipeline*.

### Pre-Defined Models

You can use the following pre-defined models with CivisML. All models start by imputing missing values with the mean of non-null values in a column. The “sparse\_\*” models include a LASSO regression step (using the [glmnet](#) package) to do feature selection before passing data to the final model. In some models, CivisML uses default parameters different from those in scikit-learn, as indicated in the “Altered Defaults” column. All models also have `random_state=42`.

Name	Model Type	Algorithm	Altered Defaults
sparse_logistic	classification	LogisticRegression	C=499999950, tol=1e-08
gradient_boosting_classifier	classification	GradientBoostingClassifier	n_estimators=500, max_depth=2
random_forest_classifier	classification	RandomForestClassifier	n_estimators=500
extra_trees_classifier	classification	ExtraTreesClassifier	n_estimators=500
sparse_linear_regressor	regression	LinearRegression	
sparse_ridge_regressor	regression	Ridge	
gradient_boosting_regressor	regression	GradientBoostingRegressor	n_estimators=500, max_depth=2
random_forest_regressor	regression	RandomForestRegressor	n_estimators=500
extra_trees_regressor	regression	ExtraTreesRegressor	n_estimators=500

## Custom Models

You can create your own `Pipeline` instead of using one of the pre-defined ones. Create the object and pass it as the `model` parameter of the `ModelPipeline`. Your model must be built from libraries which CivisML recognizes. You can use code from

- [scikit-learn v0.18.1](#)
- [glmnet v2.0.0](#)
- [xgboost v0.6a2](#)
- [muffnn v1.1.1](#)

When you're assembling your own model, remember that you'll have to make certain that either you add a missing value imputation step or that your data doesn't have any missing values. If you're making a classification model, the model must have a `predict_proba` method. If the class you're using doesn't have a `predict_proba` method, you can add one by wrapping it in a `CalibratedClassifierCV`.

## Asynchronous Execution

All calls to a `ModelPipeline` object are non-blocking, i.e. they immediately provide a result without waiting for the job in the Civis Platform to complete. Calls to `civis.ml.ModelPipeline.train()` and `civis.ml.ModelPipeline.predict()` return a `ModelFuture` object, which is a subclass of `Future` from the Python standard library. This behavior lets you train multiple models at once, or generate predictions from models, while still doing other work while waiting for your jobs to complete.

The `ModelFuture` can find and retrieve outputs from your CivisML jobs, such as trained `Pipeline` objects or out-of-sample predictions. The `ModelFuture` only downloads outputs when you request them.

## Model Persistence

Civis Platform permanently stores all models, indexed by the job ID and the run ID (also called a "build") of the training job. If you wish to use an existing model, call `civis.ml.ModelPipeline.from_existing()` with the job ID of the training job. You can find the job ID with the `train_job_id` attribute of a `ModelFuture`, or by looking at the URL of your model on the [Civis Platform models page](#). If the training job has multiple runs, you may also provide a run ID to select a run other than the most recent. You can list all model runs of a training job by calling

`civis.APIClient().jobs.get(train_job_id)['runs']`. You may also store the *ModelPipeline* itself with the `pickle` module.

## Examples

*Future* objects have the method `add_done_callback()`. This is called as soon as the run completes. It takes a single argument, the *Future* for the completed job. You can use this method to chain jobs together:

```
from concurrent import futures
from civis.ml import ModelPipeline
import pandas as pd
df = pd.read_csv('data.csv')
training, predictions = [], []
model = ModelPipeline('sparse_logistic', dependent_variable='type')
training.append(model.train(df))
training[-1].add_done_callback(lambda fut: predictions.append(model.predict(df)))
futures.wait(training) # Blocks until all training jobs complete
futures.wait(predictions) # Blocks until all prediction jobs complete
```

You can create and train multiple models at once to find the best approach for solving a problem. For example:

```
from civis.ml import ModelPipeline
algorithms = ['gradient_boosting_classifier', 'sparse_logistic', 'random_forest_
↳ classifier']
pkey = 'person_id'
depvar = 'likes_cats'
models = [ModelPipeline(alg, primary_key=pkey, dependent_variable=depvar) for alg in_
↳ algorithms]
train = [model.train(table_name='schema.name', database_name='My DB') for model in_
↳ models]
aucs = [tr.metrics['roc_auc'] for tr in train] # Code blocks here
```

## Optional dependencies

You do not need any external libraries installed to use CivisML, but the following pip-installable dependencies enhance the capabilities of the *ModelPipeline*:

- pandas
- scikit-learn
- joblib
- glmnet
- pubnub

Install `pandas` if you wish to download tables of predictions. You can also model on `DataFrame` objects in your interpreter.

If you wish to use custom models or download trained models, you'll need `scikit-learn` installed.

We use the `joblib` library to move `scikit-learn` models back and forth from Platform. Install it if you wish to use custom models or download trained models.

The “`sparse_logistic`”, “`sparse_linear_regressor`”, and “`sparse_ridge_regressor`” models all use the public Civis Analytics `glmnet` library. Install it if you wish to download a model created from one of these pre-defined models.

If you install `pubnub`, the Civis Platform API client can use the notifications endpoint instead of polling for job completion. This gives faster results and uses fewer API calls.

## Object reference

```
class civis.ml.ModelPipeline (model, dependent_variable, primary_key=None, pa-  
rameters=None, cross_validation_parameters=None,  
model_name=None, calibration=None, excluded_columns=None,  
client=None, cpu_requested=None, memory_requested=None,  
disk_requested=None, verbose=False)
```

Interface for scikit-learn modeling in the Civis Platform

Each `ModelPipeline` corresponds to a scikit-learn `Pipeline` which will run in Civis Platform.

**Parameters** `model` : string or Estimator

Either the name of a pre-defined model (e.g. “`sparse_logistic`” or “`gradient_boosting_classifier`”) or else a pre-existing Estimator object.

**dependent\_variable** : string or List[str]

The dependent variable of the training dataset. For a multi-target problem, this should be a list of column names of dependent variables.

**primary\_key** : string, optional

The unique ID (primary key) of the training dataset. This will be used to index the out-of-sample scores.

**parameters** : dict, optional

Specify parameters for the final stage estimator in a predefined model, e.g. `{'C': 2}` for a “`sparse_logistic`” model.

**cross\_validation\_parameters** : dict, optional

Cross validation parameter grid for learner parameters, e.g. `{'n_estimators': [100, 200, 500], 'learning_rate': [0.01, 0.1], 'max_depth': [2, 3]}`.

**model\_name** : string, optional

The prefix of the Platform modeling jobs. It will have “Train” or “Predict” added to become the Script title.

**calibration** : {None, “sigmoid”, “isotonic”}

If not None, calibrate output probabilities with the selected method. Valid only with classification models.

**excluded\_columns** : array, optional

A list of columns which will be considered ineligible to be independent variables.

**client** : `APIClient`, optional

If not provided, an `APIClient` object will be created from the `CIVIS_API_KEY`.

**cpu\_requested** : int, optional

Number of CPU shares requested in the Civis Platform for training jobs. 1024 shares = 1 CPU.

**memory\_requested** : int, optional

Memory requested from Civis Platform for training jobs, in MiB

**disk\_requested** : float, optional

Disk space requested on Civis Platform for training jobs, in GB

**verbose** : bool, optional

If True, supply debug outputs in Platform logs and make prediction child jobs visible.

**See also:**

`civis.ml.ModelFuture`

## Examples

```
>>> from civis.ml import ModelPipeline
>>> model = ModelPipeline('gradient_boosting_classifier', 'depvar',
...                       primary_key='voterbase_id')
>>> train = model.train(table_name='schema.survey_data',
...                     fit_params={'sample_weight': 'survey_weight'},
...                     database_name='My Redshift Cluster',
...                     oos_scores='scratch.survey_depvar_oos_scores')
>>> train
<ModelFuture at 0x11be7ae10 state=queued>
>>> train.running()
True
>>> train.done()
False
>>> df = train.table # Read OOS scores from its Civis File. Blocking.
>>> meta = train.metadata # Metadata from training run
>>> train.metrics['roc_auc']
0.88425
>>> pred = model.predict(table_name='schema.demographics_table ',
...                      database_name='My Redshift Cluster',
...                      output_table='schema.predicted_survey_response',
...                      if_exists='drop',
...                      n_jobs=50)
>>> df_pred = pred.table # Blocks until finished
# Modify the parameters of the base estimator in a default model:
>>> model = ModelPipeline('sparse_logistic', 'depvar',
...                       primary_key='voterbase_id',
...                       parameters={'C': 2})
# Grid search over hyperparameters in the base estimator:
>>> model = ModelPipeline('sparse_logistic', 'depvar',
...                       primary_key='voterbase_id',
...                       cross_validation_parameters={'C': [0.1, 1, 10]})
```

## Attributes

estimator	(Pipeline) The trained scikit-learn Pipeline
<b>train_result_</b>	(ModelFuture) ModelFuture encapsulating this model's training run
state	(str) Status of the training job (non-blocking)

## Methods

<code>train()</code>	Train the model on data in Civis Platform; outputs <i>ModelFuture</i>
<code>predict()</code>	Make predictions on new data; outputs <i>ModelFuture</i>
<code>from_existing()</code>	Class method; use to create a <i>ModelPipeline</i> from an existing model training run

**classmethod** `from_existing` (*train\_job\_id*, *train\_run\_id*='latest', *client*=None)

Create a *ModelPipeline* object from existing model IDs

**Parameters** `train_job_id` : int

The ID of the CivisML job in the Civis Platform

`train_run_id` : int or string, optional

Location of the model run, either

- an explicit run ID,
- “latest” : The most recent run
- “active” : The run designated by the training job’s “active build” parameter

`client` : *APIClient*, optional

If not provided, an *APIClient* object will be created from the `CIVIS_API_KEY`.

**Returns** *ModelPipeline*

A *ModelPipeline* which refers to a previously-trained model

## Examples

```
>>> from civis.ml import ModelPipeline
>>> model = ModelPipeline.from_existing(job_id)
>>> model.train_result_.metrics['roc_auc']
0.843
```

**predict** (*df*=None, *csv\_path*=None, *table\_name*=None, *database\_name*=None, *manifest*=None, *file\_id*=None, *sql\_where*=None, *sql\_limit*=None, *primary\_key*=Sentinel(), *output\_table*=None, *output\_db*=None, *if\_exists*='fail', *n\_jobs*=None, *polling\_interval*=None)

Make predictions on a trained model

Provide input through one of a *DataFrame* (*df*), a local CSV (*csv\_path*), a Civis Table (*table\_name* and *database\_name*), a Civis File containing a CSV (*file\_id*), or a Civis File containing a manifest file (*manifest*).

A “manifest file” is JSON which specifies the location of many shards of the data to be used for prediction. A manifest file is the output of a Civis export job with `force_multifile=True` set, e.g. from `civis.io.civis_to_multifile_csv()`. Large Civis Tables (provided using *table\_name*) will automatically be exported to manifest files.

Prediction outputs will always be stored as gzipped CSVs in one or more Civis Files. You can find a list of File ID numbers for output files at the “output\_file\_ids” key in the metadata returned by the prediction job. Provide an *output\_table* (and optionally an *output\_db*, if it’s different from *database\_name*) to copy these predictions into a Civis Table.

**Parameters** `df` : *pd.DataFrame*, optional

A *DataFrame* of data for prediction. The *DataFrame* will be uploaded to a Civis file so that CivisML can access it. Note that the index of the *DataFrame* will be ignored –

use `df.reset_index()` if you want your index column to be included with the data passed to CivisML.

**csv\_path** : str, optional

The location of a CSV of data on the local disk. It will be uploaded to a Civis file.

**table\_name** : str, optional

The qualified name of the table containing your data

**database\_name** : str, optional

Name of the database holding the data, e.g., 'My Redshift Cluster'.

**manifest** : int, optional

ID for a manifest file stored as a Civis file. (Note: if the manifest is not a Civis Platform-specific manifest, like the one returned from `civis.io.civis_to_multifile_csv()`, this must be used in conjunction with `table_name` and `database_name` due to the need for column discovery via Redshift.)

**file\_id** : int, optional

If the data are a CSV stored in a Civis file, provide the integer file ID.

**sql\_where** : str, optional

A SQL WHERE clause used to scope the rows to be predicted

**sql\_limit** : int, optional

SQL LIMIT clause to restrict the size of the prediction set

**primary\_key** : str, optional

Primary key of the prediction table. Defaults to the primary key of the training data. Use `None` to indicate that the prediction data don't have a primary key column.

**output\_table**: str, optional

The table in which to put the predictions.

**output\_db** : str, optional

Database of the output table. Defaults to the database of the input table.

**if\_exists** : {'fail', 'append', 'drop', 'truncate'}

Action to take if the prediction table already exists.

**n\_jobs** : int, optional

Number of concurrent Platform jobs to use for multi-file / large table prediction.

**polling\_interval** : float, optional

Check for job completion every this number of seconds. Do not set if using the notifications endpoint.

**Returns** *ModelFuture*

```
train(df=None, csv_path=None, table_name=None, database_name=None, file_id=None,
        sql_where=None, sql_limit=None, oos_scores=None, oos_scores_db=None, if_exists='fail',
        fit_params=None, polling_interval=None)
```

Start a Civis Platform job to train your model

Provide input through one of a `DataFrame` (`df`), a local CSV (`csv_path`), a Civis Table (`table_name` and `database_name`), or a Civis File containing a CSV (`file_id`).

Model outputs will always contain out-of-sample scores (accessible through `ModelFuture.table` on this function's output), and you may chose to store these out-of-sample scores in a Civis Table with the `oos_scores`, `oos_scores_db`, and `if_exists` parameters.

**Parameters** `df` : `pd.DataFrame`, optional

A `DataFrame` of training data. The `DataFrame` will be uploaded to a Civis file so that CivisML can access it. Note that the index of the `DataFrame` will be ignored – use `df.reset_index()` if you want your index column to be included with the data passed to CivisML.

**csv\_path** : `str`, optional

The location of a CSV of data on the local disk. It will be uploaded to a Civis file.

**table\_name** : `str`, optional

The qualified name of the table containing the training set from which to build the model.

**database\_name** : `str`, optional

Name of the database holding the training set table used to build the model. E.g., 'My Cluster Name'.

**file\_id** : `int`, optional

If the training data are stored in a Civis file, provide the integer file ID.

**sql\_where** : `str`, optional

A SQL WHERE clause used to scope the rows of the training set (used for table input only)

**sql\_limit** : `int`, optional

SQL LIMIT clause for querying the training set (used for table input only)

**oos\_scores** : `str`, optional

If provided, store out-of-sample predictions on training set data to this Redshift "schema.tablename".

**oos\_scores\_db** : `str`, optional

If not provided, store OOS predictions in the same database which holds the training data.

**if\_exists** : {'fail', 'append', 'drop', 'truncate'}

Action to take if the out-of-sample prediction table already exists.

**fit\_params**: `Dict[str, str]`

Mapping from parameter names in the model's `fit` method to the column names which hold the data, e.g. {'sample\_weight': 'survey\_weight\_column'}.

**polling\_interval** : `float`, optional

Check for job completion every this number of seconds. Do not set if using the notifications endpoint.

**Returns** `ModelFuture`

```
class civis.ml.ModelFuture(job_id, run_id, train_job_id=None, train_run_id=None,
                             polling_interval=None, client=None, poll_on_creation=True)
    Encapsulates asynchronous execution of a CivisML job
```

This object knows where to find modeling outputs from CivisML jobs. All data attributes are lazily retrieved and block on job completion. This object can be pickled.

**Parameters** `job_id` : int

ID of the modeling job

**run\_id** : int

ID of the modeling run

**train\_job\_id** : int, optional

If not provided, this object is assumed to encapsulate a training job, and `train_job_id` will equal `job_id`.

**train\_run\_id** : int, optional

If not provided, this object is assumed to encapsulate a training run, and `train_run_id` will equal `run_id`.

**polling\_interval** : int or float, optional

The number of seconds between API requests to check whether a result is ready. The default intelligently switches between a short interval if `pubnub` is not available and a long interval for `pubnub` backup if that library is installed.

**client** : `civis.APIClient`, optional

If not provided, an `civis.APIClient` object will be created from the `CIVIS_API_KEY`.

**poll\_on\_creation** : bool, optional

If `True` (the default), it will poll upon calling `result()` the first time. If `False`, it will wait the number of seconds specified in `polling_interval` from object creation before polling.

**See also:**

`civis.futures.CivisFuture`, `concurrent.futures.Future`

## Attributes

metadata	(dict, blocking) The metadata associated with this modeling job
metrics	(dict, blocking) Validation metrics from this job's training
validation_metadata	(dict, blocking) Metadata from this modeling job's validation run
train_metadata	(dict, blocking) Metadata from this modeling job's training run (will be identical to <i>metadata</i> if this is a training run)
estimator	( <code>sklearn.pipeline.Pipeline</code> , blocking) The fitted scikit-learn Pipeline resulting from this model run
table	( <code>pandas.DataFrame</code> , blocking) The table output from this modeling job: out-of-sample predictions on the training set for a training job, or a table of predictions for a prediction job. If the prediction job was split into multiple files (this happens automatically for large tables), this attribute will provide only predictions for the first file.
state	(str) The current state of the Civis Platform run
job_id	(int)
run_id	(int)
train_job_id	(int) Container ID for the training job – identical to <code>job_id</code> if this is a training job.
train_run_id	(int) As <code>train_job_id</code> but for runs
is_training	(bool) True if this <code>ModelFuture</code> corresponds to a train-validate job.

## Methods

<code>cancel()</code>	Cancels the corresponding Platform job before completion
<code>succeeded()</code>	(Non-blocking) Is the job a success?
<code>failed()</code>	(Non-blocking) Did the job fail?
<code>cancelled()</code>	(Non-blocking) Was the job cancelled?
<code>running()</code>	(Non-blocking) Is the job still running?
<code>done()</code>	(Non-blocking) Is the job finished?
<code>result()</code>	(Blocking) Return the final status of the Civis Platform job.

### `add_done_callback` (*fn*)

Attaches a callable that will be called when the future finishes.

### Args:

**fn:** A callable that will be called with this future as its only argument when the future completes or is cancelled. The callable will always be called by a thread in the same process in which it was added. If the future has already completed or been cancelled then the callable will be called immediately. These callables are called in the order that they were added.

### `cancel` ()

Submit a request to cancel the container/script/run.

---

**Note:** If this object represents a prediction run, `cancel` will only cancel the parent job. Child jobs will remain active.

---

### Returns bool

Whether or not the run is in a cancelled state.

### `cancelled` ()

Return True if the future was cancelled.

**done ()**

Return True if the future was cancelled or finished executing.

**exception (timeout=None)**

Return the exception raised by the call that the future represents.

**Args:**

**timeout:** The number of seconds to wait for the exception if the future isn't done. If None, then there is no limit on the wait time.

**Returns:** The exception raised by the call that the future represents or None if the call completed without raising.

**Raises:** CanceledError: If the future was cancelled. TimeoutError: If the future didn't finish executing before the given timeout.

**failed ()**

Return True if the Civis job failed.

**result (timeout=None)**

Return the result of the call that the future represents.

**Args:**

**timeout:** The number of seconds to wait for the result if the future isn't done. If None, then there is no limit on the wait time.

**Returns:** The result of the call that the future represents.

**Raises:** CanceledError: If the future was cancelled. TimeoutError: If the future didn't finish executing before the given timeout.

Exception: If the call raised then that exception will be raised.

**running ()**

Return True if the future is currently executing.

**set\_exception (exception)**

Sets the result of the future as being the given exception.

Should only be used by Executor implementations and unit tests.

**set\_result (result)**

Sets the return value of work associated with the future.

Should only be used by Executor implementations and unit tests.

**set\_running\_or\_notify\_cancel ()**

Mark the future as running or process any cancel notifications.

Should only be used by Executor implementations and unit tests.

If the future has been cancelled (cancel() was called and returned True) then any threads waiting on the future completing (though calls to as\_completed() or wait()) are notified and False is returned.

If the future was not cancelled then it is put in the running state (future calls to running() will return True) and True is returned.

This method should be called by Executor implementations before executing the work associated with this future. If this method returns False then the work should not be executed.

**Returns:** False if the Future was cancelled, True otherwise.

**Raises:**

**RuntimeError:** if this method was already called or if `set_result()` or `set_exception()` was called.

**succeeded()**

Return True if the job completed in Civis with no error.

## API Client

`APIClient` is a class for handling requests to the Civis API. An instantiated `APIClient` contains a set of resources (listed below) where each resource is an object with methods. By convention, an instantiated `APIClient` object is named `client` and API requests are made with the following syntax:

```
client = civis.APIClient()
response = client.resource.method(params)
```

The methods on `APIClient` are created dynamically at runtime by parsing an `collections.OrderedDict` representation of the Civis API specification. By default, this specification is downloaded from the `/endpoints` endpoint the first time `APIClient` is instantiated (and cached in memory for the remainder of the program's run). In some circumstances, it may be useful to use a local cache of the API specification rather than downloading the spec. This can be done by passing the specification to the client through the parameter `local_api_spec` as either the `collections.OrderedDict` or a filename where the specification has been saved.

```
api_key = os.environ['CIVIS_API_KEY']
spec = civis.resources.get_api_spec(api_key)

# From OrderedDict
client = civis.APIClient(local_api_spec=spec)

# From file
with open('local_api_spec.json', 'w') as f:
    json.dump(spec, f)
client = civis.APIClient(local_api_spec='local_api_spec.json')
```

**class** `civis.APIClient` (`api_key=None`, `return_type='snake'`, `retry_total=6`, `api_version='1.0'`, `resources='base'`, `local_api_spec=None`)

The Civis API client.

**Parameters** `api_key` : str, optional

Your API key obtained from the Civis Platform. If not given, the client will use the `CIVIS_API_KEY` environment variable.

**return\_type** : str, optional

The following types are implemented:

- 'raw' Returns the raw `requests.Response` object.
- 'snake' Returns a `civis.response.Response` object for the json-encoded content of a response. This maps the top-level json keys to `snake_case`.
- 'pandas' Returns a `pandas.DataFrame` for list-like responses and a `pandas.Series` for single a json response.

**retry\_total** : int, optional

A number indicating the maximum number of retries for 429, 502, 503, or 504 errors.

**api\_version** : string, optional

The version of endpoints to call. May instantiate multiple client objects with different versions. Currently only “1.0” is supported.

**resources** : string, optional

When set to “base”, only the default endpoints will be exposed in the client object. Set to “all” to include all endpoints available for a given user, including those that may be in development and subject to breaking changes at a later date.

**local\_api\_spec** : collections.OrderedDict or string, optional

The methods on this class are dynamically built from the Civis API specification, which can be retrieved from the /endpoints endpoint. When local\_api\_spec is None, the default, this specification is downloaded the first time APIClient is instantiated. Alternatively, a local cache of the specification may be passed as either an OrderedDict or a filename which points to a json file.

## Attributes

credentials	An instance of the <i>Credentials</i> endpoint
databases	An instance of the <i>Databases</i> endpoint
files	An instance of the <i>Files</i> endpoint
imports	An instance of the <i>Imports</i> endpoint
jobs	An instance of the <i>Jobs</i> endpoint
models	An instance of the <i>Models</i> endpoint
predictions	An instance of the <i>Predictions</i> endpoint
projects	An instance of the <i>Projects</i> endpoint
queries	An instance of the <i>Queries</i> endpoint
reports	An instance of the <i>Reports</i> endpoint
scripts	An instance of the <i>Scripts</i> endpoint
tables	An instance of the <i>Tables</i> endpoint
users	An instance of the <i>Users</i> endpoint

### **default\_credential**

The current user’s default credential.

**get\_aws\_credential\_id** (*cred\_name*, *owner=None*)

Find an AWS credential ID.

**Parameters cred\_name** : str or int

If an integer ID is given, this passes through directly. If a str is given, return the ID corresponding to the AWS credential with that name.

**owner** : str, optional

Return the credential with this owner. If not provided, search for credentials under your username to disambiguate multiple credentials with the same name. Note that this function cannot return credentials which are not associated with an owner.

**Returns aws\_credential\_id** : int

The ID number of the AWS credentials.

**Raises ValueError**

If the AWS credential can’t be found.

## Examples

```
>>> import civis
>>> client = civis.APIClient()
>>> client.get_aws_credential_id('jsmith')
1234
```

```
>>> client.get_aws_credential_id(1111)
1111
```

```
>>> client.get_aws_credential_id('shared-cred',
...                             owner='research-group')
99
```

**get\_database\_credential\_id** (*username*, *database\_name*)

Return the credential ID for a given username in a given database.

**Parameters** **username** : str or int

If an integer ID is given, this passes through directly. If a str is given, return the ID corresponding to the database credential with that username.

**database\_name** : str or int

Return the ID of the database credential with username *username* for this database name or ID.

**Returns** **database\_credential\_id** : int

The ID of the database credentials.

**Raises** **ValueError**

If the credential can't be found.

## Examples

```
>>> import civis
>>> client = civis.APIClient()
>>> client.get_database_credential_id('jsmith', 'redshift-general')
1234
```

```
>>> client.get_database_credential_id(1111, 'redshift-general')
1111
```

**get\_database\_id** (*database*)

Return the database ID for a given database name.

**Parameters** **database** : str or int

If an integer ID is given, passes through. If a str is given the database ID corresponding to that database name is returned.

**Returns** **database\_id** : int

The ID of the database.

**Raises** **ValueError**

If the database can't be found.

**get\_table\_id** (*table*, *database*)

Return the table ID for a given database and table name.

**Parameters** *table* : str

The name of the table in format schema.table.

**database** : str or int

The name or ID of the database.

**Returns** *table\_id* : int

The ID of the table. Only returns exact match to specified table.

**Raises** **ValueError**

If an exact table match can't be found.

**username**

The current user's username.

## API Response Types

**class** `civis.response.Response` (*json\_data*, *snake\_case=True*, *headers=None*)

Custom Civis response object.

### Notes

The main features of this class are that it maps camelCase to snake\_case at the top level of the json object and attaches keys as attributes. Nested object keys are not changed.

### Attributes

<code>json_data</code>	(dict   None) This is <i>json_data</i> as it is originally returned to the user without the key names being changed. See Notes. None is used if the original response returned a 204 No Content response.
<code>headers</code>	(dict) This is the header for the API call without changing the key names.
<code>calls_remaining</code>	(int) Number of API calls remaining before rate limit is reached.
<code>rate_limit</code>	(int) Total number of calls per API rate limit period.

**class** `civis.response.PaginatedResponse` (*path*, *initial\_params*, *endpoint*)

A response object that supports iteration.

**Parameters** *path* : str

Make GET requests to this path.

**initial\_params** : dict

Query params that should be passed along with each request. Note that if *initial\_params* contains the keys *page\_num* or *limit*, they will be ignored. The given dict is not modified.

**endpoint** : `civis.base.Endpoint`

An endpoint used to make API requests.

## Notes

This response is returned automatically by endpoints which support pagination when the *iterator* kwarg is specified.

## Examples

```
>>> client = civis.APIClient()
>>> queries = client.queries.list(iterator=True)
>>> for query in queries:
...     print(query['id'])
```

**class** `civis.futures.CivisFuture` (*poller*, *poller\_args*, *polling\_interval=None*, *api\_key=None*, *client=None*, *poll\_on\_creation=True*)

A class for tracking future results.

This class will attempt to subscribe to a Pubnub channel to listen for job completion events. If you don't have access to Pubnub channels, then it will fallback to polling.

This is a subclass of `concurrent.futures.Future` from the Python standard library. See: <https://docs.python.org/3/library/concurrent.futures.html>

**Parameters** *poller* : func

A function which returns an object that has a `state` attribute.

***poller\_args*** : tuple

The arguments with which to call the poller function.

***polling\_interval*** : int or float, optional

The number of seconds between API requests to check whether a result is ready.

***api\_key*** : DEPRECATED str, optional

Your Civis API key. If not given, the `CIVIS_API_KEY` environment variable will be used.

***client*** : `civis.APIClient`, optional

***poll\_on\_creation*** : bool, optional

If `True` (the default), it will poll upon calling `result()` the first time. If `False`, it will wait the number of seconds specified in *polling\_interval* from object creation before polling.

## Examples

This example is provided as a function at `query_civis()`.

```
>>> client = civis.APIClient()
>>> database_id = client.get_database_id("my_database")
>>> cred_id = client.default_credential
>>> sql = "SELECT 1"
>>> preview_rows = 10
>>> response = client.queries.post(database_id, sql, preview_rows,
>>>                                credential=cred_id)
>>> job_id = response.id
```

```
>>>
>>> poller = client.queries.get
>>> poller_args = (job_id, ) # (job_id, run_id) if poller requires run_id
>>> polling_interval = 10
>>> future = CivisFuture(poller, poller_args, polling_interval)
```

## API Resources

### Credentials

**class** `Credentials` (*session*, *return\_type*='civis')

#### Methods

<code>get(id)</code>	Get a credential
<code>list(**kwargs)</code>	List credentials
<code>post(username, type, password, **kwargs)</code>	Create or update a credential
<code>post_authenticate(username, ...)</code>	Authenticate against a remote host
<code>post_temporary(id, **kwargs)</code>	Generate a temporary credential for accessing S3
<code>put(id, username, type, password, **kwargs)</code>	Update an existing credential

#### `get (id)`

Get a credential

**Parameters** `id` : integer

The ID of the credential.

**Returns** `username` : string

The username for the credential.

**description** : string

A long description of the credential.

**updated\_at** : string/time

The last modification time for this credential.

**name** : string

The name identifying the credential

**type** : string

The credential's type.

**remote\_host\_id** : integer

The ID of the remote host associated with this credential.

**remote\_host\_name** : string

The name of the remote host associated with this credential.

**created\_at** : string/time

The creation time for this credential.

**id** : integer

The ID of the credential.

**owner** : string

The name of the user who this credential belongs to.

**list** (*\*\*kwargs*)

List credentials

**Parameters type** : string, optional

The type (or types) of credentials to return. One or more of: Amazon Web Services S3, BSD::API, CASS/NCOA PAF, Catalist::API, Catalist::SFTP, Certificate, Civis Platform, Custom, Database, Google, Github, JobTraits::Ftp, Salesforce User, Salesforce Client, Silverpop Application, Silverpop Refresh Token, Silverpop User, TableauUser, VAN::MyVoterFile, VAN::MyCampaign, and VAN::BothModes. Specify multiple values as a comma-separated list (e.g., "A,B").

**default** : boolean, optional

If true, will return a list with a single credential which is the current user's default credential.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 1000.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, created\_at, name.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns username** : string

The username for the credential.

**description** : string

A long description of the credential.

**updated\_at** : string/time

The last modification time for this credential.

**name** : string

The name identifying the credential

**type** : string

The credential's type.

**remote\_host\_id** : integer

The ID of the remote host associated with this credential.

**remote\_host\_name** : string

The name of the remote host associated with this credential.

**created\_at** : string/time

The creation time for this credential.

**id** : integer

The ID of the credential.

**owner** : string

The name of the user who this credential belongs to.

**post** (*username, type, password, \*\*kwargs*)

Create or update a credential

**Parameters username** : string

The username for the credential.

**type** : string

**password** : string

The password for the credential.

**description** : string, optional

A long description of the credential.

**name** : string, optional

The name identifying the credential.

**remote\_host\_id** : integer, optional

The ID of the remote host associated with the credential.

**remote\_host** : dict, optional:

```
- type : string
    The type of remote host. One of: RemoteHostTypes::BSD,
    RemoteHostTypes::Ftp, RemoteHostTypes::Github,
    RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC,
    RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and
    RemoteHostTypes::Van
- url : string
    The URL to your host.
- name : string
    The human readable name for the remote host.
```

**Returns username** : string

The username for the credential.

**description** : string

A long description of the credential.

**updated\_at** : string/time

The last modification time for this credential.

**name** : string

The name identifying the credential

**type** : string

The credential's type.

**remote\_host\_id** : integer

The ID of the remote host associated with this credential.

**remote\_host\_name** : string

The name of the remote host associated with this credential.

**created\_at** : string/time

The creation time for this credential.

**id** : integer

The ID of the credential.

**owner** : string

The name of the user who this credential belongs to.

**post\_authenticate** (*username, remote\_host\_type, url, password*)

Authenticate against a remote host

**Parameters** **username** : string

The username for the credential.

**remote\_host\_type** : string

The type of remote host. One of: RemoteHostTypes::BSD, RemoteHostTypes::Ftp, RemoteHostTypes::Github, RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC, RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and RemoteHostTypes::Van

**url** : string

The URL to your host.

**password** : string

The password for the credential.

**Returns** **username** : string

The username for the credential.

**description** : string

A long description of the credential.

**updated\_at** : string/time

The last modification time for this credential.

**name** : string

The name identifying the credential

**type** : string

The credential's type.

**remote\_host\_id** : integer

The ID of the remote host associated with this credential.

**remote\_host\_name** : string

The name of the remote host associated with this credential.

**created\_at** : string/time

The creation time for this credential.

**id** : integer

The ID of the credential.

**owner** : string

The name of the user who this credential belongs to.

**post\_temporary** (*id*, *\*\*kwargs*)

Generate a temporary credential for accessing S3

**Parameters** **id** : integer

The ID of the credential.

**duration** : integer, optional

The number of seconds the temporary credential should be valid. Defaults to 15 minutes. Must not be less than 15 minutes or greater than 36 hours.

**Returns** **session\_token** : string

The session token identifier.

**access\_key** : string

The identifier of the credential.

**secret\_access\_key** : string

The secret part of the credential.

**put** (*id*, *username*, *type*, *password*, *\*\*kwargs*)

Update an existing credential

**Parameters** **id** : integer

The ID of the credential.

**username** : string

The username for the credential.

**type** : string

**password** : string

The password for the credential.

**description** : string, optional

A long description of the credential.

**name** : string, optional

The name identifying the credential.

**remote\_host\_id** : integer, optional

The ID of the remote host associated with the credential.

**remote\_host** : dict, optional:

```
- type : string
    The type of remote host. One of: RemoteHostTypes::BSD,
    RemoteHostTypes::Ftp, RemoteHostTypes::Github,
    RemoteHostTypes::GoogleDoc, RemoteHostTypes::JDBC,
    RemoteHostTypes::Redshift, RemoteHostTypes::Salesforce, and
    RemoteHostTypes::Van
- url : string
    The URL to your host.
- name : string
    The human readable name for the remote host.
```

**Returns username** : string

The username for the credential.

**description** : string

A long description of the credential.

**updated\_at** : string/time

The last modification time for this credential.

**name** : string

The name identifying the credential

**type** : string

The credential's type.

**remote\_host\_id** : integer

The ID of the remote host associated with this credential.

**remote\_host\_name** : string

The name of the remote host associated with this credential.

**created\_at** : string/time

The creation time for this credential.

**id** : integer

The ID of the credential.

**owner** : string

The name of the user who this credential belongs to.

## Databases

**class Databases** (*session*, *return\_type*='civis')

### Methods

<code>delete_whitelist_ips(id, whitelisted_ip_id)</code>	Remove a whitelisted IP address
<code>get_whitelist_ips(id, whitelisted_ip_id)</code>	View details about a whitelisted IP
<code>list()</code>	List databases
<code>list_schemas(id)</code>	List schemas in this database
<code>list_whitelist_ips(id)</code>	List whitelisted IPs for the specified database
<code>post_whitelist_ips(id, subnet_mask)</code>	Whitelist an IP address

**delete\_whitelist\_ips** (*id, whitelisted\_ip\_id*)

Remove a whitelisted IP address

**Parameters** *id* : integer

The ID of the database this rule is applied to.

**whitelisted\_ip\_id** : integer

The ID of this whitelisted IP address.

**Returns** None

Response code 204: success

**get\_whitelist\_ips** (*id, whitelisted\_ip\_id*)

View details about a whitelisted IP

**Parameters** *id* : integer

The ID of the database this rule is applied to.

**whitelisted\_ip\_id** : integer

The ID of this whitelisted IP address.

**Returns** *security\_group\_id* : string

The ID of the security group this rule is applied to.

**updated\_at** : string/time

The time this rule was last updated.

**authorized\_by** : string

The user who authorized this rule.

**is\_active** : boolean

True if the rule is applied, false if it has been revoked.

**remote\_host\_id** : integer

The ID of the database this rule is applied to.

**created\_at** : string/time

The time this rule was created.

**id** : integer

The ID of this whitelisted IP address.

**subnet\_mask** : string

The subnet mask that is allowed by this rule.

**list** ()

List databases

**Returns id** : integer

The ID for the database.

**name** : string

The name of the database.

**list\_schemas** (*id*)

List schemas in this database

**Parameters id** : integer

The ID of the database.

**Returns schema** : string

The name of a schema.

**list\_whitelist\_ips** (*id*)

List whitelisted IPs for the specified database

**Parameters id** : integer

The ID for the database.

**Returns created\_at** : string/time

The time this rule was created.

**updated\_at** : string/time

The time this rule was last updated.

**remote\_host\_id** : integer

The ID of the database this rule is applied to.

**security\_group\_id** : string

The ID of the security group this rule is applied to.

**id** : integer

The ID of this whitelisted IP address.

**subnet\_mask** : string

The subnet mask that is allowed by this rule.

**post\_whitelist\_ips** (*id*, *subnet\_mask*)

Whitelist an IP address

**Parameters id** : integer

The ID of the database this rule is applied to.

**subnet\_mask** : string

The subnet mask that is allowed by this rule.

**Returns security\_group\_id** : string

The ID of the security group this rule is applied to.

**updated\_at** : string/time

The time this rule was last updated.

**authorized\_by** : string

The user who authorized this rule.

**is\_active** : boolean

True if the rule is applied, false if it has been revoked.

**remote\_host\_id** : integer

The ID of the database this rule is applied to.

**created\_at** : string/time

The time this rule was created.

**id** : integer

The ID of this whitelisted IP address.

**subnet\_mask** : string

The subnet mask that is allowed by this rule.

## Files

**class Files** (*session, return\_type='civis'*)

### Methods

<i>delete_projects</i> (id, project_id)	Remove a Data::S3File from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Get details about a file
<i>list_projects</i> (id)	List the projects a Data::S3File belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>post</i> (name, **kwargs)	Initiate an upload of a file into the platform
<i>put_projects</i> (id, project_id)	Add a Data::S3File to a project
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, user_ids, permission_level)	Set the permissions users have on this object

**delete\_projects** (*id, project\_id*)  
Remove a Data::S3File from a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_shares\_groups** (*id, group\_id*)  
Revoke the permissions a group has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_shares\_users** (*id*, *user\_id*)

Revoke the permissions a user has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**get** (*id*)

Get details about a file

**Parameters** *id* : integer

The ID of the file object.

**Returns** *expires\_at* : string/date-time

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

**created\_at** : string/date-time

The date and time the file was created.

**file\_size** : integer

The file size.

**download\_url** : string

A JSON string containing information about the URL of the file.

**name** : string

The file name.

**file\_url** : string

The URL that may be used to download the file.

**id** : integer

The ID of the file object.

**list\_projects** (*id*)

List the projects a Data::S3File belongs to

**Parameters** *id* : integer

The ID of the resource.

**Returns** `auto_share` : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**list\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** `id` : integer

The ID of the object.

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**post** (*name*, *\*\*kwargs*)

Initiate an upload of a file into the platform

**Parameters** **name** : string

The file name.

**expires\_at** : string/date-time, optional

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

**Returns** **expires\_at** : string/date-time

The date and time the file will expire. If not specified, the file will expire in 30 days. To keep a file indefinitely, specify null.

**created\_at** : string/date-time

The date and time the file was created.

**file\_size** : integer

The file size.

**upload\_fields** : dict

A hash containing the form fields to be included with the POST request.

**name** : string

The file name.

**upload\_url** : string

The URL that may be used to upload a file. To use the upload URL, initiate a POST request to the given URL with the file you wish to import as the “file” form field.

**id** : integer

The ID of the file object.

**put\_projects** (*id, project\_id*)

Add a Data::S3File to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**put\_shares\_users** (*id, user\_ids, permission\_level*)

Set the permissions users have on this object

**Parameters** *id* : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

## Imports

class **Imports** (*session*, *return\_type='civis'*)

### Methods

<code>delete_files_runs(id, run_id)</code>	Cancel a run
<code>delete_projects(id, project_id)</code>	Remove a JobTypes::Import from a project
<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_syncs(id, sync_id)</code>	Delete a sync
<code>get(id)</code>	Get details about an import
<code>get_batches(id)</code>	Get details about a batch import
<code>get_files_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List imports
<code>list_batches(**kwargs)</code>	List batch imports
<code>list_files_runs(id, **kwargs)</code>	List runs for the given import
<code>list_projects(id)</code>	List the projects a JobTypes::Import belongs to
<code>list_runs(id)</code>	Get the run history of this import
<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post(sync_type, is_outbound, name, **kwargs)</code>	Create a new import configuration
<code>post_batches(file_ids, table, credential_id, ...)</code>	Upload multiple files to Redshift
<code>post_cancel(id)</code>	Cancel a run
<code>post_files(credential_id, remote_host_id, ...)</code>	Initiate an import of a tabular file into the platform
<code>post_files_runs(id)</code>	Start a run
<code>post_runs(id)</code>	Run an import
<code>post_syncs(id, destination, source, **kwargs)</code>	Create a sync
<code>put(id, sync_type, is_outbound, name, **kwargs)</code>	Update an import
<code>put_archive(id, status)</code>	Update the archive status of this object
<code>put_projects(id, project_id)</code>	Add a JobTypes::Import to a project
<code>put_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, user_ids, permission_level)</code>	Set the permissions users have on this object
<code>put_syncs(id, sync_id, destination, source, ...)</code>	Update a sync

**delete\_files\_runs** (*id*, *run\_id*)

Cancel a run

**Parameters** *id* : integer

The ID of the import.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_projects** (*id*, *project\_id*)

Remove a JobTypes::Import from a project

**Parameters** *id* : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**delete\_syncs** (*id, sync\_id*)

Delete a sync

**Parameters** **id** : integer

The ID of the import to fetch.

**sync\_id** : integer

The ID of the sync to fetch.

**Returns** None

Response code 204: success

**get** (*id*)

Get details about an import

**Parameters** **id** : integer

The ID for the import.

**Returns** **notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
```

```

- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**syncs : list:**

```

List of syncs.
- destination : dict::
    - path : string
      The schema.tablename to sync to.
- source : dict::
    - id : integer
      The ID of the table or file, if available.
    - path : string
      The path of the dataset to sync from; for a database source,
      schema.tablename.
- advanced_options : dict::
    - partition_table_partition_column_max_name : string
    - sortkey1 : string
    - wipe_destination_table : boolean
    - partition_table_partition_column_min_name : string
    - existing_table_rows : string
    - row_chunk_size : integer
    - first_row_is_header : boolean
    - contact_lists : string
    - partition_table_name : string
    - sql_query : string
    - invalid_char_replacement : string
    - distkey : string
    - export_action : string
    - max_errors : integer
    - last_modified_column : string
    - mysql_catalog_matches_schema : boolean
    - truncate_long_lines : boolean
    - partition_schema_name : string
    - soql_query : string
    - identity_column : string
    - partition_column_name : string
    - sortkey2 : string
    - verify_table_row_counts : boolean
    - column_delimiter : string
- id : integer

```

**user : dict:**

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string

```

```

    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**archived** : string

The archival status of the requested object(s).

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**source** : dict:

```

- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- credential_id : integer
- name : string

```

**time\_zone** : string

The time zone of this import.

**destination** : dict:

```
- remote_host_id : integer
- additional_credentials : list
  Array that holds additional credentials used for specific
↳ imports. For
  salesforce imports, the first and only element is the client
↳ credential
  id.
- credential_id : integer
- name : string
```

**sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**created\_at** : string/date-time

**next\_run\_at** : string/time

The time of the next scheduled run.

**is\_outbound** : boolean

**state** : string

**name** : string

The name of the import.

**updated\_at** : string/date-time

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**id** : integer

The ID for the import.

**parent\_id** : integer

Parent id to trigger this import from

**get\_batches** (*id*)

Get details about a batch import

**Parameters** **id** : integer

The ID for the import.

**Returns** **error** : string

The error returned by the run, if any.

**table** : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**schema** : string

The destination schema name. This schema must already exist in Redshift.

**remote\_host\_id** : integer

The ID of the destination database host.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID for the import.

**state** : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

**get\_files\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** **id** : integer

The ID of the import.

**run\_id** : integer

The ID of the run.

**Returns** **import\_id** : integer

The ID of the import.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of ‘queued’ ‘running’ ‘succeeded’ ‘failed’ or ‘cancelled’.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list** (\*\*kwargs)

List imports

**Parameters type** : string, optional

If specified, return imports of these types. It accepts a comma-separated list, possible values are 'AutoImport', 'DbSync', 'Salesforce', 'GdocImport'.

**author** : string, optional

If specified, return imports from this author. It accepts a comma-separated list of author ids.

**destination** : string, optional

If specified, returns imports with one of these destinations. It accepts a comma-separated list of remote host ids.

**status** : string, optional

If specified, returns imports with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

**archived** : string, optional

The archival status of the requested object(s).

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, name, created\_at, last\_run.updated\_at.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns user** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**archived** : string

The archival status of the requested object(s).

**source** : dict:

```

- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳imports. For
    salesforce imports, the first and only element is the client_
↳credential
    id.
- credential_id : integer
- name : string

```

**time\_zone** : string

The time zone of this import.

**destination** : dict:

```

- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↳imports. For
    salesforce imports, the first and only element is the client_
↳credential
    id.
- credential_id : integer
- name : string

```

**sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**created\_at** : string/date-time

**is\_outbound** : boolean

**state** : string

**name** : string

The name of the import.

**updated\_at** : string/date-time

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**id** : integer

The ID for the import.

**list\_batches** (\*\*kwargs)

List batch imports

**Parameters** **limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, created\_at.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** **error** : string

The error returned by the run, if any.

**table** : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

**schema** : string

The destination schema name. This schema must already exist in Redshift.

**remote\_host\_id** : integer

The ID of the destination database host.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID for the import.

**state** : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

**list\_files\_runs** (*id*, *\*\*kwargs*)

List runs for the given import

**Parameters** **id** : integer

The ID of the import.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** **import\_id** : integer

The ID of the import.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of ‘queued’ ‘running’ ‘succeeded’ ‘failed’ or ‘cancelled’.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list\_projects** (*id*)

List the projects a JobTypes::Import belongs to

**Parameters** **id** : integer

The ID of the resource.

**Returns** `auto_share` : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**list\_runs** (*id*)

Get the run history of this import

**Parameters** `id` : integer

**Returns** `created_at` : string/time

The time that the run was queued.

**error** : string

The error message for this run, if present.

**state** : string

**started\_at** : string/time

The time that the run started.

**finished\_at** : string/time

The time that the run completed.

**id** : integer

**list\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** **id** : integer

The ID of the object.

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**post** (*sync\_type, is\_outbound, name, \*\*kwargs*)

Create a new import configuration

**Parameters** **sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**is\_outbound** : boolean

**name** : string

The name of the import.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**destination** : dict, optional:

```
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- credential_id : integer
```

**parent\_id** : integer, optional

Parent id to trigger this import from

**source** : dict, optional:

```
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- credential_id : integer
```

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**time\_zone** : string, optional

The time zone of this import.

**notifications** : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**Returns notifications : dict:**

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**syncs : list:**

```

List of syncs.
- destination : dict::
    - path : string
      The schema.tablename to sync to.
- source : dict::
    - id : integer
      The ID of the table or file, if available.
    - path : string
      The path of the dataset to sync from; for a database source,
      schema.tablename.
- advanced_options : dict::
    - partition_table_partition_column_max_name : string
    - sortkey1 : string
    - wipe_destination_table : boolean
    - partition_table_partition_column_min_name : string
    - existing_table_rows : string
    - row_chunk_size : integer
    - first_row_is_header : boolean

```

```
- contact_lists : string
- partition_table_name : string
- sql_query : string
- invalid_char_replacement : string
- distkey : string
- export_action : string
- max_errors : integer
- last_modified_column : string
- mysql_catalog_matches_schema : boolean
- truncate_long_lines : boolean
- partition_schema_name : string
- soql_query : string
- identity_column : string
- partition_column_name : string
- sortkey2 : string
- verify_table_row_counts : boolean
- column_delimiter : string
- id : integer
```

**user** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**archived** : string

The archival status of the requested object(s).

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
```

```

    The ID of this user.
- name : string
    This user's name.

```

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**source** : dict:

```

- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific
    imports. For
    salesforce imports, the first and only element is the client
    credential
    id.
- credential_id : integer
- name : string

```

**time\_zone** : string

The time zone of this import.

**destination** : dict:

```

- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific
    imports. For
    salesforce imports, the first and only element is the client
    credential
    id.
- credential_id : integer
- name : string

```

**sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**created\_at** : string/date-time

**next\_run\_at** : string/time

The time of the next scheduled run.

**is\_outbound** : boolean

**state** : string

**name** : string

The name of the import.

**updated\_at** : string/date-time

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string

```

```
The error message for this run, if present.  
- state : string  
- started_at : string/time  
  The time that the run started.  
- finished_at : string/time  
  The time that the run completed.  
- id : integer
```

**id** : integer

The ID for the import.

**parent\_id** : integer

Parent id to trigger this import from

**post\_batches** (*file\_ids, table, credential\_id, schema, remote\_host\_id, \*\*kwargs*)

Upload multiple files to Redshift

**Parameters** **file\_ids** : list

The file IDs for the import.

**table** : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

**credential\_id** : integer

The ID of the credentials to be used when performing the database import.

**schema** : string

The destination schema name. This schema must already exist in Redshift.

**remote\_host\_id** : integer

The ID of the destination database host.

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**first\_row\_is\_header** : boolean, optional

A boolean value indicating whether or not the first row is a header row. If unspecified, defaults to false.

**compression** : string, optional

The type of compression. Valid arguments are “gzip”, “zip”, and “none”. If unspecified, defaults to “gzip”.

**column\_delimiter** : string, optional

The column delimiter for the file. Valid arguments are “comma”, “tab”, and “pipe”. If unspecified, defaults to “comma”.

**Returns** **error** : string

The error returned by the run, if any.

**table** : string

The destination table name, without the schema prefix. This table must already exist in Redshift.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**schema** : string

The destination schema name. This schema must already exist in Redshift.

**remote\_host\_id** : integer

The ID of the destination database host.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID for the import.

**state** : string

The state of the run; one of “queued”, “running”, “succeeded”, “failed”, or “cancelled”.

**post\_cancel** (*id*)

Cancel a run

**Parameters id** : integer

The ID of the job.

**Returns state** : string

The state of the run, one of ‘queued’, ‘running’ or ‘cancelled’.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**post\_files** (*credential\_id, remote\_host\_id, name, schema, \*\*kwargs*)

Initiate an import of a tabular file into the platform

**Parameters credential\_id** : integer

The id of the credentials to be used when performing the database import.

**remote\_host\_id** : integer

The id of the destination database host.

**name** : string

The name of the destination table.

**schema** : string

The schema of the destination table.

**distkey** : string, optional

The column to use as the distkey for the table.

**sortkey1** : string, optional

The column to use as the sort key for the table.

**multipart** : boolean, optional

If true, the upload URI will require a *multipart/form-data* POST request. Defaults to false.

**existing\_table\_rows** : string, optional

The behaviour if a table with the requested name already exists. One of “fail”, “truncate”, “append”, or “drop”. Defaults to “fail”.

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**first\_row\_is\_header** : boolean, optional

A boolean value indicating whether or not the first row is a header row. If `first_row_is_header` is null or omitted, it will be auto-detected.

**sortkey2** : string, optional

The second column in a compound sortkey for the table.

**column\_delimiter** : string, optional

The column delimiter of the file. If `column_delimiter` is null or omitted, it will be auto-detected. Valid arguments are “comma”, “tab”, and “pipe”.

**max\_errors** : integer, optional

The maximum number of rows with errors to remove from the import before failing.

**Returns** `upload_uri` : string

The URI which may be used to upload a tabular file for import. You must use this URI to upload the file you wish imported and then inform the Civis API when your upload is complete using the URI given by the `runUri` field of this response.

**run\_uri** : string

The URI to POST to once the file upload is complete. After uploading the file using the URI given in the `uploadUri` attribute of the response, POST to this URI to initiate the import of your uploaded file into the platform.

**upload\_fields** : dict

If `multipart` was set to true, these fields should be included in the multipart upload.

**id** : integer

The id of the import.

**post\_files\_runs** (*id*)

Start a run

**Parameters** `id` : integer

The ID of the import.

**Returns import\_id** : integer

The ID of the import.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**post\_runs** (*id*)

Run an import

**Parameters id** : integer

The ID of the import to run.

**Returns run\_id** : integer

The ID of the new run triggered.

**post\_syncs** (*id, destination, source, \*\*kwargs*)

Create a sync

**Parameters id** : integer

**destination** : dict:

```
- path : string
  The schema.tablename to sync to.
```

**source** : dict:

```
- path : string
  The path of the dataset to sync from; for a database source,
  schema.tablename.
```

**advanced\_options** : dict, optional:

```
- partition_table_partition_column_max_name : string
- sortkey1 : string
- wipe_destination_table : boolean
- partition_table_partition_column_min_name : string
- existing_table_rows : string
- row_chunk_size : integer
- first_row_is_header : boolean
- contact_lists : string
- partition_table_name : string
```

```
- sql_query : string
- invalid_char_replacement : string
- distkey : string
- export_action : string
- max_errors : integer
- last_modified_column : string
- mysql_catalog_matches_schema : boolean
- truncate_long_lines : boolean
- partition_schema_name : string
- soql_query : string
- identity_column : string
- partition_column_name : string
- sortkey2 : string
- verify_table_row_counts : boolean
- column_delimiter : string
```

**Returns destination : dict:**

```
- path : string
    The schema.tablename to sync to.
```

**source : dict:**

```
- id : integer
    The ID of the table or file, if available.
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
```

**advanced\_options : dict:**

```
- partition_table_partition_column_max_name : string
- sortkey1 : string
- wipe_destination_table : boolean
- partition_table_partition_column_min_name : string
- existing_table_rows : string
- row_chunk_size : integer
- first_row_is_header : boolean
- contact_lists : string
- partition_table_name : string
- sql_query : string
- invalid_char_replacement : string
- distkey : string
- export_action : string
- max_errors : integer
- last_modified_column : string
- mysql_catalog_matches_schema : boolean
- truncate_long_lines : boolean
- partition_schema_name : string
- soql_query : string
- identity_column : string
- partition_column_name : string
- sortkey2 : string
- verify_table_row_counts : boolean
- column_delimiter : string
```

**id : integer**

**put** (*id, sync\_type, is\_outbound, name, \*\*kwargs*)  
Update an import

**Parameters** **id** : integer

The ID for the import.

**sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**is\_outbound** : boolean

**name** : string

The name of the import.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**destination** : dict, optional:

```
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- credential_id : integer
```

**parent\_id** : integer, optional

Parent id to trigger this import from

**source** : dict, optional:

```
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific_
↪imports. For
    salesforce imports, the first and only element is the client_
↪credential
    id.
- credential_id : integer
```

**time\_zone** : string, optional

The time zone of this import.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**syncs** : list:

```
List of syncs.
- destination : dict::
    - path : string
      The schema.tablename to sync to.
- source : dict::
    - id : integer
      The ID of the table or file, if available.
    - path : string
      The path of the dataset to sync from; for a database source,
      schema.tablename.
- advanced_options : dict::
    - partition_table_partition_column_max_name : string
    - sortkey1 : string
    - wipe_destination_table : boolean
    - partition_table_partition_column_min_name : string
```

```

- existing_table_rows : string
- row_chunk_size : integer
- first_row_is_header : boolean
- contact_lists : string
- partition_table_name : string
- sql_query : string
- invalid_char_replacement : string
- distkey : string
- export_action : string
- max_errors : integer
- last_modified_column : string
- mysql_catalog_matches_schema : boolean
- truncate_long_lines : boolean
- partition_schema_name : string
- soql_query : string
- identity_column : string
- partition_column_name : string
- sortkey2 : string
- verify_table_row_counts : boolean
- column_delimiter : string
- id : integer

```

**user** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**archived** : string

The archival status of the requested object(s).

**running\_as** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.

```

```
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**source** : dict:

```
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific
    imports. For
    salesforce imports, the first and only element is the client
    credential
    id.
- credential_id : integer
- name : string
```

**time\_zone** : string

The time zone of this import.

**destination** : dict:

```
- remote_host_id : integer
- additional_credentials : list
    Array that holds additional credentials used for specific
    imports. For
    salesforce imports, the first and only element is the client
    credential
    id.
- credential_id : integer
- name : string
```

**sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**created\_at** : string/date-time

**next\_run\_at** : string/time

The time of the next scheduled run.

**is\_outbound** : boolean

**state** : string

**name** : string

The name of the import.

**updated\_at** : string/date-time

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**id** : integer

The ID for the import.

**parent\_id** : integer

Parent id to trigger this import from

**put\_archive** (*id, status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **notifications** : dict:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**syncs** : list:

```

List of syncs.
- destination : dict::
    - path : string
        The schema.tablename to sync to.
- source : dict::
    - id : integer
        The ID of the table or file, if available.
    - path : string
        The path of the dataset to sync from; for a database source,

```

```
    schema.tablename.
- advanced_options : dict::
  - partition_table_partition_column_max_name : string
  - sortkey1 : string
  - wipe_destination_table : boolean
  - partition_table_partition_column_min_name : string
  - existing_table_rows : string
  - row_chunk_size : integer
  - first_row_is_header : boolean
  - contact_lists : string
  - partition_table_name : string
  - sql_query : string
  - invalid_char_replacement : string
  - distkey : string
  - export_action : string
  - max_errors : integer
  - last_modified_column : string
  - mysql_catalog_matches_schema : boolean
  - truncate_long_lines : boolean
  - partition_schema_name : string
  - soql_query : string
  - identity_column : string
  - partition_column_name : string
  - sortkey2 : string
  - verify_table_row_counts : boolean
  - column_delimiter : string
- id : integer
```

**user** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**archived** : string

The archival status of the requested object(s).

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**source** : dict:

```
- remote_host_id : integer
- additional_credentials : list
  Array that holds additional credentials used for specific_
↳imports. For
  salesforce imports, the first and only element is the client_
↳credential
  id.
- credential_id : integer
- name : string
```

**time\_zone** : string

The time zone of this import.

**destination** : dict:

```
- remote_host_id : integer
- additional_credentials : list
  Array that holds additional credentials used for specific_
↳imports. For
  salesforce imports, the first and only element is the client_
↳credential
  id.
- credential_id : integer
- name : string
```

**sync\_type** : string

The type of sync to perform; one of Dbsync, AutoImport, SilverpopDataImport, SilverpopContactImport, GdocImport, GdocExport, and Salesforce.

**created\_at** : string/date-time

**next\_run\_at** : string/time

The time of the next scheduled run.

**is\_outbound** : boolean

**state** : string

**name** : string

The name of the import.

**updated\_at** : string/date-time

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**id** : integer

The ID for the import.

**parent\_id** : integer

Parent id to trigger this import from

**put\_projects** (*id, project\_id*)

Add a JobTypes::Import to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**put\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_syncs** (*id*, *sync\_id*, *destination*, *source*, **\*\*kwargs**)  
Update a sync

**Parameters** **id** : integer

The ID of the import to fetch.

**sync\_id** : integer

The ID of the sync to fetch.

**destination** : dict:

```
- path : string
  The schema.tablename to sync to.
```

**source** : dict:

```
- path : string
  The path of the dataset to sync from; for a database source,
  schema.tablename.
```

**advanced\_options** : dict, optional:

```
- partition_table_partition_column_max_name : string
- sortkey1 : string
- wipe_destination_table : boolean
- partition_table_partition_column_min_name : string
- existing_table_rows : string
- row_chunk_size : integer
- first_row_is_header : boolean
- contact_lists : string
- partition_table_name : string
- sql_query : string
- invalid_char_replacement : string
- distkey : string
- export_action : string
- max_errors : integer
- last_modified_column : string
- mysql_catalog_matches_schema : boolean
- truncate_long_lines : boolean
- partition_schema_name : string
- soql_query : string
- identity_column : string
```

```
- partition_column_name : string
- sortkey2 : string
- verify_table_row_counts : boolean
- column_delimiter : string
```

**Returns destination** : dict:

```
- path : string
    The schema.tablename to sync to.
```

**source** : dict:

```
- id : integer
    The ID of the table or file, if available.
- path : string
    The path of the dataset to sync from; for a database source,
    schema.tablename.
```

**advanced\_options** : dict:

```
- partition_table_partition_column_max_name : string
- sortkey1 : string
- wipe_destination_table : boolean
- partition_table_partition_column_min_name : string
- existing_table_rows : string
- row_chunk_size : integer
- first_row_is_header : boolean
- contact_lists : string
- partition_table_name : string
- sql_query : string
- invalid_char_replacement : string
- distkey : string
- export_action : string
- max_errors : integer
- last_modified_column : string
- mysql_catalog_matches_schema : boolean
- truncate_long_lines : boolean
- partition_schema_name : string
- soql_query : string
- identity_column : string
- partition_column_name : string
- sortkey2 : string
- verify_table_row_counts : boolean
- column_delimiter : string
```

**id** : integer

## Jobs

**class Jobs** (*session*, *return\_type='civis'*)

### Methods

---

*delete\_projects*(*id*, *project\_id*)

Remove a Job from a project

Continued on next page

---

Table 5.8 – continued from previous page

<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>get(id)</code>	Show basic job info
<code>get_runs(id, run_id)</code>	Check status of a job
<code>list(**kwargs)</code>	List jobs
<code>list_children(id)</code>	Show nested tree of children that this job triggers
<code>list_parents(id)</code>	Show chain of parents as a list that this job triggers from
<code>list_projects(id)</code>	List the projects a Job belongs to
<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post_runs(id)</code>	Run a job
<code>post_trigger_email(id)</code>	Generate and retrieve trigger email address
<code>put_projects(id, project_id)</code>	Add a Job to a project
<code>put_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, user_ids, permission_level)</code>	Set the permissions users have on this object

**delete\_projects** (*id, project\_id*)

Remove a Job from a project

**Parameters** *id* : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**get** (*id*)

Show basic job info

**Parameters** `id` : integer

The ID for this job.

**Returns** `created_at` : string/date-time

**type** : string

**state** : string

Whether the job is idle, queued, running, cancelled, or failed.

**name** : string

**runs** : list:

```
Information about the most recent runs of the job.
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**archived** : string

The archival status of the requested object(s).

**updated\_at** : string/date-time

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**id** : integer

**get\_runs** (*id*, *run\_id*)

Check status of a job

**Parameters** `id` : integer

The ID of the Job.

**run\_id** : integer

The ID of the Run.

**Returns** **created\_at** : string/time

The time that the run was queued.

**error** : string

The error message for this run, if present.

**state** : string

**started\_at** : string/time

The time that the run started.

**finished\_at** : string/time

The time that the run completed.

**id** : integer

**list** (\*\*kwargs)

List jobs

**Parameters** **limit** : integer, optional

The maximum number of jobs to return.

**state** : string, optional

The job's state. One or more of queued, running, succeeded, failed, and cancelled. Specify multiple values as a comma-separated list (e.g., "A,B").

**type** : string, optional

The job's type. Specify multiple values as a comma-separated list (e.g., "A,B").

**q** : string, optional

Query string to search on the id, name, and job type

**permission** : string, optional

A permissions string, one of "read", "write", or "manage". Lists only jobs for which the current user has that permission.

**archived** : string, optional

The archival status of the requested object(s).

**Returns** **created\_at** : string/date-time

**type** : string

**state** : string

Whether the job is idle, queued, running, cancelled, or failed.

**name** : string

**archived** : string

The archival status of the requested object(s).

**updated\_at** : string/date-time

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**id** : integer

### **list\_children** (*id*)

Show nested tree of children that this job triggers

**Parameters** **id** : integer

The ID for this job.

**Returns** **created\_at** : string/date-time

**type** : string

**state** : string

**name** : string

**runs** : list:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**children** : list

**updated\_at** : string/date-time

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**id** : integer

### **list\_parents** (*id*)

Show chain of parents as a list that this job triggers from

**Parameters** `id` : integer

The ID for this job.

**Returns** `created_at` : string/date-time

**type** : string

**state** : string

Whether the job is idle, queued, running, cancelled, or failed.

**name** : string

**runs** : list:

```
Information about the most recent runs of the job.
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**archived** : string

The archival status of the requested object(s).

**updated\_at** : string/date-time

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**id** : integer

**list\_projects** (*id*)

List the projects a Job belongs to

**Parameters** `id` : integer

The ID of the resource.

**Returns** `auto_share` : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

### **list\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** **id** : integer

The ID of the object.

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**post\_runs** (*id*)

Run a job

**Parameters** **id** : integer

The ID for this job.

**Returns** **created\_at** : string/time

The time that the run was queued.

**error** : string

The error message for this run, if present.

**state** : string

**started\_at** : string/time

The time that the run started.

**finished\_at** : string/time

The time that the run completed.

**id** : integer

**post\_trigger\_email** (*id*)

Generate and retrieve trigger email address

**Parameters** **id** : integer

The ID for this job.

**Returns** **trigger\_email** : string

Email address which may be used to trigger this job to run.

**put\_projects** (*id, project\_id*)

Add a Job to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**put\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

## Models

**class Models** (*session*, *return\_type*=‘civis’)

## Methods

<i>delete_builds</i> (id, build_id)	Cancel a build
<i>delete_projects</i> (id, project_id)	Remove a models from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Retrieve model configuration
<i>get_builds</i> (id, build_id)	Check status of a build
<i>list</i> (**kwargs)	List models
<i>list_builds</i> (id, **kwargs)	List builds for the given model
<i>list_projects</i> (id)	List the projects a models belongs to
<i>list_schedules</i> (id)	Show the model build schedule
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>list_types</i> ()	List all available model types
<i>patch</i> (id, **kwargs)	Update model configuration
<i>post</i> (**kwargs)	Create new configuration for a model
<i>post_builds</i> (id)	Start a build
<i>put_archive</i> (id, status)	Update the archive status of this object
<i>put_predictions</i> (id, primary_key, table_name, ...)	Add a table on which to apply the predictive model
<i>put_projects</i> (id, project_id)	Add a models to a project
<i>put_schedules</i> (id, schedule)	Schedule the model build
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, user_ids, permission_level)	Set the permissions users have on this object

### **delete\_builds** (*id*, *build\_id*)

Cancel a build

**Parameters** *id* : integer

The ID of the model.

**build\_id** : integer

The ID of the build.

**Returns** None

Response code 202: success

### **delete\_projects** (*id*, *project\_id*)

Remove a models from a project

**Parameters** *id* : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

### **delete\_shares\_groups** (*id*, *group\_id*)

Revoke the permissions a group has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**get** (*id*)

Retrieve model configuration

**Parameters** **id** : integer

The ID of the model.

**Returns** **interaction\_terms** : boolean

Whether to search for interaction terms.

**model\_name** : string

The name of the model.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

**dependent\_variable** : string

The dependent variable of the training dataset.

**number\_of\_folds** : integer

Number of folds for cross validation. Default value is 5.

**limiting\_sql** : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

**current\_build\_exception** : string

Exception message, if applicable, of the current model build.

**created\_at** : string/date-time

The time the model was created.

**description** : string

A description of the model.

**archived** : string

The archival status of the requested object(s).

**database\_id** : integer

The ID of the database holding the training set table used to build the model.

**excluded\_columns** : list

A list of columns which will be considered ineligible to be independent variables.

**dependent\_variable\_order** : list

The order of dependent variables, especially useful for Ordinal Modeling.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**id** : integer

The ID of the model.

**builds** : list:

```
A list of trained models available for making predictions.
- root_mean_squared_error : number/float
    A key metric for continuous models. Nil for other model types.
- roc_auc : number/float
    A key metric for binary, multinomial, and ordinal models. Nil_
↳ for other
    model types.
- created_at : string
    The time the model build was created.
- description : string
```

```
A description of the model build.
- name : string
  The name of the model build.
- r_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- id : integer
  The ID of the model build.
```

**primary\_key** : string

The unique ID (primary key) of the training dataset.

**cross\_validation\_parameters** : dict

Cross validation parameter grid for tree methods, e.g. {"n\_estimators": [100, 200, 500], "learning\_rate": [0.01, 0.1], "max\_depth": [2, 3]}.

**last\_output\_location** : string

The output JSON for the last build.

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**current\_build\_state** : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**table\_name** : string

The qualified name of the table containing the training set from which to build the model.

**box\_cox\_transformation** : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

**time\_zone** : string

The time zone of this model.

**user** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**predictions** : list:

```
The tables upon which the model will be applied.
- primary_key : list
  The primary key or composite keys of the table being predicted.
- state : string
  The status of the prediction. One of: "succeeded", "failed",
↳ "queued",
  or "running," or "idle", if no build has been attempted.
- schedule : dict::
  - scheduled_hours : list
    Hours of the day it is scheduled on
  - scheduled : boolean
    If the object is scheduled
  - scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run
↳ per hour
  - scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
  - scheduled_minutes : list
    Minutes of the day it is scheduled on
- table_name : string
  The qualified name of the table on which to apply the
↳ predictive model.
- limiting_sql : string
  A SQL WHERE clause used to scope the rows to be predicted.
- output_table : string
  The qualified name of the table to be created which will
↳ contain the
  model's predictions.
- id : integer
  The ID of the model to which to apply the prediction.
```

**model\_type\_id** : integer

The ID of the model's type.

**active\_build\_id** : integer

The ID of the current active build, the build used to score predictions.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/date-time

The time the model was updated.

**parent\_id** : integer

The ID of the parent job that will trigger this model.

**get\_builds** (*id*, *build\_id*)

Check status of a build

**Parameters** **id** : integer

The ID of the model.

**build\_id** : integer

The ID of the build.

**Returns** **root\_mean\_squared\_error** : number/float

A key metric for continuous models. Nil for other model types.

**r\_squared\_error** : number/float

A key metric for continuous models. Nil for other model types.

**output** : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

**roc\_auc** : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

**created\_at** : string

The time the model build was created.

**error** : string

The error, if any, returned by the build.

**state** : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**name** : string

The name of the model build.

**description** : string

A description of the model build.

**output\_location** : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

**id** : integer

The ID of the model build.

**transformation\_metadata** : string

A string representing the full JSON output of the metadata for transformation of column names

**list** (\*\*kwargs)

List models

**Parameters** **model\_name** : string, optional

If specified, will be used to filter the models returned. Substring matching is supported. (e.g., “modelName=model” will return both “model1” and “my model”).

**training\_table\_name** : string, optional

If specified, will be used to filter the models returned by the training dataset table name. Substring matching is supported. (e.g., “trainingTableName=table” will return both “table1” and “my\_table”).

**dependent\_variable** : string, optional

If specified, will be used to filter the models returned by the dependent variable column name. Substring matching is supported. (e.g., “dependentVariable=predictor” will return both “predictor” and “my predictor”).

**author** : string, optional

If specified, return models from this author. It accepts a comma-separated list of author ids.

**status** : string, optional

If specified, returns models with one of these statuses. It accepts a comma-separated list, possible values are ‘running’, ‘failed’, ‘succeeded’, ‘idle’, ‘scheduled’.

**archived** : string, optional

The archival status of the requested object(s).

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, model\_name, created\_at, name, last\_run.updated\_at.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** **interaction\_terms** : boolean

Whether to search for interaction terms.

**model\_name** : string

The name of the model.

**current\_build\_state** : string

The status of the current model build. One of “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

**credential\_id** : integer

The ID of the credential used to read the target table. Defaults to the user’s default credential.

**dependent\_variable** : string

The dependent variable of the training dataset.

**number\_of\_folds** : integer

Number of folds for cross validation. Default value is 5.

**limiting\_sql** : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., “id > 105”).

**created\_at** : string/date-time

The time the model was created.

**description** : string

A description of the model.

**archived** : string

The archival status of the requested object(s).

**current\_build\_exception** : string

Exception message, if applicable, of the current model build.

**excluded\_columns** : list

A list of columns which will be considered ineligible to be independent variables.

**dependent\_variable\_order** : list

The order of dependent variables, especially useful for Ordinal Modeling.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**id** : integer

The ID of the model.

**builds** : list:

```

A list of trained models available for making predictions.
- root_mean_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- roc_auc : number/float
  A key metric for binary, multinomial, and ordinal models. Nil
↳for other
  model types.
- created_at : string
  The time the model build was created.
- description : string
  A description of the model build.
- name : string
  The name of the model build.
- r_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- id : integer
  The ID of the model build.

```

**primary\_key** : string

The unique ID (primary key) of the training dataset.

**cross\_validation\_parameters** : dict

Cross validation parameter grid for tree methods, e.g. {"n\_estimators": [100, 200, 500], "learning\_rate": [0.01, 0.1], "max\_depth": [2, 3]}.

**last\_output\_location** : string

The output JSON for the last build.

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**table\_name** : string

The qualified name of the table containing the training set from which to build the model.

**box\_cox\_transformation** : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

**time\_zone** : string

The time zone of this model.

**user** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**predictions : list:**

```
The tables upon which the model will be applied.
- primary_key : list
    The primary key or composite keys of the table being predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↪ "queued",
    or "running", or "idle", if no build has been attempted.
- table_name : string
    The qualified name of the table on which to apply the ↪
↪ predictive model.
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.
- output_table : string
    The qualified name of the table to be created which will ↪
↪ contain the
    model's predictions.
- id : integer
    The ID of the model to which to apply the prediction.
```

**model\_type\_id : integer**

The ID of the model's type.

**database\_id : integer**

The ID of the database holding the training set table used to build the model.

**updated\_at : string/date-time**

The time the model was updated.

**parent\_id : integer**

The ID of the parent job that will trigger this model.

**list\_builds** (*id*, *\*\*kwargs*)

List builds for the given model

**Parameters id : integer**

The ID of the model.

**limit : integer, optional**

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num : integer, optional**

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns root\_mean\_squared\_error** : number/float

A key metric for continuous models. Nil for other model types.

**r\_squared\_error** : number/float

A key metric for continuous models. Nil for other model types.

**output** : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

**roc\_auc** : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

**created\_at** : string

The time the model build was created.

**error** : string

The error, if any, returned by the build.

**state** : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**name** : string

The name of the model build.

**description** : string

A description of the model build.

**output\_location** : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

**id** : integer

The ID of the model build.

**transformation\_metadata** : string

A string representing the full JSON output of the metadata for transformation of column names

**list\_projects** (*id*)

List the projects a models belongs to

**Parameters** `id` : integer

The ID of the resource.

**Returns** `auto_share` : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**list\_schedules** (*id*)

Show the model build schedule

**Parameters** `id` : integer

The ID of the model associated with this schedule.

**Returns** `schedule` : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**id** : integer

The ID of the model associated with this schedule.

**list\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** **id** : integer

The ID of the object.

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**list\_types ()**

List all available model types

**Returns fint\_allowed** : boolean

Whether this model type supports searching for interaction terms.

**dv\_type** : string

The type of dependent variable predicted by the model.

**id** : integer

The ID of the model type.

**algorithm** : string

The name of the algorithm used to train the model.

**patch (id, \*\*kwargs)**

Update model configuration

**Parameters id** : integer

The ID of the model.

**number\_of\_folds** : integer, optional

Number of folds for cross validation. Default value is 5.

**interaction\_terms** : boolean, optional

Whether to search for interaction terms.

**primary\_key** : string, optional

The unique ID (primary key) of the training dataset.

**model\_name** : string, optional

The name of the model.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪ successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer, optional

The ID of the credential used to read the target table. Defaults to the user's default credential.

**cross\_validation\_parameters** : dict, optional

Cross validation parameter grid for tree methods, e.g. {"n\_estimators": [100, 200, 500], "learning\_rate": [0.01, 0.1], "max\_depth": [2, 3]}.

**dependent\_variable** : string, optional

The dependent variable of the training dataset.

**limiting\_sql** : string, optional

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

**active\_build\_id** : integer, optional

The ID of the current active build, the build used to score predictions.

**table\_name** : string, optional

The qualified name of the table containing the training set from which to build the model.

**box\_cox\_transformation** : boolean, optional

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

**time\_zone** : string, optional

The time zone of this model.

**schedule** : dict, optional:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**description** : string, optional

A description of the model.

**model\_type\_id** : integer, optional

The ID of the model's type.

**database\_id** : integer, optional

The ID of the database holding the training set table used to build the model.

**excluded\_columns** : list, optional

A list of columns which will be considered ineligible to be independent variables.

**dependent\_variable\_order** : list, optional

The order of dependent variables, especially useful for Ordinal Modeling.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this model.

**Returns** None

Response code 204: success

**post** (\*\*kwargs)

Create new configuration for a model

**Parameters** **number\_of\_folds** : integer, optional

Number of folds for cross validation. Default value is 5.

**interaction\_terms** : boolean, optional

Whether to search for interaction terms.

**primary\_key** : string, optional

The unique ID (primary key) of the training dataset.

**model\_name** : string, optional

The name of the model.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer, optional

The ID of the credential used to read the target table. Defaults to the user's default credential.

**cross\_validation\_parameters** : dict, optional

Cross validation parameter grid for tree methods, e.g. {"n\_estimators": [100, 200, 500], "learning\_rate": [0.01, 0.1], "max\_depth": [2, 3]}.

**dependent\_variable** : string, optional

The dependent variable of the training dataset.

**limiting\_sql** : string, optional

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

**active\_build\_id** : integer, optional

The ID of the current active build, the build used to score predictions.

**table\_name** : string, optional

The qualified name of the table containing the training set from which to build the model.

**box\_cox\_transformation** : boolean, optional

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

**time\_zone** : string, optional

The time zone of this model.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**description** : string, optional

A description of the model.

**model\_type\_id** : integer, optional

The ID of the model's type.

**database\_id** : integer, optional

The ID of the database holding the training set table used to build the model.

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**excluded\_columns** : list, optional

A list of columns which will be considered ineligible to be independent variables.

**dependent\_variable\_order** : list, optional

The order of dependent variables, especially useful for Ordinal Modeling.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this model.

**Returns interaction\_terms** : boolean

Whether to search for interaction terms.

**model\_name** : string

The name of the model.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

**dependent\_variable** : string

The dependent variable of the training dataset.

**number\_of\_folds** : integer

Number of folds for cross validation. Default value is 5.

**limiting\_sql** : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

**current\_build\_exception** : string

Exception message, if applicable, of the current model build.

**created\_at** : string/date-time

The time the model was created.

**description** : string

A description of the model.

**archived** : string

The archival status of the requested object(s).

**database\_id** : integer

The ID of the database holding the training set table used to build the model.

**excluded\_columns** : list

A list of columns which will be considered ineligible to be independent variables.

**dependent\_variable\_order** : list

The order of dependent variables, especially useful for Ordinal Modeling.

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**id** : integer

The ID of the model.

**builds** : list:

```

A list of trained models available for making predictions.
- root_mean_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- roc_auc : number/float
  A key metric for binary, multinomial, and ordinal models. Nil,
↳for other
  model types.
- created_at : string
  The time the model build was created.
- description : string
  A description of the model build.
- name : string
  The name of the model build.
- r_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- id : integer
  The ID of the model build.

```

**primary\_key** : string

The unique ID (primary key) of the training dataset.

**cross\_validation\_parameters** : dict

Cross validation parameter grid for tree methods, e.g. {"n\_estimators": [100, 200, 500], "learning\_rate": [0.01, 0.1], "max\_depth": [2, 3]}.

**last\_output\_location** : string

The output JSON for the last build.

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per,
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday

```

```
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**current\_build\_state** : string

The status of the current model build. One of “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**table\_name** : string

The qualified name of the table containing the training set from which to build the model.

**box\_cox\_transformation** : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

**time\_zone** : string

The time zone of this model.

**user** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**predictions** : list:

```
The tables upon which the model will be applied.
- primary_key : list
    The primary key or composite keys of the table being predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↔ "queued",
    or "running," or "idle", if no build has been attempted.
- schedule : dict::
    - scheduled_hours : list
        Hours of the day it is scheduled on
```

```

- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run_
↳per hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
- table_name : string
  The qualified name of the table on which to apply the_
↳predictive model.
- limiting_sql : string
  A SQL WHERE clause used to scope the rows to be predicted.
- output_table : string
  The qualified name of the table to be created which will_
↳contain the
  model's predictions.
- id : integer
  The ID of the model to which to apply the prediction.

```

**model\_type\_id** : integer

The ID of the model's type.

**active\_build\_id** : integer

The ID of the current active build, the build used to score predictions.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/date-time

The time the model was updated.

**parent\_id** : integer

The ID of the parent job that will trigger this model.

**post\_builds** (*id*)

Start a build

**Parameters id** : integer

The ID of the model.

**Returns root\_mean\_squared\_error** : number/float

A key metric for continuous models. Nil for other model types.

**r\_squared\_error** : number/float

A key metric for continuous models. Nil for other model types.

**output** : string

A string representing the JSON output for the specified build. Only present when smaller than 10KB in size.

**roc\_auc** : number/float

A key metric for binary, multinomial, and ordinal models. Nil for other model types.

**created\_at** : string

The time the model build was created.

**error** : string

The error, if any, returned by the build.

**state** : string

The state of the model build. one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**name** : string

The name of the model build.

**description** : string

A description of the model build.

**output\_location** : string

A URL representing the location of the full JSON output for the specified build. The URL link will be valid for 5 minutes.

**id** : integer

The ID of the model build.

**transformation\_metadata** : string

A string representing the full JSON output of the metadata for transformation of column names

**put\_archive** (*id, status*)

Update the archive status of this object

**Parameters id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns interaction\_terms** : boolean

Whether to search for interaction terms.

**model\_name** : string

The name of the model.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
```

```

    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳ successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**credential\_id** : integer

The ID of the credential used to read the target table. Defaults to the user's default credential.

**dependent\_variable** : string

The dependent variable of the training dataset.

**number\_of\_folds** : integer

Number of folds for cross validation. Default value is 5.

**limiting\_sql** : string

A custom SQL WHERE clause used to filter the rows used to build the model. (e.g., "id > 105").

**current\_build\_exception** : string

Exception message, if applicable, of the current model build.

**created\_at** : string/date-time

The time the model was created.

**description** : string

A description of the model.

**archived** : string

The archival status of the requested object(s).

**database\_id** : integer

The ID of the database holding the training set table used to build the model.

**excluded\_columns** : list

A list of columns which will be considered ineligible to be independent variables.

**dependent\_variable\_order** : list

The order of dependent variables, especially useful for Ordinal Modeling.

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**id** : integer

The ID of the model.

**builds** : list:

```
A list of trained models available for making predictions.
- root_mean_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- roc_auc : number/float
  A key metric for binary, multinomial, and ordinal models. Nil
↳for other
  model types.
- created_at : string
  The time the model build was created.
- description : string
  A description of the model build.
- name : string
  The name of the model build.
- r_squared_error : number/float
  A key metric for continuous models. Nil for other model types.
- id : integer
  The ID of the model build.
```

**primary\_key** : string

The unique ID (primary key) of the training dataset.

**cross\_validation\_parameters** : dict

Cross validation parameter grid for tree methods, e.g. {"n\_estimators": [100, 200, 500], "learning\_rate": [0.01, 0.1], "max\_depth": [2, 3]}.

**last\_output\_location** : string

The output JSON for the last build.

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**current\_build\_state** : string

The status of the current model build. One of "succeeded", "failed", "queued", or "running," or "idle", if no build has been attempted.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
```

```

- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**table\_name** : string

The qualified name of the table containing the training set from which to build the model.

**box\_cox\_transformation** : boolean

Whether to transform data so that it assumes a normal distribution. Valid only with continuous models.

**time\_zone** : string

The time zone of this model.

**user** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**predictions** : list:

The tables upon which the model will be applied.

```

- primary_key : list
    The primary key or composite keys of the table being predicted.
- state : string
    The status of the prediction. One of: "succeeded", "failed",
↳ "queued",
    or "running," or "idle", if no build has been attempted.
- schedule : dict::
    - scheduled_hours : list
        Hours of the day it is scheduled on
    - scheduled : boolean
        If the object is scheduled
    - scheduled_runs_per_hour : integer
        Alternative to scheduled minutes, number of times to run_
↳ per hour
    - scheduled_days : list
        Day based on numeric value starting at 0 for Sunday
    - scheduled_minutes : list
        Minutes of the day it is scheduled on
- table_name : string
    The qualified name of the table on which to apply the_
↳ predictive model.
- limiting_sql : string
    A SQL WHERE clause used to scope the rows to be predicted.

```

```
- output_table : string
    The qualified name of the table to be created which will
    ↪ contain the
    model's predictions.
- id : integer
    The ID of the model to which to apply the prediction.
```

**model\_type\_id** : integer

The ID of the model's type.

**active\_build\_id** : integer

The ID of the current active build, the build used to score predictions.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/date-time

The time the model was updated.

**parent\_id** : integer

The ID of the parent job that will trigger this model.

**put\_predictions** (*id*, *primary\_key*, *table\_name*, *\*\*kwargs*)

Add a table on which to apply the predictive model

**Parameters id** : integer

The ID of the model to which to apply the prediction.

**primary\_key** : list

The primary key or composite keys of the table being predicted.

**table\_name** : string

The qualified name of the table on which to apply the predictive model.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪ hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**limiting\_sql** : string, optional

A SQL WHERE clause used to scope the rows to be predicted.

**output\_table** : string, optional

The qualified name of the table to be created which will contain the model's predictions.

**Returns primary\_key** : list

The primary key or composite keys of the table being predicted.

**state** : string

The status of the prediction. One of: “succeeded”, “failed”, “queued”, or “running,” or “idle”, if no build has been attempted.

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**table\_name** : string

The qualified name of the table on which to apply the predictive model.

**limiting\_sql** : string

A SQL WHERE clause used to scope the rows to be predicted.

**output\_table** : string

The qualified name of the table to be created which will contain the model’s predictions.

**id** : integer

The ID of the model to which to apply the prediction.

**put\_projects** (*id, project\_id*)

Add a models to a project

**Parameters id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_schedules** (*id, schedule*)

Schedule the model build

**Parameters id** : integer

The ID of the model associated with this schedule.

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean

```

```
If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**Returns** `schedule` : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**id** : integer

The ID of the model associated with this schedule.

**put\_shares\_groups** (*id*, *group\_ids*, *permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**put\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**owners** : dict:

```
- groups : list::  
  - id : integer  
  - name : string  
- users : list::  
  - id : integer  
  - name : string
```

## Predictions

class **Predictions** (*session*, *return\_type='civis'*)

### Methods

<code>delete_runs(id, run_id)</code>	Cancel a run
<code>get(id)</code>	Show the specified prediction
<code>get_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List predictions
<code>list_runs(id, **kwargs)</code>	List runs for the given prediction
<code>list_schedules(id)</code>	Show the prediction schedule
<code>patch(id, **kwargs)</code>	Update a prediction
<code>post_runs(id)</code>	Start a run
<code>put_schedules(id, **kwargs)</code>	Schedule the prediction

#### **delete\_runs** (*id*, *run\_id*)

Cancel a run

**Parameters** *id* : integer

The ID of the prediction.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

#### **get** (*id*)

Show the specified prediction

**Parameters** *id* : integer

The ID of the prediction.

**Returns** **primary\_key** : list

The primary key or composite keys of the table being predicted.

**scored\_table\_name** : string

The name of the source table for this prediction.

**limiting\_sql** : string

A SQL WHERE clause used to scope the rows to be predicted.

**scored\_tables** : list:

```

An array of created prediction tables.
- schema : string
    The schema of table with created predictions.
- created_at : string/date-time
    The time when the table with created predictions was created.
- score_stats : list::
    An array of metrics on the created predictions.
  - max_score : number/float
    The maximum score.
  - avg_score : number/float
    The average score.
  - histogram : list
    The histogram of the distribution of scores.
  - score_name : string
    The name of the score.
  - min_score : number/float
    The minimum score.
- id : integer
    The ID of the table with created predictions.
- name : string
    The name of table with created predictions.

```

**model\_id** : integer

The ID of the model used for this prediction.

**scored\_table\_id** : integer

The ID of the source table for this prediction.

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**output\_table\_name** : string

The name of the output table for this prediction.

**error** : string

The error, if any, of the last run of this prediction.

**state** : string

The state of the last run of this prediction.

**started\_at** : string/date-time

The start time of the last run of this prediction.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**finished\_at** : string/date-time

The end time of the last run of this prediction.

**id** : integer

The ID of the prediction.

**get\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** **id** : integer

The ID of the prediction.

**run\_id** : integer

The ID of the run.

**Returns** **created\_at** : string/date-time

The time when the table with created predictions was created.

**prediction\_id** : integer

The ID of the prediction.

**state** : string

The state of the prediction run.

**exception** : string

The exception, if any, returned by the prediction run.

**name** : string

The name of table created by this predictions run.

**score\_stats** : list:

```
An array of metrics on the created predictions.
- max_score : number/float
    The maximum score.
- avg_score : number/float
    The average score.
- histogram : list
    The histogram of the distribution of scores.
- score_name : string
    The name of the score.
- min_score : number/float
    The minimum score.
```

**id** : integer

The ID of the prediction run.

**list** (\*\*kwargs)

List predictions

**Parameters** **model\_id** : integer, optional

If specified, only return predictions associated with this model ID.

**Returns** **output\_table\_name** : string

The name of the output table for this prediction.

**error** : string

The error, if any, of the last run of this prediction.

**id** : integer

The ID of the prediction.

**scored\_table\_name** : string

The name of the source table for this prediction.

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**started\_at** : string/date-time

The start time of the last run of this prediction.

**model\_id** : integer

The ID of the model used for this prediction.

**finished\_at** : string/date-time

The end time of the last run of this prediction.

**scored\_table\_id** : integer

The ID of the source table for this prediction.

**state** : string

The state of the last run of this prediction.

**list\_runs** (id, \*\*kwargs)

List runs for the given prediction

**Parameters** **id** : integer

The ID of the prediction.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns created\_at** : string/date-time

The time when the table with created predictions was created.

**prediction\_id** : integer

The ID of the prediction.

**state** : string

The state of the prediction run.

**exception** : string

The exception, if any, returned by the prediction run.

**name** : string

The name of table created by this predictions run.

**score\_stats** : list:

```
An array of metrics on the created predictions.
- max_score : number/float
  The maximum score.
- avg_score : number/float
  The average score.
- histogram : list
  The histogram of the distribution of scores.
- score_name : string
  The name of the score.
- min_score : number/float
  The minimum score.
```

**id** : integer

The ID of the prediction run.

**list\_schedules** (*id*)

Show the prediction schedule

**Parameters id** : integer

ID of the prediction associated with this schedule.

**Returns schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**score\_on\_model\_build** : boolean

Whether the prediction will run after a rebuild of the associated model.

**id** : integer

ID of the prediction associated with this schedule.

**patch** (*id*, **\*\*kwargs**)

Update a prediction

**Parameters** **id** : integer

The ID of the prediction.

**output\_table\_name** : string, optional

The name of the output table for this prediction.

**limiting\_sql** : string, optional

A SQL WHERE clause used to scope the rows to be predicted.

**primary\_key** : list, optional

The primary key or composite keys of the table being predicted.

**Returns** **primary\_key** : list

The primary key or composite keys of the table being predicted.

**scored\_table\_name** : string

The name of the source table for this prediction.

**limiting\_sql** : string

A SQL WHERE clause used to scope the rows to be predicted.

**scored\_tables** : list:

```

An array of created prediction tables.
- schema : string
  The schema of table with created predictions.
- created_at : string/date-time
  The time when the table with created predictions was created.
- score_stats : list::
  An array of metrics on the created predictions.
  - max_score : number/float
    The maximum score.
  - avg_score : number/float
    The average score.
  - histogram : list

```

```
    The histogram of the distribution of scores.
  - score_name : string
    The name of the score.
  - min_score : number/float
    The minimum score.
- id : integer
  The ID of the table with created predictions.
- name : string
  The name of table with created predictions.
```

**model\_id** : integer

The ID of the model used for this prediction.

**scored\_table\_id** : integer

The ID of the source table for this prediction.

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**output\_table\_name** : string

The name of the output table for this prediction.

**error** : string

The error, if any, of the last run of this prediction.

**state** : string

The state of the last run of this prediction.

**started\_at** : string/date-time

The start time of the last run of this prediction.

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**finished\_at** : string/date-time

The end time of the last run of this prediction.

**id** : integer

The ID of the prediction.

**post\_runs** (*id*)

Start a run

**Parameters** **id** : integer

The ID of the prediction.

**Returns** **created\_at** : string/date-time

The time when the table with created predictions was created.

**prediction\_id** : integer

The ID of the prediction.

**state** : string

The state of the prediction run.

**exception** : string

The exception, if any, returned by the prediction run.

**name** : string

The name of table created by this predictions run.

**score\_stats** : list:

```
An array of metrics on the created predictions.
- max_score : number/float
  The maximum score.
- avg_score : number/float
  The average score.
- histogram : list
  The histogram of the distribution of scores.
- score_name : string
  The name of the score.
- min_score : number/float
  The minimum score.
```

**id** : integer

The ID of the prediction run.

**put\_schedules** (*id*, **\*\*kwargs**)

Schedule the prediction

**Parameters** **id** : integer

ID of the prediction associated with this schedule.

**schedule** : dict, optional:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
hour
```

```
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**score\_on\_model\_build** : boolean, optional

Whether the prediction will run after a rebuild of the associated model.

**Returns schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
    hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**score\_on\_model\_build** : boolean

Whether the prediction will run after a rebuild of the associated model.

**id** : integer

ID of the prediction associated with this schedule.

## Projects

**class Projects** (*session, return\_type='civis'*)

### Methods

<code>delete_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>get(project_id)</code>	Get a detailed view of a project and the objects in it
<code>list(**kwargs)</code>	List projects
<code>list_shares(id)</code>	List users and groups permissioned on this object
<code>post(description, name, **kwargs)</code>	Create a project
<code>put(project_id, **kwargs)</code>	Update a project
<code>put_archive(id, status)</code>	Update the archive status of this object
<code>put_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_shares_users(id, user_ids, permission_level)</code>	Set the permissions users have on this object

**delete\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**get** (*project\_id*)

Get a detailed view of a project and the objects in it

**Parameters** **project\_id** : integer

**Returns** **auto\_share** : boolean

**tables** : list:

```
- column_count : integer
- row_count : integer
- schema : string
- updated_at : string/time
- name : string
- created_at : string/time
```

**all\_objects** : list:

```
- author : string
- object_id : integer
- fco_type : string
- object_type : string
- project_id : integer
- name : string
- icon : string
- archived : string
  The archival status of the requested object(s).
- sub_type : string
```

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**files** : list:

```
- file_name : string
- created_at : string/time
- file_size : integer
- updated_at : string/time
- id : integer
  The object ID.
```

**note** : string

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**script\_templates** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**reports** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**description** : string

A description of the project

**models** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**app\_instances** : list:

```
- created_at : string/time
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**name** : string

The name of this project.

**scripts** : list:

```
- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.
```

**surveys** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
```

**updated\_at** : string/time

**imports** : list:

```
- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.
```

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**list** (\*\*kwargs)

List projects

**Parameters** **author** : string, optional

If specified, return projects owned by this author. It accepts a comma-separated list of author ids.

**permission** : string, optional

A permissions string, one of “read”, “write”, or “manage”. Lists only projects for which the current user has that permission.

**archived** : string, optional

The archival status of the requested object(s).

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 1000.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to `updated_at`. Must be one of: `updated_at`, `name`, `created_at`.

**order\_dir** : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

**Returns** `auto_share` : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```

Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**list\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** `id` : integer

The ID of the object.

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**post** (*description*, *name*, *\*\*kwargs*)

Create a project

**Parameters description** : string

A description of the project

**name** : string

The name of this project.

**note** : string, optional

Notes for the project

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**Returns auto\_share** : boolean

**tables** : list:

```
- column_count : integer
- row_count : integer
- schema : string
- updated_at : string/time
- name : string
- created_at : string/time
```

**all\_objects** : list:

```
- author : string
- object_id : integer
- fco_type : string
- object_type : string
- project_id : integer
- name : string
- icon : string
- archived : string
  The archival status of the requested object(s).
- sub_type : string
```

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**files** : list:

```
- file_name : string
- created_at : string/time
- file_size : integer
- updated_at : string/time
- id : integer
  The object ID.
```

**note** : string

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**script\_templates** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**reports** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**description** : string

A description of the project

**models** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**app\_instances** : list:

```
- created_at : string/time
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**name** : string

The name of this project.

**scripts** : list:

```
- created_at : string/time
- type : string
- state : string
- name : string
```

```
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.
```

**surveys** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
```

**updated\_at** : string/time

**imports** : list:

```
- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.
```

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**put** (*project\_id*, *\*\*kwargs*)  
Update a project

**Parameters** **project\_id** : integer

**note** : string, optional

Notes for the project

**description** : string, optional

A description of the project

**name** : string, optional

The name of this project.

**Returns** **auto\_share** : boolean

**tables** : list:

```
- column_count : integer
- row_count : integer
- schema : string
- updated_at : string/time
- name : string
- created_at : string/time
```

**all\_objects** : list:

```
- author : string
- object_id : integer
- fco_type : string
- object_type : string
- project_id : integer
- name : string
- icon : string
- archived : string
    The archival status of the requested object(s).
- sub_type : string
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**files** : list:

```
- file_name : string
- created_at : string/time
- file_size : integer
- updated_at : string/time
- id : integer
    The object ID.
```

**note** : string**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**script\_templates** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
    The object ID.
- name : string
```

**reports** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**description** : string

A description of the project

**models** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**app\_instances** : list:

```
- created_at : string/time
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- name : string
```

**name** : string

The name of this project.

**scripts** : list:

```
- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.
```

**surveys** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
```

**updated\_at** : string/time

**imports** : list:

```

- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.

```

**id** : integer

The ID for this project.

**users** : list:

```

Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**put\_archive** (*id*, *status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **auto\_share** : boolean

**tables** : list:

```

- column_count : integer
- row_count : integer
- schema : string
- updated_at : string/time
- name : string
- created_at : string/time

```

**all\_objects** : list:

```

- author : string
- object_id : integer
- fco_type : string
- object_type : string
- project_id : integer
- name : string
- icon : string
- archived : string
  The archival status of the requested object(s).
- sub_type : string

```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**files** : list:

```
- file_name : string
- created_at : string/time
- file_size : integer
- updated_at : string/time
- id : integer
    The object ID.
```

**note** : string

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**script\_templates** : list:

```
- created_at : string/time
- updated_at : string/time
- id : integer
    The object ID.
- name : string
```

**reports** : list:

```
- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
    The object ID.
- name : string
```

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**description** : string

A description of the project

**models** : list:

```

- state : string
- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.
- name : string

```

**app\_instances** : list:

```

- created_at : string/time
- slug : string
- updated_at : string/time
- id : integer
  The object ID.
- name : string

```

**name** : string

The name of this project.

**scripts** : list:

```

- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.

```

**surveys** : list:

```

- created_at : string/time
- updated_at : string/time
- id : integer
  The object ID.

```

**updated\_at** : string/time**imports** : list:

```

- created_at : string/time
- type : string
- state : string
- name : string
- updated_at : string/time
- finished_at : string/time
- id : integer
  The object ID.

```

**id** : integer

The ID for this project.

**users** : list:

```

Users who can see the project
- username : string
  This user's username.

```

```
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**put\_shares\_groups** (*id*, *group\_ids*, *permission\_level*)

Set the permissions groups has on this object

**Parameters** *id* : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_shares\_users** (*id, user\_ids, permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

## Queries

**class Queries** (*session, return\_type='civis'*)

## Methods

<code>delete_runs(id, run_id)</code>	Cancel a run
<code>get(id)</code>	Get details about a query
<code>get_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List all queries
<code>list_runs(id, **kwargs)</code>	List runs for the given query
<code>post(preview_rows, database, sql, **kwargs)</code>	Execute a query
<code>post_runs(id)</code>	Start a run
<code>put_scripts(id, script_id)</code>	Update the query's associated script

**delete\_runs** (*id, run\_id*)

Cancel a run

**Parameters** *id* : integer

The ID of the query.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**get** (*id*)

Get details about a query

**Parameters** *id* : integer

The query ID.

**Returns** **credential** : integer

The credential ID.

**script\_id** : integer

The ID of the script associated with this query.

**result\_columns** : list

A preview of columns returned by the query.

**exception** : string

Exception returned from the query, null if the query was a success.

**sql** : string

The SQL to execute.

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**result\_rows** : list

A preview of rows returned by the query.

**report\_id** : integer

The ID of the report associated with this query.

**created\_at** : string/time

**database** : integer

The database ID.

**state** : string

The state of the last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**updated\_at** : string/time

**started\_at** : string/date-time

The start time of the last run.

**name** : string

The name of the query.

**finished\_at** : string/date-time

The end time of the last run.

**id** : integer

The query ID.

**last\_run\_id** : integer

The ID of the last run.

**get\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** **id** : integer

The ID of the query.

**run\_id** : integer

The ID of the run.

**Returns** **query\_id** : integer

The ID of the query.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list** (*\*\*kwargs*)

List all queries

**Parameters** **database\_id** : integer, optional

The database ID.

**author\_id** : integer, optional

The author of the query.

**created\_before** : string, optional

An upper bound for the creation date of the query.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`.

**order\_dir** : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

**Returns** **credential** : integer

The credential ID.

**script\_id** : integer

The ID of the script associated with this query.

**result\_columns** : list

A preview of columns returned by the query.

**exception** : string

Exception returned from the query, null if the query was a success.

**sql** : string

The SQL to execute.

**report\_id** : integer

The ID of the report associated with this query.

**result\_rows** : list

A preview of rows returned by the query.

**created\_at** : string/time

**preview\_rows** : integer

The number of rows to save from the query's result (maximum: 100).

**database** : integer

The database ID.

**state** : string

The state of the last run.

**updated\_at** : string/time

**started\_at** : string/date-time

The start time of the last run.

**finished\_at** : string/date-time

The end time of the last run.

**id** : integer

The query ID.

**last\_run\_id** : integer

The ID of the last run.

**list\_runs** (*id*, *\*\*kwargs*)

List runs for the given query

**Parameters** **id** : integer

The ID of the query.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns query\_id** : integer

The ID of the query.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**post** (*preview\_rows, database, sql, \*\*kwargs*)

Execute a query

**Parameters preview\_rows** : integer

The number of rows to save from the query's result (maximum: 100).

**database** : integer

The database ID.

**sql** : string

The SQL to execute.

**include\_header** : boolean, optional

Whether the CSV output should include a header row [default: true].

**column\_delimiter** : string, optional

The delimiter to use. One of comma or tab, or pipe [default: comma].

**filename\_prefix** : string, optional

The output filename prefix.

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.

The object can still be queried directly by ID

**interactive** : boolean, optional

Deprecated and not used.

**credential** : integer, optional

The credential ID.

**compression** : string, optional

The type of compression. One of gzip or zip, or none [default: gzip].

**unquoted** : boolean, optional

If true, will not quote fields.

**Returns last\_run\_id** : integer

The ID of the last run.

**sql** : string

The SQL to execute.

**report\_id** : integer

The ID of the report associated with this query.

**credential** : integer

The credential ID.

**created\_at** : string/time

**column\_delimiter** : string

The delimiter to use. One of comma or tab, or pipe [default: comma].

**id** : integer

The query ID.

**unquoted** : boolean

If true, will not quote fields.

**filename\_prefix** : string

The output filename prefix.

**include\_header** : boolean

Whether the CSV output should include a header row [default: true].

**script\_id** : integer

The ID of the script associated with this query.

**exception** : string

Exception returned from the query, null if the query was a success.

**result\_columns** : list

A preview of columns returned by the query.

**result\_rows** : list

A preview of rows returned by the query.

**compression** : string

The type of compression. One of gzip or zip, or none [default: gzip].

**database** : integer

The database ID.

**finished\_at** : string/date-time

The end time of the last run.

**preview\_rows** : integer

The number of rows to save from the query's result (maximum: 100).

**state** : string

The state of the last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**updated\_at** : string/time

**started\_at** : string/date-time

The start time of the last run.

**interactive** : boolean

Deprecated and not used.

**post\_runs** (*id*)

Start a run

**Parameters id** : integer

The ID of the query.

**Returns query\_id** : integer

The ID of the query.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**put\_scripts** (*id, script\_id*)

Update the query's associated script

**Parameters id** : integer

The query ID.

**script\_id** : integer

The ID of the script associated with this query.

**Returns credential** : integer

The credential ID.

**script\_id** : integer

The ID of the script associated with this query.

**result\_columns** : list

A preview of columns returned by the query.

**exception** : string

Exception returned from the query, null if the query was a success.

**sql** : string

The SQL to execute.

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**result\_rows** : list

A preview of rows returned by the query.

**report\_id** : integer

The ID of the report associated with this query.

**created\_at** : string/time

**database** : integer

The database ID.

**state** : string

The state of the last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**updated\_at** : string/time

**started\_at** : string/date-time

The start time of the last run.

**name** : string

The name of the query.

**finished\_at** : string/date-time

The end time of the last run.

**id** : integer

The query ID.

**last\_run\_id** : integer

The ID of the last run.

## Reports

**class Reports** (*session*, *return\_type='civis'*)

### Methods

<i>delete_grants</i> (id)	Revoke permission for this report to perform Civis platform API operations on
<i>delete_projects</i> (id, project_id)	Remove a Report from a project
<i>delete_shares_groups</i> (id, group_id)	Revoke the permissions a group has on this object
<i>delete_shares_users</i> (id, user_id)	Revoke the permissions a user has on this object
<i>get</i> (id)	Show a single report
<i>list</i> (**kwargs)	List the reports visible to the current user
<i>list_projects</i> (id)	List the projects a Report belongs to
<i>list_shares</i> (id)	List users and groups permissioned on this object
<i>list_snapshots</i> (id)	Get details about the report's snapshot automation settings
<i>patch</i> (id, **kwargs)	Update a report
<i>patch_snapshots</i> (id, **kwargs)	Update the report's snapshot automation settings
<i>post</i> (**kwargs)	Create a report
<i>post_grants</i> (id)	Grant this report the ability to perform Civis platform API operations on your
<i>post_snapshots</i> (id, **kwargs)	Generate and optionally email a snapshot of the specified report
<i>put_archive</i> (id, status)	Update the archive status of this object
<i>put_projects</i> (id, project_id)	Add a Report to a project
<i>put_shares_groups</i> (id, group_ids, ...)	Set the permissions groups has on this object
<i>put_shares_users</i> (id, user_ids, permission_level)	Set the permissions users have on this object

#### **delete\_grants** (*id*)

Revoke permission for this report to perform Civis platform API operations on your behalf

**Parameters** *id* : integer

The ID of this report.

**Returns** None

Response code 204: success

#### **delete\_projects** (*id*, *project\_id*)

Remove a Report from a project

**Parameters** *id* : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**get** (*id*)

Show a single report

**Parameters** **id** : integer

The ID of this report.

**Returns** **projects** : list:

```
A list of projects containing the report.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**tableau\_id** : integer

**auth\_code\_url** : string

**auth\_data\_url** : string

**script** : dict:

```
- sql : string
  The raw SQL query for the script.
- id : integer
  The ID for the script.
- name : string
  The name of the script.
```

**valid\_output\_file** : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

**api\_key** : string

A Civis API key that can be used by this report.

**name** : string

The name of the report.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**api\_key\_id** : integer

The ID of the API key. Can be used for auditing API use by this report.

**id** : integer

The ID of this report.

**viz\_updated\_at** : string/time

The time that the report's visualization was last updated.

**template\_id** : integer

The ID of the template used for this report.

**job\_path** : string

The link to details of the job that backs this report.

**user** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**auth\_thumbnail\_url** : string

URL for a thumbnail of the report.

**config** : string

Any configuration metadata for this report.

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**app\_state** : dict

Any application state blob for this report.

**state** : string

The status of the report's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

**finished\_at** : string/time

The time that the report's last run finished.

**provide\_api\_key** : boolean

Whether the report requests an API Key from the report viewer.

**list** (*\*\*kwargs*)

List the reports visible to the current user

**Parameters type** : string, optional

If specified, return report of these types. It accepts a comma-separated list, possible values are 'tableau', 'other'.

**author** : string, optional

If specified, return reports from this author. It accepts a comma-separated list of author ids.

**template\_id** : integer, optional

If specified, return reports using the provided Template.

**archived** : string, optional

The archival status of the requested object(s).

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, name, created\_at.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns projects :** list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**template\_id :** integer

The ID of the template used for this report.

**tableau\_id :** integer

**job\_path :** string

The link to details of the job that backs this report.

**user :** dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**last\_run :** dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**archived :** string

The archival status of the requested object(s).

**script :** dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

**created\_at** : string/time

**state** : string

The status of the report's last run.

**name** : string

The name of the report.

**updated\_at** : string/time

**auth\_thumbnail\_url** : string

URL for a thumbnail of the report.

**finished\_at** : string/time

The time that the report's last run finished.

**id** : integer

The ID of this report.

**viz\_updated\_at** : string/time

The time that the report's visualization was last updated.

#### **list\_projects** (*id*)

List the projects a Report belongs to

**Parameters** **id** : integer

The ID of the resource.

**Returns** **auto\_share** : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**list\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** *id* : integer

The ID of the object.

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**list\_snapshots** (*id*)

Get details about the report's snapshot automation settings

**Parameters** *id* : integer

The ID of this report.

**Returns** *schedule* : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**recipient\_email\_addresses** : string

Email addresses to send report to, comma separated.

**send\_email\_on\_completion** : boolean

Whether the job will send emails on completion.

**width** : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

**email\_template** : string

Custom email template.

**email\_subject** : string

Subject for Email.

**height** : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

**parent\_id** : integer

The ID of the parent job that will trigger this snapshot.

**finished\_at** : string/time

The time that the job's last run finished.

**id** : integer

The ID of this report.

**state** : string

The status of the job's last run.

**patch** (*id*, *\*\*kwargs*)

Update a report

**Parameters** *id* : integer

The ID of the report to modify.

**template\_id** : integer, optional

The ID of the template used for this report. If null is passed, no template will back this report. Changes to the backing template will reset the report appState.

**script\_id** : integer, optional

The ID of the job (a script or a query) used to create this report.

**app\_state** : dict, optional

The application state blob for this report.

**name** : string, optional

The name of the report.

**code\_body** : string, optional

The code for the report visualization.

**config** : string, optional

**provide\_api\_key** : boolean, optional

Allow the report to provide an API key to front-end code.

**Returns projects** : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**tableau\_id** : integer

**auth\_code\_url** : string

**auth\_data\_url** : string

**script** : dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

**valid\_output\_file** : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

**api\_key** : string

A Civis API key that can be used by this report.

**name** : string

The name of the report.

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**api\_key\_id** : integer

The ID of the API key. Can be used for auditing API use by this report.

**id** : integer

The ID of this report.

**viz\_updated\_at** : string/time

The time that the report's visualization was last updated.

**template\_id** : integer

The ID of the template used for this report.

**job\_path** : string

The link to details of the job that backs this report.

**user** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**auth\_thumbnail\_url** : string

URL for a thumbnail of the report.

**config** : string

Any configuration metadata for this report.

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**app\_state** : dict

Any application state blob for this report.

**state** : string

The status of the report's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

**finished\_at** : string/time

The time that the report's last run finished.

**provide\_api\_key** : boolean

Whether the report requests an API Key from the report viewer.

**patch\_snapshots** (*id*, *\*\*kwargs*)

Update the report's snapshot automation settings

**Parameters** **id** : integer

The ID of this report.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**recipient\_email\_addresses** : string, optional

Email addresses to send report to, comma separated.

**send\_email\_on\_completion** : boolean, optional

Whether the job will send emails on completion.

**width** : integer, optional

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

**email\_template** : string, optional

Custom email template.

**email\_subject** : string, optional

Subject for Email.

**height** : integer, optional

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this snapshot.

**finished\_at** : string/time, optional

The time that the job's last run finished.

**state** : string, optional

The status of the job's last run.

**Returns schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**recipient\_email\_addresses** : string

Email addresses to send report to, comma separated.

**send\_email\_on\_completion** : boolean

Whether the job will send emails on completion.

**width** : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

**email\_template** : string

Custom email template.

**email\_subject** : string

Subject for Email.

**height** : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

**parent\_id** : integer

The ID of the parent job that will trigger this snapshot.

**finished\_at** : string/time

The time that the job's last run finished.

**id** : integer

The ID of this report.

**state** : string

The status of the job's last run.

**post** (\*\*kwargs)

Create a report

**Parameters template\_id** : integer, optional

The ID of the template used for this report.

**script\_id** : integer, optional

The ID of the job (a script or a query) used to create this report.

**provide\_api\_key** : boolean, optional

Allow the report to provide an API key to front-end code.

**name** : string, optional

The name of the report.

**code\_body** : string, optional

The code for the report visualization.

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**app\_state** : dict, optional

Any application state blob for this report.

**Returns projects** : list:

```
A list of projects containing the report.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**tableau\_id** : integer

**auth\_code\_url** : string

**auth\_data\_url** : string

**script** : dict:

```
- sql : string
  The raw SQL query for the script.
- id : integer
  The ID for the script.
- name : string
  The name of the script.
```

**valid\_output\_file** : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

**api\_key** : string

A Civis API key that can be used by this report.

**name** : string

The name of the report.

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**api\_key\_id** : integer

The ID of the API key. Can be used for auditing API use by this report.

**id** : integer

The ID of this report.

**viz\_updated\_at** : string/time

The time that the report's visualization was last updated.

**template\_id** : integer

The ID of the template used for this report.

**job\_path** : string

The link to details of the job that backs this report.

**user** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**auth\_thumbnail\_url** : string

URL for a thumbnail of the report.

**config** : string

Any configuration metadata for this report.

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**app\_state** : dict

Any application state blob for this report.

**state** : string

The status of the report's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**updated\_at** : string/time

**finished\_at** : string/time

The time that the report's last run finished.

**provide\_api\_key** : boolean

Whether the report requests an API Key from the report viewer.

**post\_grants** (*id*)

Grant this report the ability to perform Civis platform API operations on your behalf

**Parameters id** : integer

The ID of this report.

**Returns projects** : list:

```
A list of projects containing the report.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**tableau\_id** : integer

**auth\_code\_url** : string

**auth\_data\_url** : string

**script** : dict:

```
- sql : string
  The raw SQL query for the script.
- id : integer
  The ID for the script.
- name : string
  The name of the script.
```

**valid\_output\_file** : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

**api\_key** : string

A Civis API key that can be used by this report.

**name** : string

The name of the report.

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
```

```

- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**api\_key\_id** : integer

The ID of the API key. Can be used for auditing API use by this report.

**id** : integer

The ID of this report.

**viz\_updated\_at** : string/time

The time that the report's visualization was last updated.

**template\_id** : integer

The ID of the template used for this report.

**job\_path** : string

The link to details of the job that backs this report.

**user** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**auth\_thumbnail\_url** : string

URL for a thumbnail of the report.

**config** : string

Any configuration metadata for this report.

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**app\_state** : dict

Any application state blob for this report.

**state** : string

The status of the report's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

**finished\_at** : string/time

The time that the report's last run finished.

**provide\_api\_key** : boolean

Whether the report requests an API Key from the report viewer.

**post\_snapshots** (*id*, *\*\*kwargs*)

Generate and optionally email a snapshot of the specified report

**Parameters** **id** : integer

The ID of this report.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**recipient\_email\_addresses** : string, optional

Email addresses to send report to, comma separated.

**send\_email\_on\_completion** : boolean, optional

Whether the job will send emails on completion.

**width** : integer, optional

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

**email\_template** : string, optional

Custom email template.

**email\_subject** : string, optional

Subject for Email.

**height** : integer, optional

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this snapshot.

**finished\_at** : string/time, optional

The time that the job's last run finished.

**state** : string, optional

The status of the job's last run.

**Returns** `schedule` : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**recipient\_email\_addresses** : string

Email addresses to send report to, comma separated.

**send\_email\_on\_completion** : boolean

Whether the job will send emails on completion.

**width** : integer

The width of the cropped snapshot image in screen pixels. The default value is 1440 pixels. Minimum value is 600 pixels.

**email\_template** : string

Custom email template.

**email\_subject** : string

Subject for Email.

**height** : integer

The height of the cropped snapshot image in screen pixels. The default value is 900 pixels. Minimum value is 600 pixels.

**parent\_id** : integer

The ID of the parent job that will trigger this snapshot.

**finished\_at** : string/time

The time that the job's last run finished.

**id** : integer

The ID of this report.

**state** : string

The status of the job's last run.

**put\_archive** (*id, status*)

Update the archive status of this object

**Parameters** `id` : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns projects** : list:

```
A list of projects containing the report.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**tableau\_id** : integer

**auth\_code\_url** : string

**auth\_data\_url** : string

**script** : dict:

```
- sql : string
    The raw SQL query for the script.
- id : integer
    The ID for the script.
- name : string
    The name of the script.
```

**valid\_output\_file** : boolean

Whether the job (a script or a query) that backs the report currently has a valid output file.

**api\_key** : string

A Civis API key that can be used by this report.

**name** : string

The name of the report.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**api\_key\_id** : integer

The ID of the API key. Can be used for auditing API use by this report.

**id** : integer

The ID of this report.

**viz\_updated\_at** : string/time

The time that the report's visualization was last updated.

**template\_id** : integer

The ID of the template used for this report.

**job\_path** : string

The link to details of the job that backs this report.

**user** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**auth\_thumbnail\_url** : string

URL for a thumbnail of the report.

**config** : string

Any configuration metadata for this report.

**created\_at** : string/time

**archived** : string

The archival status of the requested object(s).

**app\_state** : dict

Any application state blob for this report.

**state** : string

The status of the report's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

**finished\_at** : string/time

The time that the report's last run finished.

**provide\_api\_key** : boolean

Whether the report requests an API Key from the report viewer.

**put\_projects** (*id*, *project\_id*)

Add a Report to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_shares\_groups** (*id*, *group\_ids*, *permission\_level*)

Set the permissions groups has on this object

**Parameters** *id* : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** *id* : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

## Scripts

**class Scripts** (*session*, *return\_type='civis'*)

### Methods

<code>delete_containers_projects(id, project_id)</code>	Remove a container docker from a project
<code>delete_containers_runs(id, run_id)</code>	Cancel a run
<code>delete_containers_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_containers_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_custom_projects(id, project_id)</code>	Remove a Job from a project
<code>delete_custom_runs(id, run_id)</code>	Cancel a run

Continued on next page

Table 5.14 – continued from previous page

<code>delete_custom_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_custom_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_javascript_projects(id, project_id)</code>	Remove a scripted sql from a project
<code>delete_javascript_runs(id, run_id)</code>	Cancel a run
<code>delete_javascript_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_javascript_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_python3_projects(id, project_id)</code>	Remove a python docker from a project
<code>delete_python3_runs(id, run_id)</code>	Cancel a run
<code>delete_python3_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_python3_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_r_projects(id, project_id)</code>	Remove a r docker from a project
<code>delete_r_runs(id, run_id)</code>	Cancel a run
<code>delete_r_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_r_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>delete_sql_projects(id, project_id)</code>	Remove a scripts from a project
<code>delete_sql_runs(id, run_id)</code>	Cancel a run
<code>delete_sql_shares_groups(id, group_id)</code>	Revoke the permissions a group has on this object
<code>delete_sql_shares_users(id, user_id)</code>	Revoke the permissions a user has on this object
<code>get(id)</code>	Get details about a script
<code>get_containers(id)</code>	View a container
<code>get_containers_runs(id, run_id)</code>	Check status of a run
<code>get_custom(id)</code>	Get a CustomScript
<code>get_custom_runs(id, run_id)</code>	Check status of a run
<code>get_javascript(id)</code>	Get a JavaScript Script
<code>get_javascript_runs(id, run_id)</code>	Check status of a run
<code>get_python3(id)</code>	Get a Python Script
<code>get_python3_runs(id, run_id)</code>	Check status of a run
<code>get_r(id)</code>	Get an R Script
<code>get_r_runs(id, run_id)</code>	Check status of a run
<code>get_sql(id)</code>	Get a SQL script
<code>get_sql_runs(id, run_id)</code>	Check status of a run
<code>list(**kwargs)</code>	List scripts
<code>list_containers_projects(id)</code>	List the projects a container docker belongs to
<code>list_containers_runs(id, **kwargs)</code>	List runs for the given container
<code>list_containers_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_containers_runs_outputs(id, run_id, ...)</code>	List the outputs for a run
<code>list_containers_shares(id)</code>	List users and groups permissioned on this object
<code>list_custom(**kwargs)</code>	List Custom Scripts
<code>list_custom_projects(id)</code>	List the projects a Job belongs to
<code>list_custom_runs(id, **kwargs)</code>	List runs for the given custom
<code>list_custom_runs_logs(id, run_id, **kwargs)</code>	Get the logs for a run
<code>list_custom_runs_outputs(id, run_id, **kwargs)</code>	List the outputs for a run
<code>list_custom_shares(id)</code>	List users and groups permissioned on this object
<code>list_history(id)</code>	Get the run history and outputs of this script
Continued on next page	

Table 5.14 – continued from previous page

<code>list_javascript_projects(id)</code>		List the projects a scripted sql belongs to
<code>list_javascript_runs(id, **kwargs)</code>		List runs for the given javascript
<code>list_javascript_runs_logs(id, run_id, **kwargs)</code>		Get the logs for a run
<code>list_javascript_runs_outputs(id, run_id, ...)</code>		List the outputs for a run
<code>list_javascript_shares(id)</code>		List users and groups permissioned on this object
<code>list_python3_projects(id)</code>		List the projects a python docker belongs to
<code>list_python3_runs(id, **kwargs)</code>		List runs for the given python
<code>list_python3_runs_logs(id, run_id, **kwargs)</code>		Get the logs for a run
<code>list_python3_runs_outputs(id, run_id, **kwargs)</code>		List the outputs for a run
<code>list_python3_shares(id)</code>		List users and groups permissioned on this object
<code>list_r_projects(id)</code>		List the projects a r docker belongs to
<code>list_r_runs(id, **kwargs)</code>		List runs for the given r
<code>list_r_runs_logs(id, run_id, **kwargs)</code>		Get the logs for a run
<code>list_r_runs_outputs(id, run_id, **kwargs)</code>		List the outputs for a run
<code>list_r_shares(id)</code>		List users and groups permissioned on this object
<code>list_sql_projects(id)</code>		List the projects a scripts belongs to
<code>list_sql_runs(id, **kwargs)</code>		List runs for the given sql
<code>list_sql_runs_logs(id, run_id, **kwargs)</code>		Get the logs for a run
<code>list_sql_runs_outputs(id, run_id, **kwargs)</code>		List the outputs for a run
<code>list_sql_shares(id)</code>		List users and groups permissioned on this object
<code>list_types()</code>		List available script types
<code>patch(id, **kwargs)</code>		Update a script
<code>patch_containers(id, **kwargs)</code>		Update a container
<code>patch_containers_runs(id, run_id, **kwargs)</code>		Update a run
<code>patch_custom(id, **kwargs)</code>		Update some attributes of this CustomScript
<code>patch_javascript(id, **kwargs)</code>		Update some attributes of this JavaScript Script
<code>patch_python3(id, **kwargs)</code>		Update some attributes of this Python Script
<code>patch_r(id, **kwargs)</code>		Update some attributes of this R Script
<code>patch_sql(id, **kwargs)</code>		Update some attributes of this SQL script
<code>post(credential_id, sql, remote_host_id, ...)</code>		Create a script
<code>post_cancel(id)</code>		Cancel a run
<code>post_containers(required_resources, ...)</code>		Create a container
<code>post_containers_runs(id)</code>		Start a run
<code>post_containers_runs_heartbeats(id, run_id)</code>		Indicate that the given run is being handled
<code>post_containers_runs_logs(id, run_id, **kwargs)</code>		Add log messages
<code>post_containers_runs_outputs(id, run_id, ...)</code>		Add an output for a run
<code>post_custom(from_template_id, **kwargs)</code>		Create a CustomScript
<code>post_custom_runs(id)</code>		Start a run
<code>post_custom_runs_outputs(id, run_id, ...)</code>		Add an output for a run
<code>post_javascript(source, remote_host_id, ...)</code>		Create a JavaScript Script
<code>post_javascript_runs(id)</code>		Start a run
<code>post_javascript_runs_outputs(id, run_id, ...)</code>		Add an output for a run
<code>post_python3(source, name, **kwargs)</code>		Create a Python Script

Continued on next page

Table 5.14 – continued from previous page

<code>post_python3_runs(id)</code>	Start a run
<code>post_python3_runs_outputs(id, run_id, ...)</code>	Add an output for a run
<code>post_r(source, name, **kwargs)</code>	Create an R Script
<code>post_r_runs(id)</code>	Start a run
<code>post_r_runs_outputs(id, run_id, object_type, ...)</code>	Add an output for a run
<code>post_run(id)</code>	Run a script
<code>post_sql(sql, remote_host_id, name, ...)</code>	Create a SQL script
<code>post_sql_runs(id)</code>	Start a run
<code>put_containers(id, required_resources, ...)</code>	Edit a container
<code>put_containers_archive(id, status)</code>	Update the archive status of this object
<code>put_containers_projects(id, project_id)</code>	Add a container docker to a project
<code>put_containers_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_containers_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_custom(id, **kwargs)</code>	Replace all attributes of this CustomScript
<code>put_custom_archive(id, status)</code>	Update the archive status of this object
<code>put_custom_projects(id, project_id)</code>	Add a Job to a project
<code>put_custom_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_custom_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_javascript(id, remote_host_id, source, ...)</code>	Replace all attributes of this JavaScript Script
<code>put_javascript_archive(id, status)</code>	Update the archive status of this object
<code>put_javascript_projects(id, project_id)</code>	Add a scripted sql to a project
<code>put_javascript_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_javascript_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_python3(id, source, name, **kwargs)</code>	Replace all attributes of this Python Script
<code>put_python3_archive(id, status)</code>	Update the archive status of this object
<code>put_python3_projects(id, project_id)</code>	Add a python docker to a project
<code>put_python3_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_python3_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_r(id, source, name, **kwargs)</code>	Replace all attributes of this R Script
<code>put_r_archive(id, status)</code>	Update the archive status of this object
<code>put_r_projects(id, project_id)</code>	Add a r docker to a project
<code>put_r_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_r_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object
<code>put_sql(id, sql, remote_host_id, name, ...)</code>	Replace all attributes of this SQL script
<code>put_sql_archive(id, status)</code>	Update the archive status of this object
<code>put_sql_projects(id, project_id)</code>	Add a scripts to a project
<code>put_sql_shares_groups(id, group_ids, ...)</code>	Set the permissions groups has on this object
<code>put_sql_shares_users(id, user_ids, ...)</code>	Set the permissions users have on this object

**delete\_containers\_projects** (*id, project\_id*)

Remove a container docker from a project

**Parameters** `id` : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_containers\_runs** (*id, run\_id*)

Cancel a run

**Parameters** **id** : integer

The ID of the container.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_containers\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_containers\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**delete\_custom\_projects** (*id, project\_id*)

Remove a Job from a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_custom\_runs** (*id, run\_id*)

Cancel a run

**Parameters** **id** : integer

The ID of the custom.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_custom\_shares\_groups** (*id, group\_id*)  
Revoke the permissions a group has on this object

**Parameters id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_custom\_shares\_users** (*id, user\_id*)  
Revoke the permissions a user has on this object

**Parameters id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**delete\_javascript\_projects** (*id, project\_id*)  
Remove a scripted sql from a project

**Parameters id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_javascript\_runs** (*id, run\_id*)  
Cancel a run

**Parameters id** : integer

The ID of the javascript.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_javascript\_shares\_groups** (*id, group\_id*)  
Revoke the permissions a group has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_javascript\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**delete\_python3\_projects** (*id, project\_id*)

Remove a python docker from a project

**Parameters** *id* : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_python3\_runs** (*id, run\_id*)

Cancel a run

**Parameters** *id* : integer

The ID of the python.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_python3\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** *id* : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_python3\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**delete\_r\_projects** (*id, project\_id*)

Remove a r docker from a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_r\_runs** (*id, run\_id*)

Cancel a run

**Parameters** **id** : integer

The ID of the r.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_r\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_r\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**delete\_sql\_projects** (*id, project\_id*)

Remove a scripts from a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**delete\_sql\_runs** (*id, run\_id*)

Cancel a run

**Parameters** **id** : integer

The ID of the sql.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 202: success

**delete\_sql\_shares\_groups** (*id, group\_id*)

Revoke the permissions a group has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**group\_id** : integer

ID of the group

**Returns** None

Response code 204: success

**delete\_sql\_shares\_users** (*id, user\_id*)

Revoke the permissions a user has on this object

**Parameters** **id** : integer

ID of the resource to be revoked

**user\_id** : integer

ID of the user

**Returns** None

Response code 204: success

**get** (*id*)

Get details about a script

**Parameters** **id** : integer

The ID for the script.

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**template\_script\_id** : integer

The ID of the template script, if any.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
```

```
Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of script.

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time this script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**get\_containers** (*id*)

View a container

**Parameters** **id** : integer

The ID for the script.

**Returns** **projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB).
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
```

```
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_credential\_id** : integer

The id of the database credentials to pass into the environment of the container.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**repo\_ref** : string

The tag or branch of the github repo to clone into the container.

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**name** : string

The name of the container.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
```

```
The time that the run completed.  
- id : integer
```

**author** : dict:

```
- username : string  
  This user's username.  
- online : boolean  
  Whether this user is online.  
- initials : string  
  This user's initials.  
- id : integer  
  The ID of this user.  
- name : string  
  This user's name.
```

**repo\_http\_uri** : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string  
  This user's username.  
- online : boolean  
  Whether this user is online.  
- initials : string  
  This user's initials.  
- id : integer  
  The ID of this user.  
- name : string  
  This user's name.
```

**git\_credential\_id** : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Container)

**state** : string

The status of the script's last run.

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_tag** : string

The tag of the docker image to pull from DockerHub (default: latest).

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**template\_script\_name** : string

The name of the template script.

**get\_containers\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters id** : integer

The ID of the container.

**run\_id** : integer

The ID of the run.

**Returns error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**container\_id** : integer

The ID of the container.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**get\_custom** (*id*)

Get a CustomScript

**Parameters id** : integer

**Returns projects :** list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**notifications :** dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id :** integer

The credential that this script will use.

**from\_template\_id :** integer

The ID of the template script.

**remote\_host\_id :** integer

The remote host ID that this script will connect to.

**created\_at :** string/time

The time this script was created.

**archived :** string

The archival status of the requested object(s).

**name :** string

The name of the script.

**last\_run :** dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
```

```

    The time that the run completed.
- id : integer

```

**id** : integer

The ID for the script.

**code\_preview** : string

The code that this script will run with arguments inserted.

**params** : list:

```

A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**finished\_at** : string/time

The time that the script's last run finished.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Custom)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**get\_custom\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** *id* : integer

The ID of the custom.

**run\_id** : integer

The ID of the run.

**Returns** *custom\_id* : integer

The ID of the custom.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**get\_javascript** (*id*)

Get a JavaScript Script

**Parameters** *id* : integer**Returns** *projects* : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
```

```
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↔successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

A definition of the parameters this script accepts **in** the arguments, ↵  
 ↵field.

- value : string  
 The value you would like to **set** this param to. Setting this, ↵  
 ↵value makes  
 this parameter a fixed param.
- type : string  
 The **type** of parameter. Valid options: string, integer, float, ↵  
 ↵bool,  
 file, database, credential\_aws, credential\_redshift, **or**  
 credential\_custom
- name : string  
 The variable's **name** as used within your code.
- description : string  
 A short sentence **or** fragment describing this parameter to the, ↵  
 ↵end user.
- label : string  
 The label to present to users when asking them **for** the value.
- required : boolean  
 Whether this param **is** required.
- default : string  
 If an argument **for** this parameter **is not** defined, it will use, ↵  
 ↵this  
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's, ↵  
 ↵or  
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used, ↵  
 ↵for  
 parameters that are required **or** a credential type.

**schedule** : dict:

- scheduled\_hours : list  
 Hours of the day it **is** scheduled on
- scheduled : boolean  
 If the **object** **is** scheduled
- scheduled\_runs\_per\_hour : integer  
 Alternative to scheduled minutes, number of times to run per, ↵  
 ↵hour
- scheduled\_days : list  
 Day based on numeric value starting at 0 **for** Sunday
- scheduled\_minutes : list  
 Minutes of the day it **is** scheduled on

**last\_run** : dict:

- created\_at : string/time  
 The time that the run was queued.
- error : string  
 The error message **for** this run, **if** present.
- state : string
- started\_at : string/time  
 The time that the run started.
- finished\_at : string/time  
 The time that the run completed.
- id : integer

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**get\_javascript\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** *id* : integer

The ID of the javascript.

**run\_id** : integer

The ID of the run.

**Returns** *javascript\_id* : integer

The ID of the javascript.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**get\_python3** (*id*)

Get a Python Script

**Parameters** *id* : integer**Returns** *projects* : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
```

```
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
        least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

- runs : string  
The runs link to get the run information **list for** this script.
- details : string  
The details link to get more information about the script.

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

- A definition of the parameters this script accepts **in** the arguments, **↪**field.
- value : string  
The value you would like to **set** this param to. Setting this, **↪**value makes this parameter a fixed param.
  - type : string  
The **type** of parameter. Valid options: string, integer, float, **↪**bool, file, database, credential\_aws, credential\_redshift, **or** credential\_custom
  - name : string  
The variable's **name** as used within your code.
  - description : string  
A short sentence **or** fragment describing this parameter to the, **↪**end user.
  - label : string  
The label to present to users when asking them **for** the value.
  - required : boolean  
Whether this param **is** required.
  - default : string  
If an argument **for** this parameter **is not** defined, it will use, **↪**this default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's, **↪**or false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used, **↪**for parameters that are required **or** a credential **type**.

**schedule** : dict:

- scheduled\_hours : **list**  
Hours of the day it **is** scheduled on
- scheduled : boolean  
If the **object is** scheduled
- scheduled\_runs\_per\_hour : integer  
Alternative to scheduled minutes, number of times to run per, **↪**hour
- scheduled\_days : **list**  
Day based on numeric value starting at 0 **for** Sunday
- scheduled\_minutes : **list**  
Minutes of the day it **is** scheduled on

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**get\_python3\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters id** : integer

The ID of the python.

**run\_id** : integer

The ID of the run.

**Returns error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**python\_id** : integer

The ID of the python.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**get\_r** (*id*)

Get an R Script

**Parameters id** : integer

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
↪be at
    least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
```

```
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**get\_r\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** **id** : integer

The ID of the r.

**run\_id** : integer

The ID of the run.

**Returns** **state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**r\_id** : integer

The ID of the r.

**get\_sql** (*id*)

Get a SQL script

**Parameters** `id` : integer

**Returns** `projects` : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**code\_preview** : string

The code that this script will run with arguments inserted.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**csv\_settings** : dict:

```

- filename_prefix : string
  A user specified filename prefix for the output file to have.
↳Default:
  null
- include_header : boolean
  Whether or not to include headers in the output data. Default:
↳true
- column_delimiter : string
  Which delimiter to use, one of "comma", "tab", or "pipe".
↳Default:
  comma
- compression : string
  The type of compression to use, if any, one of "none", "zip", or
  "gzip". Default: gzip
- force_multifile : boolean
  Whether or not the csv should be split into multiple files.
↳Default:
  false
- unquoted : boolean
  Whether or not to quote fields. Default: false

```

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.

```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```

A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this.
↳value makes

```

```

    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string

```

```

    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**get\_sql\_runs** (*id*, *run\_id*)

Check status of a run

**Parameters** *id* : integer

The ID of the sql.

**run\_id** : integer

The ID of the run.

**Returns output** : list:

```
A list of the outputs of this script.
- output_name : string
  The name of the output file.
- file_id : integer
  The unique ID of the output file.
- path : string
  The temporary link to download this output file, valid for 36
  ↪hours.
```

**error** : string

The error message for this run, if present.

**state** : string

The state of this run.

**sql\_id** : integer

The ID of this sql.

**started\_at** : string/time

The time the last run started.

**finished\_at** : string/time

The time that this run finished.

**id** : integer

The ID of this run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list** (\*\*kwargs)

List scripts

**Parameters type** : string, optional

If specified, return objects of these types. The valid types are 'sql', 'python3', 'r', and 'javascript'.

**author** : string, optional

If specified, return objects from this author. Must use user IDs. A comma separated list of IDs is also accepted to return objects from multiple authors.

**status** : string, optional

If specified, returns objects with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

**archived** : string, optional

The archival status of the requested object(s).

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, name, created\_at, last\_run.updated\_at.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**is\_template** : boolean

Whether others scripts use this one as a template.

**time\_zone** : string

The time zone of this script.

**created\_at** : string/time

The time this script was created.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**name** : string

The name of the script.

**template\_script\_id** : integer

The ID of the template script, if any.

**updated\_at** : string/time

The time the script was last updated.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**finished\_at** : string/time

The time that the script's last run finished.

**id** : integer

The ID for the script.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**list\_containers\_projects** (*id*)

List the projects a container docker belongs to

**Parameters id** : integer

The ID of the resource.

**Returns auto\_share** : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**list\_containers\_runs** (*id*, *\*\*kwargs*)

List runs for the given container

**Parameters** **id** : integer

The ID of the container.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**container\_id** : integer

The ID of the container.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**list\_containers\_runs\_logs** (*id*, *run\_id*, *\*\*kwargs*)

Get the logs for a run

**Parameters id** : integer

The ID of the container.

**run\_id** : integer

The ID of the run.

**last\_id** : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

**limit** : integer, optional

The maximum number of log messages to return. Default of 10000.

**Returns level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

**created\_at** : string/date-time

The time the log was created.

**message** : string

The log message.

**id** : integer

The ID of the log.

**list\_containers\_runs\_outputs** (*id, run\_id, \*\*kwargs*)

List the outputs for a run

**Parameters** *id* : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

**order\_dir** : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

**Returns** *object\_type* : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**list\_containers\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** *id* : integer

The ID of the object.

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::  
  - id : integer  
  - name : string  
- users : list::  
  - id : integer  
  - name : string
```

**writers** : dict:

```
- groups : list::  
  - id : integer  
  - name : string  
- users : list::  
  - id : integer  
  - name : string
```

**owners** : dict:

```
- groups : list::  
  - id : integer  
  - name : string  
- users : list::  
  - id : integer  
  - name : string
```

**list\_custom** (\*\*kwargs)

List Custom Scripts

**Parameters from template\_id** : integer, optional

The template script that this app uses.

**author** : string, optional

If specified, return objects from this author. Must use user IDs. A comma separated list of IDs is also accepted to return objects from multiple authors.

**status** : string, optional

If specified, returns objects with one of these statuses. It accepts a comma-separated list, possible values are 'running', 'failed', 'succeeded', 'idle', 'scheduled'.

**archived** : string, optional

The archival status of the requested object(s).

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to updated\_at. Must be one of: updated\_at, name, created\_at.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns projects :** list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**from\_template\_id :** integer

The ID of the template script.

**archived :** string

The archival status of the requested object(s).

**author :** dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone :** string

The time zone of this script.

**created\_at :** string/time

The time this script was created.

**type :** string

The type of the script (e.g Custom)

**state :** string

The status of the script's last run.

**name :** string

The name of the script.

**updated\_at :** string/time

The time the script was last updated.

**last\_run :** dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
```

```
The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**finished\_at** : string/time

The time that the script's last run finished.

**id** : integer

The ID for the script.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**list\_custom\_projects** (*id*)

List the projects a Job belongs to

**Parameters** **id** : integer

The ID of the resource.

**Returns** **auto\_share** : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
```

```

Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**list\_custom\_runs** (*id*, *\*\*kwargs*)

List runs for the given custom

**Parameters** *id* : integer

The ID of the custom.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** *custom\_id* : integer

The ID of the custom.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list\_custom\_runs\_logs** (*id*, *run\_id*, *\*\*kwargs*)

Get the logs for a run

**Parameters** **id** : integer

The ID of the custom.

**run\_id** : integer

The ID of the run.

**last\_id** : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

**limit** : integer, optional

The maximum number of log messages to return. Default of 10000.

**Returns** **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

**created\_at** : string/date-time

The time the log was created.

**message** : string

The log message.

**id** : integer

The ID of the log.

**list\_custom\_runs\_outputs** (*id*, *run\_id*, *\*\*kwargs*)

List the outputs for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to created\_at. Must be one of: created\_at, id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** `object_type` : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**list\_custom\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** `id` : integer

The ID of the object.

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**list\_history** (*id*)

Get the run history and outputs of this script

**Parameters** **id** : integer

The ID for the script.

**Returns** **output** : list:

```
A list of the outputs of this script.
- output_name : string
  The name of the output file.
- file_id : integer
  The unique ID of the output file.
- path : string
  The temporary link to download this output file, valid for 36
  ↪hours.
```

**error** : string

The error message for this run, if present.

**state** : string

The state of this run.

**sql\_id** : integer

The ID of this sql.

**finished\_at** : string/time

The time that this run finished.

**id** : integer

The ID of this run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list\_javascript\_projects** (*id*)

List the projects a scripted sql belongs to

**Parameters** **id** : integer

The ID of the resource.

**Returns** **auto\_share** : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

Users who can see the project

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**list\_javascript\_runs** (*id*, *\*\*kwargs*)

List runs for the given javascript

**Parameters** **id** : integer

The ID of the javascript.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to `id`. Must be one of: `id`.

**order\_dir** : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

**iterator** : bool, optional

If `True`, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When `True`, `limit` and `page_num` are ignored. Defaults to `False`.

**Returns** **javascript\_id** : integer

The ID of the javascript.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list\_javascript\_runs\_logs** (*id*, *run\_id*, *\*\*kwargs*)

Get the logs for a run

**Parameters** **id** : integer

The ID of the javascript.

**run\_id** : integer

The ID of the run.

**last\_id** : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

**limit** : integer, optional

The maximum number of log messages to return. Default of 10000.

**Returns** **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

**created\_at** : string/date-time

The time the log was created.

**message** : string

The log message.

**id** : integer

The ID of the log.

**list\_javascript\_runs\_outputs** (*id*, *run\_id*, *\*\*kwargs*)

List the outputs for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

**order\_dir** : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

**Returns** `object_type` : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**list\_javascript\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** `id` : integer

The ID of the object.

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**list\_python3\_projects** (*id*)

List the projects a python docker belongs to

**Parameters** *id* : integer

The ID of the resource.

**Returns** *auto\_share* : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```

Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**list\_python3\_runs** (*id*, *\*\*kwargs*)

List runs for the given python

**Parameters** *id* : integer

The ID of the python.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** *error* : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**python\_id** : integer

The ID of the python.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**list\_python3\_runs\_logs** (*id, run\_id, \*\*kwargs*)

Get the logs for a run

**Parameters** **id** : integer

The ID of the python.

**run\_id** : integer

The ID of the run.

**last\_id** : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

**limit** : integer, optional

The maximum number of log messages to return. Default of 10000.

**Returns** **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

**created\_at** : string/date-time

The time the log was created.

**message** : string

The log message.

**id** : integer

The ID of the log.

**list\_python3\_runs\_outputs** (*id, run\_id, \*\*kwargs*)

List the outputs for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to created\_at. Must be one of: created\_at, id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** `object_type` : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**list\_python3\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** `id` : integer

The ID of the object.

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**list\_r\_projects** (*id*)

List the projects a r docker belongs to

**Parameters** *id* : integer

The ID of the resource.

**Returns** *auto\_share* : boolean

**description** : string

A description of the project

**updated\_at** : string/time

**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**list\_r\_runs** (*id*, *\*\*kwargs*)

List runs for the given r

**Parameters** *id* : integer

The ID of the r.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**r\_id** : integer

The ID of the r.

**list\_r\_runs\_logs** (*id*, *run\_id*, *\*\*kwargs*)

Get the logs for a run

**Parameters id** : integer

The ID of the r.

**run\_id** : integer

The ID of the run.

**last\_id** : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

**limit** : integer, optional

The maximum number of log messages to return. Default of 10000.

**Returns level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

**created\_at** : string/date-time

The time the log was created.

**message** : string

The log message.

**id** : integer

The ID of the log.

**list\_r\_runs\_outputs** (*id, run\_id, \*\*kwargs*)

List the outputs for a run

**Parameters id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to created\_at. Must be one of: created\_at, id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**list\_r\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** `id` : integer

The ID of the object.

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**list\_sql\_projects** (*id*)

List the projects a scripts belongs to

**Parameters** `id` : integer

The ID of the resource.

**Returns** `auto_share` : boolean**description** : string

A description of the project

**updated\_at** : string/time**name** : string

The name of this project.

**archived** : string

The archival status of the requested object(s).

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**created\_at** : string/time

**id** : integer

The ID for this project.

**users** : list:

```
Users who can see the project
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**list\_sql\_runs** (*id*, **\*\*kwargs**)

List runs for the given sql

**Parameters** **id** : integer

The ID of the sql.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 100.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** **output** : list:

```
A list of the outputs of this script.
- output_name : string
    The name of the output file.
- file_id : integer
    The unique ID of the output file.
- path : string
    The temporary link to download this output file, valid for 36
↳hours.
```

**error** : string

The error message for this run, if present.

**state** : string

The state of this run.

**sql\_id** : integer

The ID of this sql.

**started\_at** : string/time

The time the last run started.

**finished\_at** : string/time

The time that this run finished.

**id** : integer

The ID of this run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**list\_sql\_runs\_logs** (*id*, *run\_id*, *\*\*kwargs*)

Get the logs for a run

**Parameters** **id** : integer

The ID of the sql.

**run\_id** : integer

The ID of the run.

**last\_id** : integer, optional

The ID of the last log message received. Log entries with this ID value or lower will be omitted. Logs are sorted by ID if this value is provided, and are otherwise sorted by createdAt.

**limit** : integer, optional

The maximum number of log messages to return. Default of 10000.

**Returns** **level** : string

The level of the log. One of unknown,fatal,error,warn,info,debug.

**created\_at** : string/date-time

The time the log was created.

**message** : string

The log message.

**id** : integer

The ID of the log.

**list\_sql\_runs\_outputs** (*id*, *run\_id*, *\*\*kwargs*)

List the outputs for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to `created_at`. Must be one of: `created_at`, `id`.

**order\_dir** : string, optional

Direction in which to sort, either `asc` (ascending) or `desc` (descending) defaulting to `desc`.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by `limit` are needed. When True, `limit` and `page_num` are ignored. Defaults to False.

**Returns** **object\_type** : string

The type of the output. Valid values are `File`, `Report`, `Table`, or `Project`

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**list\_sql\_shares** (*id*)

List users and groups permissioned on this object

**Parameters** **id** : integer

The ID of the object.

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**list\_types** ()

List available script types

**Returns** name : string

The name of the type.

**patch** (id, \*\*kwargs)

Update a script

**Parameters** id : integer

The ID for the script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**notifications** : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
```

```

    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**params** : list, optional:

```

A definition of the parameters this script accepts in the arguments,
↳field.
Cannot be set if this script uses a template script.
- value : string
    The value you would like to set this param to. Setting this,
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the,
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use,
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's,
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used,
↳for
    parameters that are required or a credential type.

```

**sql** : string, optional

The raw SQL query for the script.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per,
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**template\_script\_id** : integer, optional

The ID of the template script, if any. A script cannot both have a template script and be a template for other scripts.

**name** : string, optional

The name of the script.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**template\_script\_id** : integer

The ID of the template script, if any.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
```

```

false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per.
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.

```

```
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of script.

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time this script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**patch\_containers** (*id*, *\*\*kwargs*)

Update a container

**Parameters id** : integer

The ID for the script.

**required\_resources** : dict, optional:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
↪core has
    1024 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↪This
    space will be used to hold the git repo configured for the
↪container
    and anything your container writes to /tmp or /data. Fractional
↪values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**remote\_host\_credential\_id** : integer, optional

The id of the database credentials to pass into the environment of the container.

**docker\_command** : string, optional

The command to run on the container. Will be run via sh as: [”sh”, “-c”, dockerCommand]

**time\_zone** : string, optional

The time zone of this script.

**git\_credential\_id** : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**repo\_http\_uri** : string, optional

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**repo\_ref** : string, optional

The tag or branch of the github repo to clone into the container.

**name** : string, optional

The name of the container.

**docker\_image\_tag** : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

**docker\_image\_name** : string, optional

The name of the docker image to pull from DockerHub.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
```

```
- name : string
    The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
    space will be used to hold the git repo configured for the
    ↪container
    and anything your container writes to /tmp or /data. Fractional
    ↪values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_credential\_id** : integer

The id of the database credentials to pass into the environment of the container.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**repo\_ref** : string

The tag or branch of the github repo to clone into the container.

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**name** : string

The name of the container.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**repo\_http\_uri** : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.

```

```
- name : string
  This user's name.
```

**git\_credential\_id** : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Container)

**state** : string

The status of the script's last run.

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_tag** : string

The tag of the docker image to pull from DockerHub (default: latest).

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**template\_script\_name** : string

The name of the template script.

**patch\_containers\_runs** (*id*, *run\_id*, *\*\*kwargs*)

Update a run

**Parameters id** : integer

The ID for the script.

**run\_id** : integer

The ID of the script run.

**boce\_accepted\_at** : string/date-time, optional

The time when a bocce worker began processing the script.

**bocce\_started\_at** : string/date-time, optional

The time when a bocce worker began executing the script.

**state** : string, optional

The state of the script.

**Returns** None

Response code 204: success

**patch\_custom** (*id*, *\*\*kwargs*)

Update some attributes of this CustomScript

**Parameters** *id* : integer

The ID for the script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**notifications** : dict, optional:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer, optional

The credential that this script will use.

**name** : string, optional

The name of the script.

**schedule** : dict, optional:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
```

```
Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**remote\_host\_id** : integer, optional

The remote host ID that this script will connect to.

**time\_zone** : string, optional

The time zone of this script.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳ successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**name** : string

The name of the script.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**id** : integer

The ID for the script.

**code\_preview** : string

The code that this script will run with arguments inserted.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**finished\_at** : string/time

The time that the script's last run finished.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Custom)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**running\_as** : dict:

```
- username : string
    This user's username.
```

```

- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**patch\_javascript** (*id*, **\*\*kwargs**)

Update some attributes of this JavaScript Script

**Parameters id** : integer

The ID for the script.

**params** : list, optional:

```

A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**remote\_host\_id** : integer, optional

The remote host ID that this script will connect to.

**source** : string, optional

The body/text of the script.

**time\_zone** : string, optional

The time zone of this script.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**name** : string, optional

The name of the script.

**credential\_id** : integer, optional

The credential that this script will use.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
```

```

    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**Returns projects : list:**

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

**notifications : dict:**

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**credential\_id : integer**

The credential that this script will use.

**from\_template\_id : integer**

The ID of the template this script uses, if any.

**remote\_host\_id : integer**

The remote host ID that this script will connect to.

**is\_template : boolean**

Whether others scripts use this one as a template.

**source : string**

The body/text of the script.

**created\_at : string/time**

The time this script was created.

**archived : string**

The archival status of the requested object(s).

**published\_as\_template\_id : integer**

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**patch\_python3** (*id*, *\*\*kwargs*)

Update some attributes of this Python Script

**Parameters id** : integer

The ID for the script.

**required\_resources** : dict, optional:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
  ↪be at
  least 4 MiB.
```

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments
  ↪field.
- value : string
  The value you would like to set this param to. Setting this
  ↪value makes
```

```

    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
↪or
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪for
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**source** : string, optional

The body/text of the script.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**name** : string, optional

The name of the script.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↳core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↳This
    space will be used to hold the git repo configured for the_
↳container
    and anything your container writes to /tmp or /data. Fractional_
↳values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must_
↳be at
    least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
```

```

    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

`patch_r(id, **kwargs)`

Update some attributes of this R Script

**Parameters** `id` : integer

The ID for the script.

**required\_resources** : dict, optional:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
    space will be used to hold the git repo configured for the
    ↪container
    and anything your container writes to /tmp or /data. Fractional
    ↪values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
    least 4 MiB.
```

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
    ↪field.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**source** : string, optional

The body/text of the script.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**name** : string, optional

The name of the script.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
  ↪be at
  least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
  ↪successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
```

```
false, False, f, n, no, or 0 for false bool's. Cannot be used.  
↳for  
parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list  
  Hours of the day it is scheduled on  
- scheduled : boolean  
  If the object is scheduled  
- scheduled_runs_per_hour : integer  
  Alternative to scheduled minutes, number of times to run per.  
↳hour  
- scheduled_days : list  
  Day based on numeric value starting at 0 for Sunday  
- scheduled_minutes : list  
  Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time  
  The time that the run was queued.  
- error : string  
  The error message for this run, if present.  
- state : string  
- started_at : string/time  
  The time that the run started.  
- finished_at : string/time  
  The time that the run completed.  
- id : integer
```

**author** : dict:

```
- username : string  
  This user's username.  
- online : boolean  
  Whether this user is online.  
- initials : string  
  This user's initials.  
- id : integer  
  The ID of this user.  
- name : string  
  This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string  
  This user's username.  
- online : boolean  
  Whether this user is online.  
- initials : string  
  This user's initials.  
- id : integer  
  The ID of this user.
```

```
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**patch\_sql** (*id*, *\*\*kwargs*)

Update some attributes of this SQL script

**Parameters id** : integer

The ID for the script.

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- value : string
    The value you would like to set this param to. Setting this_
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,_
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the_
↪end user.
```

```

- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↪for
    parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**sql** : string, optional

The raw SQL query for the script.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**remote\_host\_id** : integer, optional

The remote host ID that this script will connect to.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**csv\_settings** : dict, optional:

```

- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string

```

```

    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
- unquoted : boolean
    Whether or not to quote fields. Default: false

```

**name** : string, optional

The name of the script.

**credential\_id** : integer, optional

The credential that this script will use.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**Returns projects** : list:

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

**code\_preview** : string

The code that this script will run with arguments inserted.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**csv\_settings** : dict:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
```

```

- force_multifile : boolean
  Whether or not the csv should be split into multiple files.
↪Default:
  false
- unquoted : boolean
  Whether or not to quote fields. Default: false

```

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.

```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```

A definition of the parameters this script accepts in the arguments.
↪field.
- value : string
  The value you would like to set this param to. Setting this.
↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↪bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the.
↪end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean

```

```
Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
```

```

    Whether this user is online.
-   initials : string
    This user's initials.
-   id : integer
    The ID of this user.
-   name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post** (*credential\_id, sql, remote\_host\_id, name, \*\*kwargs*)

Create a script

**Parameters credential\_id** : integer

The credential ID.

**sql** : string

The raw SQL query for the script.

**remote\_host\_id** : integer

The database ID.

**name** : string

The name of the script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
Cannot be set if this script uses a template script.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
    parameters that are required or a credential type.
```

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**template\_script\_id** : integer, optional

The ID of the template script, if any. A script cannot both have a template script and be a template for other scripts.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
```

```

    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**Returns projects : list:**

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

**notifications : dict:**

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**from\_template\_id : integer**

The ID of the template this script uses, if any.

**is\_template : boolean**

Whether others scripts use this one as a template.

**created\_at : string/time**

The time this script was created.

**archived : string**

The archival status of the requested object(s).

**published\_as\_template\_id : integer**

The ID of the template that this script is backing.

**template\_script\_id : integer**

The ID of the template script, if any.

**name : string**

The name of the script.

**template\_dependents\_count : integer**

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per.
↳hour
```

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post\_cancel** (*id*)

Cancel a run

**Parameters id** : integer

The ID of the job.

**Returns state** : string

The state of the run, one of 'queued', 'running' or 'cancelled'.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**post\_containers** (*required\_resources, docker\_command, docker\_image\_name, \*\*kwargs*)

Create a container

**Parameters required\_resources** : dict:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
↳core has
  1024 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↳This
  space will be used to hold the git repo configured for the
↳container
  and anything your container writes to /tmp or /data. Fractional
↳values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB).
```

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**remote\_host\_credential\_id** : integer, optional

The id of the database credentials to pass into the environment of the container.

**time\_zone** : string, optional

The time zone of this script.

**git\_credential\_id** : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**repo\_http\_uri** : string, optional

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**repo\_ref** : string, optional

The tag or branch of the github repo to clone into the container.

**name** : string, optional

The name of the container.

**docker\_image\_tag** : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    ↪1024 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
    ↪space will be used to hold the git repo configured for the
    ↪container
    ↪and anything your container writes to /tmp or /data. Fractional
    ↪values
    ↪(e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_credential\_id** : integer

The id of the database credentials to pass into the environment of the container.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**repo\_ref** : string

The tag or branch of the github repo to clone into the container.

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**name** : string

The name of the container.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
```

```

false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per.
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**repo\_http\_uri** : string

The location of a github repo to clone into the container, e.g. `github.com/my-user/my-repo.git`.

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.

```

```
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**git\_credential\_id** : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Container)

**state** : string

The status of the script's last run.

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_tag** : string

The tag of the docker image to pull from DockerHub (default: latest).

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**template\_script\_name** : string

The name of the template script.

**post\_containers\_runs** (*id*)

Start a run

**Parameters id** : integer

The ID of the container.

**Returns error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**container\_id** : integer

The ID of the container.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**post\_containers\_runs\_heartbeats** (*id*, *run\_id*)

Indicate that the given run is being handled

**Parameters id** : integer

The ID of the container.

**run\_id** : integer

The ID of the run.

**Returns** None

Response code 204: success

**post\_containers\_runs\_logs** (*id*, *run\_id*, **\*\*kwargs**)

Add log messages

**Parameters id** : integer

The ID of the script.

**run\_id** : integer

The ID of the script run.

**level** : string, optional

The log level of this message [default: info]

**message** : string, optional

The log message to store.

**messages** : list, optional:

```
- level : string
    The log level of this message [default: info]
- created_at : string/date-time
- message : string
    The log message to store.
```

**Returns** None

Response code 204: success

**post\_containers\_runs\_outputs** (*id, run\_id, object\_type, object\_id*)

Add an output for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**object\_id** : integer

The ID of the output object.

**Returns** **object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**post\_custom** (*from\_template\_id, \*\*kwargs*)

Create a CustomScript

**Parameters** **from\_template\_id** : integer

The ID of the template script.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**notifications** : dict, optional:

```

- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.

```

**credential\_id** : integer, optional

The credential that this script will use.

**name** : string, optional

The name of the script.

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**remote\_host\_id** : integer, optional

The remote host ID that this script will connect to.

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**time\_zone** : string, optional

The time zone of this script.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**Returns projects** : list:

```

A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.

```

**notifications** : dict:

```

- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on

```

```
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**name** : string

The name of the script.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**id** : integer

The ID for the script.

**code\_preview** : string

The code that this script will run with arguments inserted.

**params** : list:

```
A definition of the parameters this script accepts in the arguments,
↪field.
- value : string
    The value you would like to set this param to. Setting this,
↪value makes
```

```

    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
↪or
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪for
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**finished\_at** : string/time

The time that the script's last run finished.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Custom)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post\_custom\_runs** (*id*)

Start a run

**Parameters id** : integer

The ID of the custom.

**Returns custom\_id** : integer

The ID of the custom.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**post\_custom\_runs\_outputs** (*id, run\_id, object\_type, object\_id*)

Add an output for a run

**Parameters id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**object\_id** : integer

The ID of the output object.

**Returns object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**post\_javascript** (*source, remote\_host\_id, name, credential\_id, \*\*kwargs*)

Create a JavaScript Script

**Parameters source** : string

The body/text of the script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**name** : string

The name of the script.

**credential\_id** : integer

The credential that this script will use.

**params** : list, optional:

```

A definition of the parameters this script accepts in the arguments,
↳field.
- value : string
  The value you would like to set this param to. Setting this,
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the,
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use,
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's,
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used,
↳for
  parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per,
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments,
↳field.
- value : string
    The value you would like to set this param to. Setting this,
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
```

```

    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    ↪default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    ↪false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string

```

```
This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post\_javascript\_runs** (*id*)

Start a run

**Parameters id** : integer

The ID of the javascript.

**Returns javascript\_id** : integer

The ID of the javascript.

**error** : string

The error, if any, returned by the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**post\_javascript\_runs\_outputs** (*id, run\_id, object\_type, object\_id*)

Add an output for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**object\_id** : integer

The ID of the output object.

**Returns** **object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**post\_python3** (*source, name, \*\*kwargs*)

Create a Python Script

**Parameters** **source** : string

The body/text of the script.

**name** : string

The name of the script.

**required\_resources** : dict, optional:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
    space will be used to hold the git repo configured for the
    ↪container
    and anything your container writes to /tmp or /data. Fractional
    ↪values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
    least 4 MiB.
```

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
    ↪field.
- value : string
    The value you would like to set this param to. Setting this
    ↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
    ↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
    ↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.
```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
```

```

    If the object is scheduled
-   scheduled_runs_per_hour : integer
        Alternative to scheduled_minutes, number of times to run per_
↪hour
-   scheduled_days : list
        Day based on numeric value starting at 0 for Sunday
-   scheduled_minutes : list
        Minutes of the day it is scheduled on

```

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```

-   success_email_body : string
        Custom body text for success e-mail, written in Markdown.
-   stall_warning_minutes : integer
        Stall warning emails will be sent after this amount of minutes.
-   success_on : boolean
        If success email notifications are on
-   urls : list
        URLs to receive a POST request at job completion
-   failure_on : boolean
        If failure email notifications are on
-   success_email_subject : string
        Custom subject line for success e-mail.
-   success_email_addresses : list
        Addresses to notify by e-mail when the job completes_
↪successfully.
-   failure_email_addresses : list
        Addresses to notify by e-mail when the job fails.

```

**Returns projects** : list:

```

A list of projects containing the script.
-   id : integer
        The ID for the project.
-   name : string
        The name of the project.

```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each
    ↪core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
    ↪This
    space will be used to hold the git repo configured for the
    ↪container
    and anything your container writes to /tmp or /data. Fractional
    ↪values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪be at
    least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes
    ↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this.
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
```

```
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post\_python3\_runs** (*id*)

Start a run

**Parameters id** : integer

The ID of the python.

**Returns error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**python\_id** : integer

The ID of the python.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**post\_python3\_runs\_outputs** (*id, run\_id, object\_type, object\_id*)

Add an output for a run

**Parameters id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**object\_id** : integer

The ID of the output object.

**Returns** **object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**post\_r** (*source*, *name*, *\*\*kwargs*)

Create an R Script

**Parameters** **source** : string

The body/text of the script.

**name** : string

The name of the script.

**required\_resources** : dict, optional:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
  ↪be at
  least 4 MiB.
```

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments
  ↪field.
- value : string
  The value you would like to set this param to. Setting this
  ↪value makes
```

```

    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
↪or
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪for
    false, False, f, n, no, or 0 for false bool's. Cannot be used
    parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each_
↳core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container._
↳This
    space will be used to hold the git repo configured for the_
↳container
    and anything your container writes to /tmp or /data. Fractional_
↳values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB). Must_
↳be at
    least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
```

```

    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```

A definition of the parameters this script accepts in the arguments,
↳field.
- value : string
  The value you would like to set this param to. Setting this,
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the,
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use,
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's,
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used,
↳for
  parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per,
↳hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post\_r\_runs** (*id*)

Start a run

**Parameters** **id** : integer

The ID of the r.

**Returns** **state** : string

The state of the run, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**error** : string

The error, if any, returned by the run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**started\_at** : string/time

The time the last run started at.

**finished\_at** : string/time

The time the last run completed.

**id** : integer

The ID of the run.

**r\_id** : integer

The ID of the r.

**post\_r\_runs\_outputs** (*id, run\_id, object\_type, object\_id*)

Add an output for a run

**Parameters** **id** : integer

The ID of the output.

**run\_id** : integer

The ID of the run.

**object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**object\_id** : integer

The ID of the output object.

**Returns** **object\_type** : string

The type of the output. Valid values are File, Report, Table, or Project

**name** : string

The name of the output object.

**link** : string

The link to retrieve the output object.

**object\_id** : integer

The ID of the output object.

**post\_run** (*id*)  
Run a script

**Parameters** *id* : integer

The ID for the script.

**Returns** None

Response code 204: success

**post\_sql** (*sql, remote\_host\_id, name, credential\_id, \*\*kwargs*)  
Create a SQL script

**Parameters** *sql* : string

The raw SQL query for the script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**name** : string

The name of the script.

**credential\_id** : integer

The credential that this script will use.

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this.
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use.
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
  parameters that are required or a credential type.
```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**hidden** : boolean, optional

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**csv\_settings** : dict, optional:

```
- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
- unquoted : boolean
    Whether or not to quote fields. Default: false
```

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**code\_preview** : string

The code that this script will run with arguments inserted.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**csv\_settings** : dict:

```
- filename_prefix : string
  A user specified filename prefix for the output file to have.
↪Default:
  null
- include_header : boolean
  Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
  Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
  comma
- compression : string
  The type of compression to use, if any, one of "none", "zip", or
  "gzip". Default: gzip
- force_multifile : boolean
  Whether or not the csv should be split into multiple files.
↪Default:
  false
- unquoted : boolean
  Whether or not to quote fields. Default: false
```

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

- runs : string  
The runs link to get the run information **list for** this script.
- details : string  
The details link to get more information about the script.

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

A definition of the parameters this script accepts **in** the arguments.  
↪field.

- value : string  
The value you would like to **set** this param to. Setting this  
↪value makes  
this parameter a fixed param.
- type : string  
The **type** of parameter. Valid options: string, integer, float,  
↪bool,  
file, database, credential\_aws, credential\_redshift, **or**  
credential\_custom
- name : string  
The variable's **name** as used within your code.
- description : string  
A short sentence **or** fragment describing this parameter to the  
↪end user.
- label : string  
The label to present to users when asking them **for** the value.
- required : boolean  
Whether this param **is** required.
- default : string  
If an argument **for** this parameter **is not** defined, it will use  
↪this  
default value. Use true, **True**, t, y, yes, **or 1 for** true bool's.  
↪or  
false, **False**, f, n, no, **or 0 for** false bool's. Cannot be used  
↪for  
parameters that are required **or** a credential type.

**schedule** : dict:

- scheduled\_hours : list  
Hours of the day it **is** scheduled on
- scheduled : boolean  
If the **object is** scheduled
- scheduled\_runs\_per\_hour : integer  
Alternative to scheduled minutes, number of times to run per  
↪hour
- scheduled\_days : list  
Day based on numeric value starting at 0 **for** Sunday
- scheduled\_minutes : list  
Minutes of the day it **is** scheduled on

**last\_run** : dict:

- created\_at : string/time  
The time that the run was queued.
- error : string

```
The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**post\_sql\_runs** (*id*)

Start a run

**Parameters id** : integer

The ID of the sql.

**Returns output** : list:

```
A list of the outputs of this script.
- output_name : string
  The name of the output file.
- file_id : integer
  The unique ID of the output file.
- path : string
  The temporary link to download this output file, valid for 36
  ↪hours.
```

**error** : string

The error message for this run, if present.

**state** : string

The state of this run.

**sql\_id** : integer

The ID of this sql.

**started\_at** : string/time

The time the last run started.

**finished\_at** : string/time

The time that this run finished.

**id** : integer

The ID of this run.

**is\_cancel\_requested** : boolean

True if run cancel requested, else false.

**put\_containers** (*id, required\_resources, docker\_command, docker\_image\_name, \*\*kwargs*)

Edit a container

**Parameters id** : integer

The ID for the script.

**required\_resources** : dict:

```

- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB).

```

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**params** : list, optional:

```

A definition of the parameters this script accepts in the arguments.
  ↪field.
- value : string
  The value you would like to set this param to. Setting this
  ↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
  ↪bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
  ↪end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
  ↪this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
  ↪or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
  ↪for
  parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**remote\_host\_credential\_id** : integer, optional

The id of the database credentials to pass into the environment of the container.

**time\_zone** : string, optional

The time zone of this script.

**git\_credential\_id** : integer, optional

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**repo\_http\_uri** : string, optional

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**repo\_ref** : string, optional

The tag or branch of the github repo to clone into the container.

**name** : string, optional

The name of the container.

**docker\_image\_tag** : string, optional

The tag of the docker image to pull from DockerHub (default: latest).

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list

```

```

    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**Returns projects : list:**

```

A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.

```

**required\_resources : dict:**

```

- cpu : integer
    The number of CPU shares to allocate for the container. Each,
↳core has
    1024 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.,
↳This
    space will be used to hold the git repo configured for the,
↳container
    and anything your container writes to /tmp or /data. Fractional,
↳values
    (e.g. 0.25) are supported.
- memory : integer
    The amount of RAM to allocate for the container (in MiB).

```

**notifications : dict:**

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes,
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.

```

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_credential\_id** : integer

The id of the database credentials to pass into the environment of the container.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**repo\_ref** : string

The tag or branch of the github repo to clone into the container.

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**name** : string

The name of the container.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments,
↳field.
- value : string
    The value you would like to set this param to. Setting this,
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
```

```
The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
  ↪end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
  ↪this
  ↪or
  ↪for
  default value. Use true, True, t, y, yes, or 1 for true bool's.
  ↪or
  ↪for
  false, False, f, n, no, or 0 for false bool's. Cannot be used
  ↪for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
  ↪hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**repo\_http\_uri** : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.
```

**git\_credential\_id** : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Container)

**state** : string

The status of the script's last run.

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_tag** : string

The tag of the docker image to pull from DockerHub (default: latest).

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**template\_script\_name** : string

The name of the template script.

**put\_containers\_archive** (*id, status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **projects** : list:

```
A list of projects containing the script.
```

- **id** : integer  
The ID **for** the project.
- **name** : string  
The name of the project.

**required\_resources** : dict:

- **cpu** : integer  
The number of CPU shares to allocate **for** the container. Each  
↳core has  
1024 shares.
- **disk\_space** : number/float  
The amount of disk space, **in** GB, to allocate **for** the container.  
↳This  
space will be used to hold the git repo configured **for** the  
↳container  
**and** anything your container writes to /tmp **or** /data. Fractional  
↳values  
(e.g. 0.25) are supported.
- **memory** : integer  
The amount of RAM to allocate **for** the container (**in** MiB).

**notifications** : dict:

- **success\_email\_body** : string  
Custom body text **for** success e-mail, written **in** Markdown.
- **stall\_warning\_minutes** : integer  
Stall warning emails will be sent after this amount of minutes.
- **success\_on** : boolean  
If success email notifications are on
- **urls** : list  
URLs to receive a POST request at job completion
- **failure\_on** : boolean  
If failure email notifications are on
- **success\_email\_subject** : string  
Custom subject line **for** success e-mail.
- **success\_email\_addresses** : list  
Addresses to notify by e-mail when the job completes  
↳successfully.
- **failure\_email\_addresses** : list

```
Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_credential\_id** : integer

The id of the database credentials to pass into the environment of the container.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**repo\_ref** : string

The tag or branch of the github repo to clone into the container.

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**name** : string

The name of the container.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments_
↪field.
- value : string
  The value you would like to set this param to. Setting this_
↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,_
↪bool,
```

```

    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
    ↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
    ↪this
    ↪default value. Use true, True, t, y, yes, or 1 for true bool's
    ↪or
    ↪false, False, f, n, no, or 0 for false bool's. Cannot be used
    ↪for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
    ↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string

```

```
This user's name.
```

**repo\_http\_uri** : string

The location of a github repo to clone into the container, e.g. github.com/my-user/my-repo.git.

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**git\_credential\_id** : integer

The id of the git credential to be used when checking out the specified git repo. If not supplied, the first git credential you've submitted will be used. Unnecessary if no git repo is specified or the git repo is public.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Container)

**state** : string

The status of the script's last run.

**docker\_command** : string

The command to run on the container. Will be run via sh as: ["sh", "-c", dockerCommand]

**docker\_image\_tag** : string

The tag of the docker image to pull from DockerHub (default: latest).

**docker\_image\_name** : string

The name of the docker image to pull from DockerHub.

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints.  
The object can still be queried directly by ID

**template\_script\_name** : string

The name of the template script.

**put\_containers\_projects** (*id, project\_id*)

Add a container docker to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_containers\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: "read", "write", or "manage"

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_containers\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** *id* : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**put\_custom** (*id*, *\*\*kwargs*)

Replace all attributes of this CustomScript

**Parameters** *id* : integer

The ID for the script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer, optional

The credential that this script will use.

**name** : string, optional

The name of the script.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**remote\_host\_id** : integer, optional

The remote host ID that this script will connect to.

**time\_zone** : string, optional

The time zone of this script.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**name** : string

The name of the script.

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**id** : integer

The ID for the script.

**code\_preview** : string

The code that this script will run with arguments inserted.

**params** : list:

```

A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this.
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use.
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per.
↳hour

```

```

- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**finished\_at** : string/time

The time that the script's last run finished.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Custom)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_custom\_archive** (*id, status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**name** : string

The name of the script.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**id** : integer

The ID for the script.

**code\_preview** : string

The code that this script will run with arguments inserted.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↪field.
- value : string
    The value you would like to set this param to. Setting this
↪value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↪bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↪end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↪this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↪or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↪for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**finished\_at** : string/time

The time that the script's last run finished.

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g Custom)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**running\_as** : dict:

```
- username : string
    This user's username.
```

```

- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_custom\_projects** (*id, project\_id*)

Add a Job to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_custom\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_custom\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```

- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string

```

**put\_javascript** (*id*, *remote\_host\_id*, *source*, *name*, *credential\_id*, *\*\*kwargs*)

Replace all attributes of this JavaScript Script

**Parameters** *id* : integer

The ID for the script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**source** : string

The body/text of the script.

**name** : string

The name of the script.

**credential\_id** : integer

The credential that this script will use.

**params** : list, optional:

A definition of the parameters this script accepts **in** the arguments.  
↳field.

```

- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
↳or
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**time\_zone** : string, optional

The time zone of this script.

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
```

```
- name : string
    The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
↳or
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**last\_run** : dict:

```

- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_javascript\_archive** (*id*, *status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments,
↪field.
- value : string
  The value you would like to set this param to. Setting this,
↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↪bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
```

```
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
  This user's username.
- online : boolean
  Whether this user is online.
- initials : string
  This user's initials.
- id : integer
  The ID of this user.
- name : string
  This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_javascript\_projects** (*id*, *project\_id*)

Add a scripted sql to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_javascript\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_javascript\_shares\_users** (*id, user\_ids, permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** `total_user_shares` : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_python3** (*id*, *source*, *name*, *\*\*kwargs*)

Replace all attributes of this Python Script

**Parameters** `id` : integer

The ID for the script.

**source** : string

The body/text of the script.

**name** : string

The name of the script.

**required\_resources** : dict, optional:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪ core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪ This
```

```

    space will be used to hold the git repo configured for the
    ↪ container
    and anything your container writes to /tmp or /data. Fractional
    ↪ values
    (e.g. 0.25) are supported.
  - memory : integer
    The amount of RAM to allocate for the container (in MiB). Must
    ↪ be at
    least 4 MiB.

```

**params** : list, optional:

```

A definition of the parameters this script accepts in the arguments
↪ field.
- value : string
  The value you would like to set this param to. Setting this
↪ value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↪ bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↪ end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↪ this
  default value. Use true, True, t, y, yes, or 1 for true bool's
↪ or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↪ for
  parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```

- scheduled_hours : list
  Hours of the day it is scheduled on
- scheduled : boolean
  If the object is scheduled
- scheduled_runs_per_hour : integer
  Alternative to scheduled minutes, number of times to run per
↪ hour
- scheduled_days : list
  Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
  Minutes of the day it is scheduled on

```

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes.
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
    The number of CPU shares to allocate for the container. Each.
↳core has
    1024 shares. Must be at least 2 shares.
- disk_space : number/float
    The amount of disk space, in GB, to allocate for the container.
↳This
    space will be used to hold the git repo configured for the.
↳container
    and anything your container writes to /tmp or /data. Fractional.
↳values
```

```
(e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
  ↪be at
  least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
  ↪successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

- runs : string  
The runs link to get the run information **list for** this script.
- details : string  
The details link to get more information about the script.

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

- A definition of the parameters this script accepts **in** the arguments.  
↪field.
- value : string  
The value you would like to **set** this param to. Setting this  
↪value makes  
this parameter a fixed param.
  - type : string  
The **type** of parameter. Valid options: string, integer, float,  
↪bool,  
file, database, credential\_aws, credential\_redshift, **or**  
credential\_custom
  - name : string  
The variable's **name** as used within your code.
  - description : string  
A short sentence **or** fragment describing this parameter to the  
↪end user.
  - label : string  
The label to present to users when asking them **for** the value.
  - required : boolean  
Whether this param **is** required.
  - default : string  
If an argument **for** this parameter **is not** defined, it will use  
↪this  
default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's.  
↪or  
false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used  
↪for  
parameters that are required **or** a credential **type**.

**schedule** : dict:

- scheduled\_hours : **list**  
Hours of the day it **is** scheduled on
- scheduled : boolean  
If the **object is** scheduled
- scheduled\_runs\_per\_hour : integer  
Alternative to scheduled minutes, number of times to run per  
↪hour
- scheduled\_days : **list**  
Day based on numeric value starting at 0 **for** Sunday
- scheduled\_minutes : **list**  
Minutes of the day it **is** scheduled on

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_python3\_archive** (*id, status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↪This
  space will be used to hold the git repo configured for the
↪container
  and anything your container writes to /tmp or /data. Fractional
↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
↪be at
  least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
```

```
URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

A definition of the parameters this script accepts **in** the arguments, ↵  
 ↵field.

- value : string  
 The value you would like to **set** this param to. Setting this, ↵  
 ↵value makes  
 this parameter a fixed param.
- type : string  
 The **type** of parameter. Valid options: string, integer, float, ↵  
 ↵bool,  
 file, database, credential\_aws, credential\_redshift, **or**  
 credential\_custom
- name : string  
 The variable's **name** as used within your code.
- description : string  
 A short sentence **or** fragment describing this parameter to the, ↵  
 ↵end user.
- label : string  
 The label to present to users when asking them **for** the value.
- required : boolean  
 Whether this param **is** required.
- default : string  
 If an argument **for** this parameter **is not** defined, it will use, ↵  
 ↵this  
 default value. Use true, **True**, t, y, yes, **or** 1 **for** true bool's, ↵  
 ↵or  
 false, **False**, f, n, no, **or** 0 **for** false bool's. Cannot be used, ↵  
 ↵for  
 parameters that are required **or** a credential type.

**schedule** : dict:

- scheduled\_hours : list  
 Hours of the day it **is** scheduled on
- scheduled : boolean  
 If the **object is** scheduled
- scheduled\_runs\_per\_hour : integer  
 Alternative to scheduled minutes, number of times to run per, ↵  
 ↵hour
- scheduled\_days : list  
 Day based on numeric value starting at 0 **for** Sunday
- scheduled\_minutes : list  
 Minutes of the day it **is** scheduled on

**last\_run** : dict:

- created\_at : string/time  
 The time that the run was queued.
- error : string  
 The error message **for** this run, **if** present.
- state : string
- started\_at : string/time  
 The time that the run started.
- finished\_at : string/time  
 The time that the run completed.
- id : integer

**author** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```
- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.
```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_python3\_projects** (*id, project\_id*)

Add a python docker to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_python3\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**put\_python3\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** **id** : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_r** (*id*, *source*, *name*, *\*\*kwargs*)

Replace all attributes of this R Script

**Parameters** **id** : integer

The ID for the script.

**source** : string

The body/text of the script.

**name** : string

The name of the script.

**required\_resources** : dict, optional:

```

- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
  ↪be at
  least 4 MiB.

```

**params** : list, optional:

```

A definition of the parameters this script accepts in the arguments.
  ↪field.
- value : string
  The value you would like to set this param to. Setting this
  ↪value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
  ↪bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
  ↪end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
  ↪this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
  ↪or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
  ↪for
  parameters that are required or a credential type.

```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**required\_resources** : dict:

```

- cpu : integer
  The number of CPU shares to allocate for the container. Each
  ↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
  ↪This
  space will be used to hold the git repo configured for the
  ↪container
  and anything your container writes to /tmp or /data. Fractional
  ↪values
  (e.g. 0.25) are supported.
- memory : integer
  The amount of RAM to allocate for the container (in MiB). Must
  ↪be at
  least 4 MiB.

```

**notifications** : dict:

```

- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
  ↪successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.

```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```
- runs : string
  The runs link to get the run information list for this script.
- details : string
  The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
  parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
  Hours of the day it is scheduled on
```

```

- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_r\_archive** (*id, status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **projects** : list:

```
A list of projects containing the script.
- id : integer
  The ID for the project.
- name : string
  The name of the project.
```

**required\_resources** : dict:

```
- cpu : integer
  The number of CPU shares to allocate for the container. Each
↪core has
  1024 shares. Must be at least 2 shares.
- disk_space : number/float
  The amount of disk space, in GB, to allocate for the container.
↪This
↪space will be used to hold the git repo configured for the
↪container
  and anything your container writes to /tmp or /data. Fractional
↪values
  (e.g. 0.25) are supported.
- memory : integer
```

```
The amount of RAM to allocate for the container (in MiB). Must
↳be at
least 4 MiB.
```

**notifications** : dict:

```
- success_email_body : string
  Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
  Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
  If success email notifications are on
- urls : list
  URLs to receive a POST request at job completion
- failure_on : boolean
  If failure email notifications are on
- success_email_subject : string
  Custom subject line for success e-mail.
- success_email_addresses : list
  Addresses to notify by e-mail when the job completes
↳successfully.
- failure_email_addresses : list
  Addresses to notify by e-mail when the job fails.
```

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**is\_template** : boolean

Whether others scripts use this one as a template.

**source** : string

The body/text of the script.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```

A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string

```

```

    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_r\_projects** (*id, project\_id*)

Add a r docker to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_r\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: "read", "write", or "manage"

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_r\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** *id* : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**put\_sql** (*id, sql, remote\_host\_id, name, credential\_id, \*\*kwargs*)

Replace all attributes of this SQL script

**Parameters** **id** : integer

The ID for the script.

**sql** : string

The raw SQL query for the script.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**name** : string

The name of the script.

**credential\_id** : integer

The credential that this script will use.

**params** : list, optional:

```
A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
  The value you would like to set this param to. Setting this.
↳value makes
  this parameter a fixed param.
- type : string
  The type of parameter. Valid options: string, integer, float,
↳bool,
  file, database, credential_aws, credential_redshift, or
  credential_custom
- name : string
  The variable's name as used within your code.
- description : string
  A short sentence or fragment describing this parameter to the.
↳end user.
- label : string
  The label to present to users when asking them for the value.
- required : boolean
  Whether this param is required.
- default : string
  If an argument for this parameter is not defined, it will use.
↳this
  default value. Use true, True, t, y, yes, or 1 for true bool's.
↳or
  false, False, f, n, no, or 0 for false bool's. Cannot be used.
↳for
  parameters that are required or a credential type.
```

**user\_context** : string, optional

“runner” or “author”, who to execute the script as when run as a template.

**schedule** : dict, optional:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per_
↪hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**next\_run\_at** : string/time, optional

The time of the next scheduled run.

**time\_zone** : string, optional

The time zone of this script.

**arguments** : dict, optional

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**csv\_settings** : dict, optional:

```

- filename_prefix : string
    A user specified filename prefix for the output file to have.
↪Default:
    null
- include_header : boolean
    Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
    Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
    comma
- compression : string
    The type of compression to use, if any, one of "none", "zip", or
    "gzip". Default: gzip
- force_multifile : boolean
    Whether or not the csv should be split into multiple files.
↪Default:
    false
- unquoted : boolean
    Whether or not to quote fields. Default: false

```

**parent\_id** : integer, optional

The ID of the parent job that will trigger this script

**target\_project\_id** : integer, optional

Target project to which script outputs will be added.

**notifications** : dict, optional:

```

- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer

```

```
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**Returns** `projects` : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**code\_preview** : string

The code that this script will run with arguments inserted.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↳successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**csv\_settings** : dict:

```

- filename_prefix : string
  A user specified filename prefix for the output file to have.
↳Default:
  null
- include_header : boolean
  Whether or not to include headers in the output data. Default:
↳true
- column_delimiter : string
  Which delimiter to use, one of "comma", "tab", or "pipe".
↳Default:
  comma
- compression : string
  The type of compression to use, if any, one of "none", "zip", or
  "gzip". Default: gzip
- force_multifile : boolean
  Whether or not the csv should be split into multiple files.
↳Default:
  false
- unquoted : boolean
  Whether or not to quote fields. Default: false

```

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
  The runs link to get the run information list for this script.

```

```
- details : string
    The details link to get more information about the script.
```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```
A definition of the parameters this script accepts in the arguments,
↳field.
- value : string
    The value you would like to set this param to. Setting this,
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the,
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use,
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's,
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used,
↳for
    parameters that are required or a credential type.
```

**schedule** : dict:

```
- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per,
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on
```

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
```

```

- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_sql\_archive** (*id*, *status*)

Update the archive status of this object

**Parameters** **id** : integer

The ID of the object.

**status** : boolean

The desired archived status of the object.

**Returns** **projects** : list:

```
A list of projects containing the script.
- id : integer
    The ID for the project.
- name : string
    The name of the project.
```

**code\_preview** : string

The code that this script will run with arguments inserted.

**notifications** : dict:

```
- success_email_body : string
    Custom body text for success e-mail, written in Markdown.
- stall_warning_minutes : integer
    Stall warning emails will be sent after this amount of minutes.
- success_on : boolean
    If success email notifications are on
- urls : list
    URLs to receive a POST request at job completion
- failure_on : boolean
    If failure email notifications are on
- success_email_subject : string
    Custom subject line for success e-mail.
- success_email_addresses : list
    Addresses to notify by e-mail when the job completes_
↪successfully.
- failure_email_addresses : list
    Addresses to notify by e-mail when the job fails.
```

**credential\_id** : integer

The credential that this script will use.

**sql** : string

The raw SQL query for the script.

**from\_template\_id** : integer

The ID of the template this script uses, if any.

**remote\_host\_id** : integer

The remote host ID that this script will connect to.

**is\_template** : boolean

Whether others scripts use this one as a template.

**created\_at** : string/time

The time this script was created.

**archived** : string

The archival status of the requested object(s).

**csv\_settings** : dict:

```
- filename_prefix : string
  A user specified filename prefix for the output file to have.
↪Default:
  null
- include_header : boolean
  Whether or not to include headers in the output data. Default:
↪true
- column_delimiter : string
  Which delimiter to use, one of "comma", "tab", or "pipe".
↪Default:
  comma
- compression : string
  The type of compression to use, if any, one of "none", "zip", or
  "gzip". Default: gzip
- force_multifile : boolean
  Whether or not the csv should be split into multiple files.
↪Default:
  false
- unquoted : boolean
  Whether or not to quote fields. Default: false
```

**published\_as\_template\_id** : integer

The ID of the template that this script is backing.

**expanded\_arguments** : dict

Expanded arguments for use in injecting into different environments.

**name** : string

The name of the script.

**template\_dependents\_count** : integer

How many other scripts use this one as a template.

**id** : integer

The ID for the script.

**next\_run\_at** : string/time

The time of the next scheduled run.

**links** : dict:

```

- runs : string
    The runs link to get the run information list for this script.
- details : string
    The details link to get more information about the script.

```

**user\_context** : string

“runner” or “author”, who to execute the script as when run as a template.

**params** : list:

```

A definition of the parameters this script accepts in the arguments.
↳field.
- value : string
    The value you would like to set this param to. Setting this
↳value makes
    this parameter a fixed param.
- type : string
    The type of parameter. Valid options: string, integer, float,
↳bool,
    file, database, credential_aws, credential_redshift, or
    credential_custom
- name : string
    The variable's name as used within your code.
- description : string
    A short sentence or fragment describing this parameter to the
↳end user.
- label : string
    The label to present to users when asking them for the value.
- required : boolean
    Whether this param is required.
- default : string
    If an argument for this parameter is not defined, it will use
↳this
    default value. Use true, True, t, y, yes, or 1 for true bool's
↳or
    false, False, f, n, no, or 0 for false bool's. Cannot be used
↳for
    parameters that are required or a credential type.

```

**schedule** : dict:

```

- scheduled_hours : list
    Hours of the day it is scheduled on
- scheduled : boolean
    If the object is scheduled
- scheduled_runs_per_hour : integer
    Alternative to scheduled minutes, number of times to run per
↳hour
- scheduled_days : list
    Day based on numeric value starting at 0 for Sunday
- scheduled_minutes : list
    Minutes of the day it is scheduled on

```

**last\_run** : dict:

```

- created_at : string/time
    The time that the run was queued.
- error : string

```

```

    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer

```

**author** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**time\_zone** : string

The time zone of this script.

**running\_as** : dict:

```

- username : string
    This user's username.
- online : boolean
    Whether this user is online.
- initials : string
    This user's initials.
- id : integer
    The ID of this user.
- name : string
    This user's name.

```

**arguments** : dict

Dictionary of name/value pairs to use to run this script. Only settable if this script has defined params.

**type** : string

The type of the script (e.g SQL, Container, Python, R, JavaScript)

**state** : string

The status of the script's last run.

**hidden** : boolean

The hidden status of the object. Setting this to true hides it from most API endpoints. The object can still be queried directly by ID

**updated\_at** : string/time

The time the script was last updated.

**parent\_id** : integer

The ID of the parent job that will trigger this script

**finished\_at** : string/time

The time that the script's last run finished.

**target\_project\_id** : integer

Target project to which script outputs will be added.

**template\_script\_name** : string

The name of the template script.

**put\_sql\_projects** (*id, project\_id*)

Add a scripts to a project

**Parameters** **id** : integer

ID of the resource

**project\_id** : integer

The ID of the project

**Returns** None

Response code 204: success

**put\_sql\_shares\_groups** (*id, group\_ids, permission\_level*)

Set the permissions groups has on this object

**Parameters** **id** : integer

ID of the resource to be shared

**group\_ids** : list

An array of one or more group IDs

**permission\_level** : string

Options are: "read", "write", or "manage"

**Returns** **total\_user\_shares** : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**put\_sql\_shares\_users** (*id*, *user\_ids*, *permission\_level*)

Set the permissions users have on this object

**Parameters** *id* : integer

ID of the resource to be shared

**user\_ids** : list

An array of one or more user IDs

**permission\_level** : string

Options are: “read”, “write”, or “manage”

**Returns** *total\_user\_shares* : integer

For owners, the number of total users shared. For writers and readers, the number of visible users shared.

**total\_group\_shares** : integer

For owners, the number of total groups shared. For writers and readers, the number of visible groups shared.

**readers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**writers** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
  - id : integer
  - name : string
```

**owners** : dict:

```
- groups : list::
  - id : integer
  - name : string
- users : list::
```

```
- id : integer
- name : string
```

## Tables

**class Tables** (*session*, *return\_type='civis'*)

### Methods

<code>get(id)</code>	Show basic table info
<code>get_enhancements_cass_ncoa(id, source_table_id)</code>	View the status of a CASS / NCOA table enhancement
<code>get_enhancements_geocodings(id, source_table_id)</code>	View the status of a geocoding table enhancement
<code>get_enhancements_prepared_matchings(id, ...)</code>	View a prepared matching enhancement
<code>get_enhancements_table_matchings(id, ...)</code>	View a table matching enhancement
<code>list(**kwargs)</code>	List tables
<code>list_columns(id, **kwargs)</code>	List columns in the specified table
<code>patch(id, **kwargs)</code>	Update a table
<code>post(schema, name, data, database_id)</code>	Import a file into a table
<code>post_enhancements_cass_ncoa(source_table_id, ...)</code>	Standardize addresses in a table
<code>post_enhancements_geocodings(source_table_id)</code>	Geocode a table
<code>post_enhancements_prepared_matchings(...)</code>	Match person records against a dynamo table prepared by Civis
<code>post_enhancements_table_matchings(...)</code>	Match person records against an arbitrary Redshift table
<code>post_refresh(id)</code>	Request a refresh for column and table statistics

#### **get** (*id*)

Show basic table info

**Parameters** *id* : integer

**Returns** *last\_refresh* : string/date-time

The time of the last statistics refresh.

**ontology\_mapping** : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

**row\_count** : integer

The number of rows in the table.

**refresh\_status** : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

**is\_view** : boolean

True if this table represents a view. False if it represents a regular table.

**column\_count** : integer

The number of columns in the table.

**description** : string

The description of the table, as specified by the table owner

**name** : string

Name of the table.

**schema** : string

The name of the schema containing the table.

**refresh\_id** : string

The ID of the most recent statistics refresh.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**joins** : list:

```
- right_table_id : integer
- left_table_id : integer
- updated_at : string/time
- left_identifier : string
- right_identifier : string
- left_join : boolean
- on : string
- created_at : string/time
- id : integer
```

**id** : integer

The ID of the table.

**distkey** : string

The column used as the Amazon Redshift distkey.

**columns** : list:

```
- possible_dependent_variable_types : list
    Possible dependent variable types the column may be used to
    ↪ model.
    Null if it may not be used as a dependent variable.
- distinct_count : integer
    Number of distinct values in the column.
- sql_type : string
    SQL type of the column.
- order : integer
```

```

    Relative position of the column in the table.
- avg_value : number/float
    Average value of the column, where applicable.
- coverage_count : integer
    Number of non-null values in the column.
- useable_as_independent_variable : boolean
    Whether the column may be used as an independent variable to
↳train a
    model.
- useable_as_primary_key : boolean
    Whether the column may be used as an primary key to identify
↳table
    rows.
- null_count : integer
    Number of null values in the column.
- encoding : string
    The compression encoding for this columnSee: http://docs.aws.
↳amazon.com
    /redshift/latest/dg/c_Compression_encodings.html
- description : string
    The description of the column, as specified by the table owner
- stddev : number/float
    Stddev of the column, where applicable.
- name : string
    Name of the column.
- value_distribution_percent : dict
    A mapping between each value in the column and the percentage
↳of rows
    with that value.Only present for tables with fewer than
↳approximately
    25,000,000 rows and for columns with fewer than twenty distinct
↳values.
- sample_values : list
    A sample of values from the column.
- max_value : string
    Largest value in the column.
- min_value : string
    Smallest value in the column.
- value_distribution : dict
    An object mapping distinct values in the column to the number
↳of times
    they appear in the column

```

**size\_mb** : number/float

The size of the table in megabytes.

**multipart\_key** : list

**outgoing\_table\_matches** : list:

```

- target_type : string
    Target type
- target : dict::
    - name : string
- source_table_id : integer
    Source table
- job : dict::
    - created_at : string/date-time

```

```

- match_options : dict::
  - threshold : string
  - max_matches : integer
- type : string
- state : string
  Whether the job is idle, queued, running, cancelled, or
↳ failed.
- name : string
- runs : list::
  Information about the most recent runs of the job.
  - created_at : string/time
    The time that the run was queued.
  - error : string
    The error message for this run, if present.
  - state : string
  - started_at : string/time
    The time that the run started.
  - finished_at : string/time
    The time that the run completed.
  - id : integer
- updated_at : string/date-time
- hidden : boolean
  The hidden status of the object. Setting this to true hides
↳ it from
  most API endpoints. The object can still be queried
↳ directly by ID
- last_run : dict::
  - created_at : string/time
    The time that the run was queued.
  - error : string
    The error message for this run, if present.
  - state : string
  - started_at : string/time
    The time that the run started.
  - finished_at : string/time
    The time that the run completed.
  - id : integer
- id : integer
- target_id : integer
  Target ID

```

**enhancements** : list:

```

- join_id : integer
- created_at : string/time
- type : string
- updated_at : string/time

```

**view\_def** : string

**database\_id** : integer

The ID of the database.

**sortkeys** : string

The column used as the Amazon Redshift sortkey.

**owner** : string

The database username of the table's owner.

**get\_enhancements\_cass\_ncoa** (*id, source\_table\_id*)

View the status of a CASS / NCOA table enhancement

**Parameters** **id** : integer

The ID of the enhancement.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**Returns** **output\_level** : string

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

**ncoa\_credential\_id** : integer

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**perform\_ncoa** : boolean

Whether to update addresses for records matching the National Change of Address (NCOA) database.

**enhanced\_table\_name** : string

The name of the table created by the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**id** : integer

The ID of the enhancement.

**get\_enhancements\_geocodings** (*id, source\_table\_id*)

View the status of a geocoding table enhancement

**Parameters** **id** : integer

The ID of the enhancement.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**Returns** **enhanced\_table\_name** : string

The name of the table created by the enhancement.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**id** : integer

The ID of the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**get\_enhancements\_prepared\_matchings** (*id, source\_table\_id*)

View a prepared matching enhancement

**Parameters id** : integer

The ID of the enhancement.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**Returns threshold** : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**match\_table\_id** : integer

The ID of the Dynamo table to match against.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**max\_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

**enhanced\_table\_name** : string

The name of the table created by the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**id** : integer

The ID of the enhancement.

**get\_enhancements\_table\_matchings** (*id, source\_table\_id*)

View a table matching enhancement

**Parameters id** : integer

The ID of the enhancement.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**Returns threshold** : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**match\_table\_id** : integer

The ID of the Redshift table to match against.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**max\_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

**enhanced\_table\_name** : string

The name of the table created by the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**id** : integer

The ID of the enhancement.

**list** (*\*\*kwargs*)

List tables

**Parameters database\_id** : integer, optional

The ID of the database.

**schema** : string, optional

If specified, will be used to filter the tables returned. Substring matching is supported with "%" and "\*" wildcards (e.g., "schema=%census%" will return both "client\_census.table" and "census\_2010.table").

**name** : string, optional

If specified, will be used to filter the tables returned. Substring matching is supported with "%" and "\*" wildcards (e.g., "name=%table%" will return both "table1" and "my table").

**search** : string, optional

If specified, will be used to filter the tables returned. Will search across schema and name (in the full form schema.name) and will return any full name containing the search string.

**limit** : integer, optional

Number of results to return. Defaults to 50. Maximum allowed is 1000.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to schema. Must be one of: schema, name, search.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** **distkey** : string

The column used as the Amazon Redshift distkey.

**last\_refresh** : string/date-time

The time of the last statistics refresh.

**database\_id** : integer

The ID of the database.

**size\_mb** : number/float

The size of the table in megabytes.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**name** : string

Name of the table.

**refresh\_status** : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

**schema** : string

The name of the schema containing the table.

**column\_count** : integer

The number of columns in the table.

**description** : string

The description of the table, as specified by the table owner

**row\_count** : integer

The number of rows in the table.

**is\_view** : boolean

True if this table represents a view. False if it represents a regular table.

**refresh\_id** : string

The ID of the most recent statistics refresh.

**sortkeys** : string

The column used as the Amazon Redshift sortkey.

**id** : integer

The ID of the table.

**owner** : string

The database username of the table's owner.

**list\_columns** (*id*, *\*\*kwargs*)

List columns in the specified table

**Parameters** **id** : integer

**name** : string, optional

Search for columns with the given name, within the specified table.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to name. Must be one of: name, order.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** **possible\_dependent\_variable\_types** : list

Possible dependent variable types the column may be used to model. Null if it may not be used as a dependent variable.

**distinct\_count** : integer

Number of distinct values in the column.

**sql\_type** : string

SQL type of the column.

**order** : integer

Relative position of the column in the table.

**avg\_value** : number/float

Average value of the column, where applicable.

**coverage\_count** : integer

Number of non-null values in the column.

**useable\_as\_independent\_variable** : boolean

Whether the column may be used as an independent variable to train a model.

**useable\_as\_primary\_key** : boolean

Whether the column may be used as an primary key to identify table rows.

**null\_count** : integer

Number of null values in the column.

**encoding** : string

The compression encoding for this columnSee: [http://docs.aws.amazon.com/redshift/latest/dg/c\\_Compression\\_encodings.html](http://docs.aws.amazon.com/redshift/latest/dg/c_Compression_encodings.html)

**description** : string

The description of the column, as specified by the table owner

**stddev** : number/float

Stddev of the column, where applicable.

**name** : string

Name of the column.

**value\_distribution\_percent** : dict

A mapping between each value in the column and the percentage of rows with that value.Only present for tables with fewer than approximately 25,000,000 rows and for columns with fewer than twenty distinct values.

**sample\_values** : list

A sample of values from the column.

**max\_value** : string

Largest value in the column.

**min\_value** : string

Smallest value in the column.

**value\_distribution** : dict

An object mapping distinct values in the column to the number of times they appear in the column

**patch** (*id*, **\*\*kwargs**)

Update a table

**Parameters id** : integer

The ID of the table.

**ontology\_mapping** : dict, optional

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

**description** : string, optional

The user-defined description of the table.

**Returns distkey** : string

The column used as the Amazon Redshift distkey.

**last\_refresh** : string/date-time

The time of the last statistics refresh.

**database\_id** : integer

The ID of the database.

**size\_mb** : number/float

The size of the table in megabytes.

**ontology\_mapping** : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

**last\_run** : dict:

```
- created_at : string/time
  The time that the run was queued.
- error : string
  The error message for this run, if present.
- state : string
- started_at : string/time
  The time that the run started.
- finished_at : string/time
  The time that the run completed.
- id : integer
```

**name** : string

Name of the table.

**refresh\_status** : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

**schema** : string

The name of the schema containing the table.

**column\_count** : integer

The number of columns in the table.

**description** : string

The description of the table, as specified by the table owner

**row\_count** : integer

The number of rows in the table.

**is\_view** : boolean

True if this table represents a view. False if it represents a regular table.

**refresh\_id** : string

The ID of the most recent statistics refresh.

**sortkeys** : string

The column used as the Amazon Redshift sortkey.

**id** : integer

The ID of the table.

**owner** : string

The database username of the table's owner.

**post** (*schema, name, data, database\_id*)

Import a file into a table

**Parameters** **schema** : string

The destination schema name.

**name** : string

The destination table name, without the schema prefix.

**data** : string

The file to import, uploaded using HTTP multipart.

**database\_id** : integer

The ID of the destination database.

**Returns** **database\_id** : integer

The ID of the destination database.

**state** : string

The state of the last run.

**name** : string

The destination table name, without the schema prefix.

**schema** : string

The destination schema name.

**started\_at** : string/date-time

The start time of the last run.

**finished\_at** : string/date-time

The end time of the last run.

**post\_enhancements\_cass\_ncoa** (*source\_table\_id, \*\*kwargs*)

Standardize addresses in a table

**Parameters** **source\_table\_id** : integer

The ID of the table to be enhanced.

**output\_level** : string, optional

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all'. For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

**perform\_ncoa** : boolean, optional

Whether to update addresses for records matching the National Change of Address (NCOA) database.

**ncoa\_credential\_id** : integer, optional

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

**Returns output\_level** : string

The set of fields persisted by a CASS or NCOA enhancement. For CASS enhancements, one of 'cass' or 'all.' For NCOA enhancements, one of 'cass', 'ncoa', 'coalesced' or 'all'. By default, all fields will be returned.

**ncoa\_credential\_id** : integer

Credential to use when performing NCOA updates. Required if 'performNcoa' is true.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**perform\_ncoa** : boolean

Whether to update addresses for records matching the National Change of Address (NCOA) database.

**enhanced\_table\_name** : string

The name of the table created by the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**id** : integer

The ID of the enhancement.

**post\_enhancements\_geocodings** (*source\_table\_id*)

Geocode a table

**Parameters source\_table\_id** : integer

The ID of the table to be enhanced.

**Returns enhanced\_table\_name** : string

The name of the table created by the enhancement.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**id** : integer

The ID of the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**post\_enhancements\_prepared\_matchings** (*source\_table\_id*, *threshold*, *match\_table\_id*,  
\*\**kwargs*)

Match person records against a dynamo table prepared by Civis

**Parameters** **source\_table\_id** : integer

The ID of the table to be enhanced.

**threshold** : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

**match\_table\_id** : integer

The ID of the Dynamo table to match against.

**max\_matches** : integer, optional

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

**Returns** **threshold** : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**match\_table\_id** : integer

The ID of the Dynamo table to match against.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**max\_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

**enhanced\_table\_name** : string

The name of the table created by the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**id** : integer

The ID of the enhancement.

**post\_enhancements\_table\_matchings** (*source\_table\_id*, *threshold*, *match\_table\_id*,  
\*\**kwargs*)

Match person records against an arbitrary Redshift table

**Parameters** **source\_table\_id** : integer

The ID of the table to be enhanced.

**threshold** : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

**match\_table\_id** : integer

The ID of the Redshift table to match against.

**max\_matches** : integer, optional

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

**Returns threshold** : number/float

The confidence threshold which must be met for two individuals to be declared a match. Must be less than or equal to 1 and greater than or equal to 0.

**state** : string

The state of the enhancement, one of 'queued' 'running' 'succeeded' 'failed' or 'cancelled'.

**match\_table\_id** : integer

The ID of the Redshift table to match against.

**source\_table\_id** : integer

The ID of the table that was enhanced.

**max\_matches** : integer

The maximum number of individuals a person may be matched with. A value of 0 indicates that all matches should be returned.

**enhanced\_table\_name** : string

The name of the table created by the enhancement.

**enhanced\_table\_schema** : string

The schema name of the table created by the enhancement.

**id** : integer

The ID of the enhancement.

**post\_refresh** (*id*)

Request a refresh for column and table statistics

**Parameters id** : integer

**Returns last\_refresh** : string/date-time

The time of the last statistics refresh.

**ontology\_mapping** : dict

The ontology-key to column-name mapping. See /ontology for the list of valid ontology keys.

**row\_count** : integer

The number of rows in the table.

**refresh\_status** : string

How up-to-date the table's statistics on row counts, null counts, distinct counts, and values distributions are. One of: refreshing, stale, or current.

**is\_view** : boolean

True if this table represents a view. False if it represents a regular table.

**column\_count** : integer

The number of columns in the table.

**description** : string

The description of the table, as specified by the table owner

**name** : string

Name of the table.

**schema** : string

The name of the schema containing the table.

**refresh\_id** : string

The ID of the most recent statistics refresh.

**last\_run** : dict:

```
- created_at : string/time
    The time that the run was queued.
- error : string
    The error message for this run, if present.
- state : string
- started_at : string/time
    The time that the run started.
- finished_at : string/time
    The time that the run completed.
- id : integer
```

**joins** : list:

```
- right_table_id : integer
- left_table_id : integer
- updated_at : string/time
- left_identifier : string
- right_identifier : string
- left_join : boolean
- on : string
- created_at : string/time
- id : integer
```

**id** : integer

The ID of the table.

**distkey** : string

The column used as the Amazon Redshift distkey.

**columns** : list:

```
- possible_dependent_variable_types : list
    Possible dependent variable types the column may be used to
    ↪ model.
```

```

    Null if it may not be used as a dependent variable.
- distinct_count : integer
    Number of distinct values in the column.
- sql_type : string
    SQL type of the column.
- order : integer
    Relative position of the column in the table.
- avg_value : number/float
    Average value of the column, where applicable.
- coverage_count : integer
    Number of non-null values in the column.
- useable_as_independent_variable : boolean
    Whether the column may be used as an independent variable to
↳train a
    model.
- useable_as_primary_key : boolean
    Whether the column may be used as an primary key to identify
↳table
    rows.
- null_count : integer
    Number of null values in the column.
- encoding : string
    The compression encoding for this columnSee: http://docs.aws.amazon.com/redshift/latest/dg/c\_Compression\_encodings.html
- description : string
    The description of the column, as specified by the table owner
- stddev : number/float
    Stddev of the column, where applicable.
- name : string
    Name of the column.
- value_distribution_percent : dict
    A mapping between each value in the column and the percentage
↳of rows
    with that value.Only present for tables with fewer than
↳approximately
    25,000,000 rows and for columns with fewer than twenty distinct
↳values.
- sample_values : list
    A sample of values from the column.
- max_value : string
    Largest value in the column.
- min_value : string
    Smallest value in the column.
- value_distribution : dict
    An object mapping distinct values in the column to the number
↳of times
    they appear in the column

```

**size\_mb** : number/float

The size of the table in megabytes.

**multipart\_key** : list

**outgoing\_table\_matches** : list:

```

- target_type : string
    Target type

```

```

- target : dict::
  - name : string
- source_table_id : integer
  Source table
- job : dict::
  - created_at : string/date-time
  - match_options : dict::
    - threshold : string
    - max_matches : integer
  - type : string
  - state : string
    Whether the job is idle, queued, running, cancelled, or
↳ failed.
  - name : string
  - runs : list::
    Information about the most recent runs of the job.
    - created_at : string/time
      The time that the run was queued.
    - error : string
      The error message for this run, if present.
    - state : string
    - started_at : string/time
      The time that the run started.
    - finished_at : string/time
      The time that the run completed.
    - id : integer
  - updated_at : string/date-time
  - hidden : boolean
    The hidden status of the object. Setting this to true hides
↳ it from
    most API endpoints. The object can still be queried
↳ directly by ID
  - last_run : dict::
    - created_at : string/time
      The time that the run was queued.
    - error : string
      The error message for this run, if present.
    - state : string
    - started_at : string/time
      The time that the run started.
    - finished_at : string/time
      The time that the run completed.
    - id : integer
  - id : integer
- target_id : integer
  Target ID

```

**enhancements** : list:

```

- join_id : integer
- created_at : string/time
- type : string
- updated_at : string/time

```

**view\_def** : string

**database\_id** : integer

The ID of the database.

**sortkeys** : string

The column used as the Amazon Redshift sortkey.

**owner** : string

The database username of the table's owner.

## Users

**class Users** (*session*, *return\_type='civis'*)

### Methods

<code>delete_api_keys(id, key_id)</code>	Revoke the specified API key
<code>get(id)</code>	Show info about a user
<code>get_api_keys(id, key_id)</code>	Show the specified API key
<code>list(**kwargs)</code>	List users
<code>list_api_keys(id, **kwargs)</code>	Show API keys belonging to the specified user
<code>list_me()</code>	Show info about the logged-in user
<code>patch_me(**kwargs)</code>	Update info about the logged-in user
<code>post_api_keys(id, expires_in, name, **kwargs)</code>	Create a new API key belonging to the logged-in user

**delete\_api\_keys** (*id*, *key\_id*)

Revoke the specified API key

**Parameters** **id** : string

The ID of the user or 'me'.

**key\_id** : integer

The ID of the API key.

**Returns** **expires\_at** : string/date-time

The date and time when the key expired.

**scopes** : list

The scopes which the key is permissioned on.

**created\_at** : string/date-time

The date and time when the key was created.

**constraints** : list:

```
Constraints on the abilities of the created key
- patch_allowed : boolean
  Whether the constraint allows PATCH requests.
- get_allowed : boolean
  Whether the constraint allows GET requests.
- post_allowed : boolean
  Whether the constraint allows POST requests.
- constraint : string
  The path matcher of the constraint.
- head_allowed : boolean
  Whether the constraint allows HEAD requests.
```

```

- delete_allowed : boolean
  Whether the constraint allows DELETE requests.
- constraint_type : string
  The type of constraint (exact/prefix/regex/verb).
- put_allowed : boolean
  Whether the constraint allows PUT requests.

```

**id** : integer

The ID of the API key.

**name** : string

The name of the API key.

**expired** : boolean

True if the key has expired.

**active** : boolean

True if the key has neither expired nor been revoked.

**use\_count** : integer

The number of times the key has been used.

**revoked\_at** : string/date-time

The date and time when the key was revoked.

**last\_used\_at** : string/date-time

The date and time when the key was last used.

**get** (*id*)

Show info about a user

**Parameters** **id** : integer

The ID of this user.

**Returns** **email** : string

The email of this user.

**primary\_group\_id** : integer

The ID of the primary group of this user.

**github\_username** : string

The GitHub username of this user.

**department** : string

The department of this user.

**prefers\_sms\_otp** : string

The preference for phone authorization of this user

**groups** : list:

```

An array of all the groups this user is in.
- organization_id : integer
  The organization associated with this group.
- id : integer

```

```
The ID of this group.  
- name : string  
  The name of this group.
```

**time\_zone** : string

The time zone of this user.

**vpn\_enabled** : string

The availability of vpn for this user.

**city** : string

The city of this user.

**user** : string

The username of this user.

**initials** : string

The initials of this user.

**title** : string

The title of this user.

**state** : string

The state of this user.

**name** : string

The name of this user.

**active** : string

The account status of this user.

**phone** : string

The phone number of this user.

**id** : integer

The ID of this user.

**otp\_required\_for\_login** : string

The two factor authorization requirement for this user.

**get\_api\_keys** (*id*, *key\_id*)

Show the specified API key

**Parameters** **id** : string

The ID of the user or 'me'.

**key\_id** : integer

The ID of the API key.

**Returns** **expires\_at** : string/date-time

The date and time when the key expired.

**scopes** : list

The scopes which the key is permissioned on.

**created\_at** : string/date-time

The date and time when the key was created.

**constraints** : list:

```

Constraints on the abilities of the created key
- patch_allowed : boolean
  Whether the constraint allows PATCH requests.
- get_allowed : boolean
  Whether the constraint allows GET requests.
- post_allowed : boolean
  Whether the constraint allows POST requests.
- constraint : string
  The path matcher of the constraint.
- head_allowed : boolean
  Whether the constraint allows HEAD requests.
- delete_allowed : boolean
  Whether the constraint allows DELETE requests.
- constraint_type : string
  The type of constraint (exact/prefix/regex/verb).
- put_allowed : boolean
  Whether the constraint allows PUT requests.

```

**id** : integer

The ID of the API key.

**name** : string

The name of the API key.

**expired** : boolean

True if the key has expired.

**active** : boolean

True if the key has neither expired nor been revoked.

**use\_count** : integer

The number of times the key has been used.

**revoked\_at** : string/date-time

The date and time when the key was revoked.

**last\_used\_at** : string/date-time

The date and time when the key was last used.

**list** (\*\*kwargs)

List users

**Parameters feature\_flag** : string, optional

Return users that have a feature flag enabled.

**account\_status** : string, optional

The account status by which to filter users. May be one of “active”, “inactive”, or “all”.

**query** : string, optional

Return users who match the given query, based on name, user, and email.

**group\_id** : integer, optional

The ID of the group by which to filter users. Cannot be present if organization\_id is.

**organization\_id** : integer, optional

The ID of the organization by which to filter users. Cannot be present if group\_id is.

**limit** : integer, optional

Number of results to return. Defaults to 20. Maximum allowed is 10000.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to name. Must be one of: name, user.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to asc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns primary\_group\_id** : integer

The ID of the primary group of this user.

**active** : string

The account status of this user.

**email** : string

The email of this user.

**created\_at** : string/date-time

The date and time when the user was created.

**name** : string

The name of this user.

**user** : string

The username of this user.

**current\_sign\_in\_at** : string/date-time

The date and time when the user's current session began.

**groups** : list:

```
An array of all the groups this user is in.
- organization_id : integer
  The organization associated with this group.
- id : integer
  The ID of this group.
- name : string
  The name of this group.
```

**id** : integer

The ID of this user.

**list\_api\_keys** (*id*, *\*\*kwargs*)

Show API keys belonging to the specified user

**Parameters** *id* : string

The ID of the user or 'me'.

**limit** : integer, optional

Number of results to return. Defaults to its maximum of 50.

**page\_num** : integer, optional

Page number of the results to return. Defaults to the first page, 1.

**order** : string, optional

The field on which to order the result set. Defaults to id. Must be one of: id.

**order\_dir** : string, optional

Direction in which to sort, either asc (ascending) or desc (descending) defaulting to desc.

**iterator** : bool, optional

If True, return a generator to iterate over all responses. Use when more results than the maximum allowed by limit are needed. When True, limit and page\_num are ignored. Defaults to False.

**Returns** *expires\_at* : string/date-time

The date and time when the key expired.

**scopes** : list

The scopes which the key is permissioned on.

**created\_at** : string/date-time

The date and time when the key was created.

**id** : integer

The ID of the API key.

**constraint\_count** : integer

The number of constraints on the created key

**name** : string

The name of the API key.

**expired** : boolean

True if the key has expired.

**active** : boolean

True if the key has neither expired nor been revoked.

**use\_count** : integer

The number of times the key has been used.

**revoked\_at** : string/date-time

The date and time when the key was revoked.

**last\_used\_at** : string/date-time

The date and time when the key was last used.

**list\_me** ()

Show info about the logged-in user

**Returns feature\_flags** : dict

The feature flag settings for this user.

**email** : string

This user's email address.

**preferences** : dict

This user's preferences.

**groups** : list:

```
An array of all the groups this user is in.
- organization_id : integer
  The organization associated with this group.
- id : integer
  The ID of this group.
- name : string
  The name of this group.
```

**roles** : list

The roles this user has, listed by slug.

**custom\_branding** : string

The branding of Platform for this user.

**initials** : string

This user's initials.

**organization\_name** : string

The name of the organization the user belongs to.

**id** : integer

The ID of this user.

**name** : string

This user's name.

**last\_checked\_announcements** : string/date-time

The date and time at which the user last checked their announcements.

**username** : string

This user's username.

**patch\_me** (\*\*kwargs)

Update info about the logged-in user

**Parameters preferences** : dict, optional:

```
- enhancement_index_author_filter : string
    Author filter for the enhancements index page.
- script_index_author_filter : string
    Author filter for the scripts index page.
- import_index_dest_filter : string
    Destination filter for the imports index page.
- report_index_thumbnail_view : string
    Thumbnail view for the reports index page.
- enhancement_index_archived_filter : string
    Archived filter for the enhancements index page.
- result_index_order_dir : string
    Order direction for the results index page.
- project_index_order_field : string
    Order field for the projects index page.
- result_index_type_filter : string
    Type filter for the results index page.
- project_detail_type_filter : string
    Type filter for projects detail pages.
- project_detail_archived_filter : string
    Archived filter for the projects detail pages.
- import_index_type_filter : string
    Type filter for the imports index page.
- app_index_order_field : string
    Order field for the apps index pages.
- project_index_order_dir : string
    Order direction for the projects index page.
- export_index_order_field : string
    Order field for the exports index page.
- model_index_thumbnail_view : string
    Thumbnail view for the models index page.
- script_index_type_filter : string
    Type filter for the scripts index page.
- result_index_archived_filter : string
    Archived filter for the results index page.
- model_index_author_filter : string
    Author filter for the models index page.
- script_index_order_field : string
    Order field for the scripts index page.
- preferred_server_id : integer
    ID of preferred server.
- script_index_archived_filter : string
    Archived filter for the scripts index page.
- script_index_order_dir : string
    Order direction for the scripts index page.
- import_index_status_filter : string
    Status filter for the imports index page.
- model_index_status_filter : string
    Status filter for the models index page.
- project_detail_order_dir : string
    Order direction for projects detail pages.
- project_detail_author_filter : string
    Author filter for projects detail pages.
- export_index_order_dir : string
    Order direction for the exports index page.
- result_index_author_filter : string
    Author filter for the results index page.
- enhancement_index_order_field : string
    Order field for the enhancements index page.
```

```
- model_index_order_dir : string
    Order direction for the models index page.
- project_detail_order_field : string
    Order field for projects detail pages.
- export_index_status_filter : string
    Status filter for the exports index page.
- result_index_order_field : string
    Order field for the results index page.
- model_index_archived_filter : string
    Archived filter for the models index page.
- enhancement_index_order_dir : string
    Order direction for the enhancements index page.
- import_index_order_field : string
    Order field for the imports index page.
- model_index_order_field : string
    Order field for the models index page.
- project_index_author_filter : string
    Author filter for the projects index page.
- import_index_author_filter : string
    Author filter for the imports index page.
- import_index_archived_filter : string
    Archived filter for the imports index page.
- script_index_status_filter : string
    Status filter for the scripts index page.
- export_index_author_filter : string
    Author filter for the exports index page.
- project_index_archived_filter : string
    Archived filter for the projects index page.
- civis_explore_skip_intro : boolean
    Whether the user is shown steps for each exploration.
- export_index_type_filter : string
    Type filter for the exports index page.
- import_index_order_dir : string
    Order direction for the imports index page.
- app_index_order_dir : string
    Oder direction for the apps index pages.
```

**last\_checked\_announcements** : string/date-time, optional

The date and time at which the user last checked their announcements.

**Returns feature\_flags** : dict

The feature flag settings for this user.

**email** : string

This user's email address.

**preferences** : dict

This user's preferences.

**groups** : list:

```
An array of all the groups this user is in.
- organization_id : integer
    The organization associated with this group.
- id : integer
    The ID of this group.
```

```
- name : string
    The name of this group.
```

**roles** : list

The roles this user has, listed by slug.

**custom\_branding** : string

The branding of Platform for this user.

**initials** : string

This user's initials.

**organization\_name** : string

The name of the organization the user belongs to.

**id** : integer

The ID of this user.

**name** : string

This user's name.

**last\_checked\_announcements** : string/date-time

The date and time at which the user last checked their announcements.

**username** : string

This user's username.

**post\_api\_keys** (*id*, *expires\_in*, *name*, *\*\*kwargs*)

Create a new API key belonging to the logged-in user

**Parameters id** : string

The ID of the user or 'me'.

**expires\_in** : integer

The number of seconds the key should last for.

**name** : string

The name of the API key.

**constraints** : list, optional:

```
Constraints on the abilities of the created key.
- patch_allowed : boolean
    Whether the constraint allows PATCH requests.
- get_allowed : boolean
    Whether the constraint allows GET requests.
- post_allowed : boolean
    Whether the constraint allows POST requests.
- constraint : string
    The path matcher of the constraint.
- head_allowed : boolean
    Whether the constraint allows HEAD requests.
- delete_allowed : boolean
    Whether the constraint allows DELETE requests.
- constraint_type : string
```

```
The type of constraint (exact/prefix/regex/verb).  
- put_allowed : boolean  
  Whether the constraint allows PUT requests.
```

**Returns** `expires_at` : string/date-time

The date and time when the key expired.

**scopes** : list

The scopes which the key is permissioned on.

**expired** : boolean

True if the key has expired.

**token** : string

The API key.

**name** : string

The name of the API key.

**use\_count** : integer

The number of times the key has been used.

**created\_at** : string/date-time

The date and time when the key was created.

**revoked\_at** : string/date-time

The date and time when the key was revoked.

**constraints** : list:

```
Constraints on the abilities of the created key  
- patch_allowed : boolean  
  Whether the constraint allows PATCH requests.  
- get_allowed : boolean  
  Whether the constraint allows GET requests.  
- post_allowed : boolean  
  Whether the constraint allows POST requests.  
- constraint : string  
  The path matcher of the constraint.  
- head_allowed : boolean  
  Whether the constraint allows HEAD requests.  
- delete_allowed : boolean  
  Whether the constraint allows DELETE requests.  
- constraint_type : string  
  The type of constraint (exact/prefix/regex/verb).  
- put_allowed : boolean  
  Whether the constraint allows PUT requests.
```

**active** : boolean

True if the key has neither expired nor been revoked.

**id** : integer

The ID of the API key.

**last\_used\_at** : string/date-time

The date and time when the key was last used.

## Command Line Interface

A command line interface (CLI) to Civis is provided. This can be invoked by typing the command `civis` in the shell (`sh`, `bash`, `zsh`, etc.). It can also be used in Civis container scripts where the Docker image has this client installed. Here's a simple example of printing the types of scripts.

```
> civis scripts list-types
- name: sql
- name: python3
- name: javascript
- name: r
- name: containers
```

Not all API endpoints are available through the CLI since some take complex data types (e.g., arrays, objects/dictionaries) as input. However, functionality is available for getting information about scripts, logs, etc., as well as executing already created scripts.

There are a few extra, CLI-only commands that wrap the Files API endpoints to make uploading and downloading files easier: `civis files upload $PATH` and `civis files download $FILEID $PATH`.

The default output format is YAML, but the `--json-output` allows you to get output in JSON.



## CHAPTER 6

---

### Indices and tables

---

- [genindex](#)
- [modindex](#)
- [search](#)



**A**

add\_done\_callback() (civis.ml.ModelFuture method), 33  
 APIClient (class in civis), 35

**C**

cancel() (civis.ml.ModelFuture method), 33  
 cancelled() (civis.ml.ModelFuture method), 33  
 CIVIS\_API\_KEY, 14–16, 18, 19, 21–23, 27, 29, 32, 35, 39  
 civis\_to\_csv() (in module civis.io), 13  
 civis\_to\_file() (in module civis.io), 20  
 CivisFuture (class in civis.futures), 39  
 Credentials (class in civis.resources.\_resources), 40  
 csv\_to\_civis() (in module civis.io), 15

**D**

Databases (class in civis.resources.\_resources), 45  
 dataframe\_to\_civis() (in module civis.io), 16  
 default\_credential (civis.APIClient attribute), 36  
 delete\_api\_keys() (civis.resources.\_resources.Users method), 408  
 delete\_builds() (civis.resources.\_resources.Models method), 95  
 delete\_containers\_projects() (civis.resources.\_resources.Scripts method), 180  
 delete\_containers\_runs() (civis.resources.\_resources.Scripts method), 181  
 delete\_containers\_shares\_groups() (civis.resources.\_resources.Scripts method), 181  
 delete\_containers\_shares\_users() (civis.resources.\_resources.Scripts method), 181  
 delete\_custom\_projects() (civis.resources.\_resources.Scripts method), 181  
 delete\_custom\_runs() (civis.resources.\_resources.Scripts method), 181

delete\_custom\_shares\_groups() (civis.resources.\_resources.Scripts method), 182  
 delete\_custom\_shares\_users() (civis.resources.\_resources.Scripts method), 182  
 delete\_files\_runs() (civis.resources.\_resources.Imports method), 54  
 delete\_grants() (civis.resources.\_resources.Reports method), 156  
 delete\_javascript\_projects() (civis.resources.\_resources.Scripts method), 182  
 delete\_javascript\_runs() (civis.resources.\_resources.Scripts method), 182  
 delete\_javascript\_shares\_groups() (civis.resources.\_resources.Scripts method), 182  
 delete\_javascript\_shares\_users() (civis.resources.\_resources.Scripts method), 183  
 delete\_projects() (civis.resources.\_resources.Files method), 48  
 delete\_projects() (civis.resources.\_resources.Imports method), 54  
 delete\_projects() (civis.resources.\_resources.Jobs method), 86  
 delete\_projects() (civis.resources.\_resources.Models method), 95  
 delete\_projects() (civis.resources.\_resources.Reports method), 156  
 delete\_python3\_projects() (civis.resources.\_resources.Scripts method), 183  
 delete\_python3\_runs() (civis.resources.\_resources.Scripts method), 183  
 delete\_python3\_shares\_groups() (civis.resources.\_resources.Scripts method), 183  
 delete\_python3\_shares\_users()

(civis.resources.\_resources.Scripts method), 184

delete\_r\_projects() (civis.resources.\_resources.Scripts method), 184

delete\_r\_runs() (civis.resources.\_resources.Scripts method), 184

delete\_r\_shares\_groups() (civis.resources.\_resources.Scripts method), 184

delete\_r\_shares\_users() (civis.resources.\_resources.Scripts method), 184

delete\_runs() (civis.resources.\_resources.Predictions method), 124

delete\_runs() (civis.resources.\_resources.Queries method), 148

delete\_shares\_groups() (civis.resources.\_resources.Files method), 48

delete\_shares\_groups() (civis.resources.\_resources.Imports method), 55

delete\_shares\_groups() (civis.resources.\_resources.Jobs method), 86

delete\_shares\_groups() (civis.resources.\_resources.Models method), 95

delete\_shares\_groups() (civis.resources.\_resources.Projects method), 132

delete\_shares\_groups() (civis.resources.\_resources.Reports method), 157

delete\_shares\_users() (civis.resources.\_resources.Files method), 49

delete\_shares\_users() (civis.resources.\_resources.Imports method), 55

delete\_shares\_users() (civis.resources.\_resources.Jobs method), 86

delete\_shares\_users() (civis.resources.\_resources.Models method), 96

delete\_shares\_users() (civis.resources.\_resources.Projects method), 133

delete\_shares\_users() (civis.resources.\_resources.Reports method), 157

delete\_sql\_projects() (civis.resources.\_resources.Scripts method), 185

delete\_sql\_runs() (civis.resources.\_resources.Scripts method), 185

delete\_sql\_shares\_groups() (civis.resources.\_resources.Scripts method), 185

delete\_sql\_shares\_users() (civis.resources.\_resources.Scripts method), 185

delete\_syncs() (civis.resources.\_resources.Imports method), 55

delete\_whitelist\_ips() (civis.resources.\_resources.Databases method), 46

done() (civis.ml.ModelFuture method), 33

## E

environment variable  
 CIVIS\_API\_KEY, 14–16, 18, 19, 21–23, 27, 29, 32, 35, 39

exception() (civis.ml.ModelFuture method), 34

## F

failed() (civis.ml.ModelFuture method), 34

file\_to\_civis() (in module civis.io), 21

Files (class in civis.resources.\_resources), 48

from\_existing() (civis.ml.ModelPipeline class method), 29

## G

get() (civis.resources.\_resources.Credentials method), 40

get() (civis.resources.\_resources.Files method), 49

get() (civis.resources.\_resources.Imports method), 55

get() (civis.resources.\_resources.Jobs method), 86

get() (civis.resources.\_resources.Models method), 96

get() (civis.resources.\_resources.Predictions method), 124

get() (civis.resources.\_resources.Projects method), 133

get() (civis.resources.\_resources.Queries method), 148

get() (civis.resources.\_resources.Reports method), 157

get() (civis.resources.\_resources.Scripts method), 185

get() (civis.resources.\_resources.Tables method), 390

get() (civis.resources.\_resources.Users method), 409

get\_api\_keys() (civis.resources.\_resources.Users method), 410

get\_aws\_credential\_id() (civis.APIClient method), 36

get\_batches() (civis.resources.\_resources.Imports method), 58

get\_builds() (civis.resources.\_resources.Models method), 100

get\_containers() (civis.resources.\_resources.Scripts method), 189

get\_containers\_runs() (civis.resources.\_resources.Scripts method), 193

get\_custom() (civis.resources.\_resources.Scripts method), 193

get\_custom\_runs() (civis.resources.\_resources.Scripts method), 197

get\_database\_credential\_id() (civis.APIClient method), 37

get\_database\_id() (civis.APIClient method), 37

get\_enhancements\_cass\_ncoa() (civis.resources.\_resources.Tables method), 394

get\_enhancements\_geocodings() (civis.resources.\_resources.Tables method), 394

get\_enhancements\_prepared\_matchings() (civis.resources.\_resources.Tables method), 395

- get\_enhancements\_table\_matchings() (civis.resources.\_resources.Tables method), 395  
 get\_files\_runs() (civis.resources.\_resources.Imports method), 59  
 get\_javascript() (civis.resources.\_resources.Scripts method), 197  
 get\_javascript\_runs() (civis.resources.\_resources.Scripts method), 201  
 get\_python3() (civis.resources.\_resources.Scripts method), 201  
 get\_python3\_runs() (civis.resources.\_resources.Scripts method), 205  
 get\_r() (civis.resources.\_resources.Scripts method), 205  
 get\_r\_runs() (civis.resources.\_resources.Scripts method), 209  
 get\_runs() (civis.resources.\_resources.Jobs method), 87  
 get\_runs() (civis.resources.\_resources.Predictions method), 126  
 get\_runs() (civis.resources.\_resources.Queries method), 149  
 get\_sql() (civis.resources.\_resources.Scripts method), 209  
 get\_sql\_runs() (civis.resources.\_resources.Scripts method), 213  
 get\_table\_id() (civis.APIClient method), 38  
 get\_whitelist\_ips() (civis.resources.\_resources.Databases method), 46
- I**
- Imports (class in civis.resources.\_resources), 54
- J**
- Jobs (class in civis.resources.\_resources), 85
- L**
- list() (civis.resources.\_resources.Credentials method), 41  
 list() (civis.resources.\_resources.Databases method), 46  
 list() (civis.resources.\_resources.Imports method), 59  
 list() (civis.resources.\_resources.Jobs method), 88  
 list() (civis.resources.\_resources.Models method), 101  
 list() (civis.resources.\_resources.Predictions method), 127  
 list() (civis.resources.\_resources.Projects method), 135  
 list() (civis.resources.\_resources.Queries method), 150  
 list() (civis.resources.\_resources.Reports method), 159  
 list() (civis.resources.\_resources.Scripts method), 214  
 list() (civis.resources.\_resources.Tables method), 396  
 list() (civis.resources.\_resources.Users method), 411  
 list\_api\_keys() (civis.resources.\_resources.Users method), 413  
 list\_batches() (civis.resources.\_resources.Imports method), 62  
 list\_builds() (civis.resources.\_resources.Models method), 104  
 list\_children() (civis.resources.\_resources.Jobs method), 89  
 list\_columns() (civis.resources.\_resources.Tables method), 398  
 list\_containers\_projects() (civis.resources.\_resources.Scripts method), 216  
 list\_containers\_runs() (civis.resources.\_resources.Scripts method), 217  
 list\_containers\_runs\_logs() (civis.resources.\_resources.Scripts method), 218  
 list\_containers\_runs\_outputs() (civis.resources.\_resources.Scripts method), 218  
 list\_containers\_shares() (civis.resources.\_resources.Scripts method), 219  
 list\_custom() (civis.resources.\_resources.Scripts method), 220  
 list\_custom\_projects() (civis.resources.\_resources.Scripts method), 222  
 list\_custom\_runs() (civis.resources.\_resources.Scripts method), 223  
 list\_custom\_runs\_logs() (civis.resources.\_resources.Scripts method), 223  
 list\_custom\_runs\_outputs() (civis.resources.\_resources.Scripts method), 224  
 list\_custom\_shares() (civis.resources.\_resources.Scripts method), 225  
 list\_files\_runs() (civis.resources.\_resources.Imports method), 63  
 list\_history() (civis.resources.\_resources.Scripts method), 225  
 list\_javascript\_projects() (civis.resources.\_resources.Scripts method), 226  
 list\_javascript\_runs() (civis.resources.\_resources.Scripts method), 227  
 list\_javascript\_runs\_logs() (civis.resources.\_resources.Scripts method), 228  
 list\_javascript\_runs\_outputs() (civis.resources.\_resources.Scripts method), 228  
 list\_javascript\_shares() (civis.resources.\_resources.Scripts method), 229  
 list\_me() (civis.resources.\_resources.Users method), 414  
 list\_parents() (civis.resources.\_resources.Jobs method), 89  
 list\_projects() (civis.resources.\_resources.Files method), 49  
 list\_projects() (civis.resources.\_resources.Imports

method), 63

list\_projects() (civis.resources.\_resources.Jobs method), 90

list\_projects() (civis.resources.\_resources.Models method), 105

list\_projects() (civis.resources.\_resources.Reports method), 161

list\_python3\_projects() (civis.resources.\_resources.Scripts method), 230

list\_python3\_runs() (civis.resources.\_resources.Scripts method), 231

list\_python3\_runs\_logs() (civis.resources.\_resources.Scripts method), 232

list\_python3\_runs\_outputs() (civis.resources.\_resources.Scripts method), 232

list\_python3\_shares() (civis.resources.\_resources.Scripts method), 233

list\_r\_projects() (civis.resources.\_resources.Scripts method), 233

list\_r\_runs() (civis.resources.\_resources.Scripts method), 234

list\_r\_runs\_logs() (civis.resources.\_resources.Scripts method), 235

list\_r\_runs\_outputs() (civis.resources.\_resources.Scripts method), 236

list\_r\_shares() (civis.resources.\_resources.Scripts method), 236

list\_runs() (civis.resources.\_resources.Imports method), 64

list\_runs() (civis.resources.\_resources.Predictions method), 127

list\_runs() (civis.resources.\_resources.Queries method), 151

list\_schedules() (civis.resources.\_resources.Models method), 106

list\_schedules() (civis.resources.\_resources.Predictions method), 128

list\_schemas() (civis.resources.\_resources.Databases method), 47

list\_shares() (civis.resources.\_resources.Files method), 50

list\_shares() (civis.resources.\_resources.Imports method), 65

list\_shares() (civis.resources.\_resources.Jobs method), 91

list\_shares() (civis.resources.\_resources.Models method), 107

list\_shares() (civis.resources.\_resources.Projects method), 137

list\_shares() (civis.resources.\_resources.Reports method), 162

list\_snapshots() (civis.resources.\_resources.Reports method), 162

list\_sql\_projects() (civis.resources.\_resources.Scripts method), 237

list\_sql\_runs() (civis.resources.\_resources.Scripts method), 238

list\_sql\_runs\_logs() (civis.resources.\_resources.Scripts method), 239

list\_sql\_runs\_outputs() (civis.resources.\_resources.Scripts method), 240

list\_sql\_shares() (civis.resources.\_resources.Scripts method), 240

list\_types() (civis.resources.\_resources.Models method), 107

list\_types() (civis.resources.\_resources.Scripts method), 241

list\_whitelist\_ips() (civis.resources.\_resources.Databases method), 47

## M

ModelFuture (class in civis.ml), 31

ModelPipeline (class in civis.ml), 27

Models (class in civis.resources.\_resources), 94

## P

PaginatedResponse (class in civis.response), 38

patch() (civis.resources.\_resources.Models method), 108

patch() (civis.resources.\_resources.Predictions method), 129

patch() (civis.resources.\_resources.Reports method), 163

patch() (civis.resources.\_resources.Scripts method), 241

patch() (civis.resources.\_resources.Tables method), 399

patch\_containers() (civis.resources.\_resources.Scripts method), 246

patch\_containers\_runs() (civis.resources.\_resources.Scripts method), 252

patch\_custom() (civis.resources.\_resources.Scripts method), 253

patch\_javascript() (civis.resources.\_resources.Scripts method), 257

patch\_me() (civis.resources.\_resources.Users method), 414

patch\_python3() (civis.resources.\_resources.Scripts method), 262

patch\_r() (civis.resources.\_resources.Scripts method), 268

patch\_snapshots() (civis.resources.\_resources.Reports method), 166

patch\_sql() (civis.resources.\_resources.Scripts method), 273

post() (civis.resources.\_resources.Credentials method), 42

post() (civis.resources.\_resources.Files method), 51

post() (civis.resources.\_resources.Imports method), 65

post() (civis.resources.\_resources.Models method), 110

post() (civis.resources.\_resources.Projects method), 137

- post() (civis.resources.\_resources.Queries method), 152  
 post() (civis.resources.\_resources.Reports method), 167  
 post() (civis.resources.\_resources.Scripts method), 279  
 post() (civis.resources.\_resources.Tables method), 401  
 post\_api\_keys() (civis.resources.\_resources.Users method), 417  
 post\_authenticate() (civis.resources.\_resources.Credentials method), 43  
 post\_batches() (civis.resources.\_resources.Imports method), 70  
 post\_builds() (civis.resources.\_resources.Models method), 115  
 post\_cancel() (civis.resources.\_resources.Imports method), 71  
 post\_cancel() (civis.resources.\_resources.Scripts method), 284  
 post\_containers() (civis.resources.\_resources.Scripts method), 284  
 post\_containers\_runs() (civis.resources.\_resources.Scripts method), 290  
 post\_containers\_runs\_heartbeats() (civis.resources.\_resources.Scripts method), 291  
 post\_containers\_runs\_logs() (civis.resources.\_resources.Scripts method), 291  
 post\_containers\_runs\_outputs() (civis.resources.\_resources.Scripts method), 292  
 post\_custom() (civis.resources.\_resources.Scripts method), 292  
 post\_custom\_runs() (civis.resources.\_resources.Scripts method), 296  
 post\_custom\_runs\_outputs() (civis.resources.\_resources.Scripts method), 297  
 post\_enhancements\_cass\_ncoa() (civis.resources.\_resources.Tables method), 401  
 post\_enhancements\_geocodings() (civis.resources.\_resources.Tables method), 402  
 post\_enhancements\_prepared\_matchings() (civis.resources.\_resources.Tables method), 403  
 post\_enhancements\_table\_matchings() (civis.resources.\_resources.Tables method), 403  
 post\_files() (civis.resources.\_resources.Imports method), 71  
 post\_files\_runs() (civis.resources.\_resources.Imports method), 72  
 post\_grants() (civis.resources.\_resources.Reports method), 170  
 post\_javascript() (civis.resources.\_resources.Scripts method), 297  
 post\_javascript\_runs() (civis.resources.\_resources.Scripts method), 302  
 post\_javascript\_runs\_outputs() (civis.resources.\_resources.Scripts method), 303  
 post\_python3() (civis.resources.\_resources.Scripts method), 303  
 post\_python3\_runs() (civis.resources.\_resources.Scripts method), 309  
 post\_python3\_runs\_outputs() (civis.resources.\_resources.Scripts method), 309  
 post\_r() (civis.resources.\_resources.Scripts method), 310  
 post\_r\_runs() (civis.resources.\_resources.Scripts method), 316  
 post\_r\_runs\_outputs() (civis.resources.\_resources.Scripts method), 316  
 post\_refresh() (civis.resources.\_resources.Tables method), 404  
 post\_run() (civis.resources.\_resources.Scripts method), 316  
 post\_runs() (civis.resources.\_resources.Imports method), 73  
 post\_runs() (civis.resources.\_resources.Jobs method), 92  
 post\_runs() (civis.resources.\_resources.Predictions method), 131  
 post\_runs() (civis.resources.\_resources.Queries method), 154  
 post\_snapshots() (civis.resources.\_resources.Reports method), 172  
 post\_sql() (civis.resources.\_resources.Scripts method), 317  
 post\_sql\_runs() (civis.resources.\_resources.Scripts method), 323  
 post\_syncs() (civis.resources.\_resources.Imports method), 73  
 post\_temporary() (civis.resources.\_resources.Credentials method), 44  
 post\_trigger\_email() (civis.resources.\_resources.Jobs method), 92  
 post\_whitelist\_ips() (civis.resources.\_resources.Databases method), 47  
 predict() (civis.ml.ModelPipeline method), 29  
 Predictions (class in civis.resources.\_resources), 124  
 Projects (class in civis.resources.\_resources), 132  
 put() (civis.resources.\_resources.Credentials method), 44  
 put() (civis.resources.\_resources.Imports method), 74  
 put() (civis.resources.\_resources.Projects method), 140  
 put\_archive() (civis.resources.\_resources.Imports method), 79  
 put\_archive() (civis.resources.\_resources.Models method), 116

`put_archive()` (civis.resources.\_resources.Projects method), 143  
`put_archive()` (civis.resources.\_resources.Reports method), 173  
`put_containers()` (civis.resources.\_resources.Scripts method), 323  
`put_containers_archive()` (civis.resources.\_resources.Scripts method), 330  
`put_containers_projects()` (civis.resources.\_resources.Scripts method), 334  
`put_containers_shares_groups()` (civis.resources.\_resources.Scripts method), 334  
`put_containers_shares_users()` (civis.resources.\_resources.Scripts method), 335  
`put_custom()` (civis.resources.\_resources.Scripts method), 336  
`put_custom_archive()` (civis.resources.\_resources.Scripts method), 340  
`put_custom_projects()` (civis.resources.\_resources.Scripts method), 343  
`put_custom_shares_groups()` (civis.resources.\_resources.Scripts method), 343  
`put_custom_shares_users()` (civis.resources.\_resources.Scripts method), 344  
`put_javascript()` (civis.resources.\_resources.Scripts method), 345  
`put_javascript_archive()` (civis.resources.\_resources.Scripts method), 350  
`put_javascript_projects()` (civis.resources.\_resources.Scripts method), 353  
`put_javascript_shares_groups()` (civis.resources.\_resources.Scripts method), 353  
`put_javascript_shares_users()` (civis.resources.\_resources.Scripts method), 354  
`put_predictions()` (civis.resources.\_resources.Models method), 120  
`put_projects()` (civis.resources.\_resources.Files method), 52  
`put_projects()` (civis.resources.\_resources.Imports method), 82  
`put_projects()` (civis.resources.\_resources.Jobs method), 92  
`put_projects()` (civis.resources.\_resources.Models method), 121  
`put_projects()` (civis.resources.\_resources.Reports method), 175  
`put_python3()` (civis.resources.\_resources.Scripts method), 355  
`put_python3_archive()` (civis.resources.\_resources.Scripts method), 361  
`put_python3_projects()` (civis.resources.\_resources.Scripts method), 365  
`put_python3_shares_groups()` (civis.resources.\_resources.Scripts method), 365  
`put_python3_shares_users()` (civis.resources.\_resources.Scripts method), 366  
`put_r()` (civis.resources.\_resources.Scripts method), 366  
`put_r_archive()` (civis.resources.\_resources.Scripts method), 372  
`put_r_projects()` (civis.resources.\_resources.Scripts method), 376  
`put_r_shares_groups()` (civis.resources.\_resources.Scripts method), 376  
`put_r_shares_users()` (civis.resources.\_resources.Scripts method), 377  
`put_schedules()` (civis.resources.\_resources.Models method), 121  
`put_schedules()` (civis.resources.\_resources.Predictions method), 131  
`put_scripts()` (civis.resources.\_resources.Queries method), 154  
`put_shares_groups()` (civis.resources.\_resources.Files method), 52  
`put_shares_groups()` (civis.resources.\_resources.Imports method), 82  
`put_shares_groups()` (civis.resources.\_resources.Jobs method), 93  
`put_shares_groups()` (civis.resources.\_resources.Models method), 122  
`put_shares_groups()` (civis.resources.\_resources.Projects method), 146  
`put_shares_groups()` (civis.resources.\_resources.Reports method), 176  
`put_shares_users()` (civis.resources.\_resources.Files method), 53  
`put_shares_users()` (civis.resources.\_resources.Imports method), 83  
`put_shares_users()` (civis.resources.\_resources.Jobs method), 94  
`put_shares_users()` (civis.resources.\_resources.Models method), 123  
`put_shares_users()` (civis.resources.\_resources.Projects method), 146  
`put_shares_users()` (civis.resources.\_resources.Reports method), 176  
`put_sql()` (civis.resources.\_resources.Scripts method), 378

`put_sql_archive()` (civis.resources.\_resources.Scripts method), 384  
`put_sql_projects()` (civis.resources.\_resources.Scripts method), 388  
`put_sql_shares_groups()` (civis.resources.\_resources.Scripts method), 388  
`put_sql_shares_users()` (civis.resources.\_resources.Scripts method), 389  
`put_syncs()` (civis.resources.\_resources.Imports method), 84

## Q

Queries (class in civis.resources.\_resources), 147  
`query_civis()` (in module civis.io), 23

## R

`read_civis()` (in module civis.io), 17  
`read_civis_sql()` (in module civis.io), 19  
Reports (class in civis.resources.\_resources), 156  
Response (class in civis.response), 38  
`result()` (civis.ml.ModelFuture method), 34  
`running()` (civis.ml.ModelFuture method), 34

## S

Scripts (class in civis.resources.\_resources), 177  
`set_exception()` (civis.ml.ModelFuture method), 34  
`set_result()` (civis.ml.ModelFuture method), 34  
`set_running_or_notify_cancel()` (civis.ml.ModelFuture method), 34  
`succeeded()` (civis.ml.ModelFuture method), 35

## T

Tables (class in civis.resources.\_resources), 390  
`train()` (civis.ml.ModelPipeline method), 30  
`transfer_table()` (in module civis.io), 22

## U

username (civis.APIClient attribute), 38  
Users (class in civis.resources.\_resources), 408